OF THE REGISTRAR-GENERAL Scotland

THE ROYAL SOCIETY

OF HEALTH

LIBRARY

BIRTHS, DEATHS AND MARRIAGES

Registered in the Quarter ended 31st March, 1958

No. 413



© Crown copyright 1958

EDINBURGH HER MAJESTY'S STATIONERY OFFICE

PRICE 2s. 6d. NET

Annual Subscription 10s. 6d. including postage

Quarterly Report

of the

Births, Deaths and Marriages registered in Scotland for the Quarter ended 31st March, 1958

REPORT

Summary.—In this quarter there were 25,101 births or 19.7 per 1,000 of the population. Excluding the years following the war, which were exceptional, the rate is higher than for any first quarter since 1931.

The marriage-rate was 8.5 per 1,000 of the population, 0.4 less than in the first quarter of 1957 and 1.0 less than the average for 1953-57.

There were 18,621 deaths in the quarter or 14.6 per 1,000 of the population. This compares with 12.7 in the first quarter of 1957, which was exceptionally low for a first quarter. The average over the five years 1953-57 was 14.2.

There were 746 deaths in the quarter due to causes other than natural causes. 355 of these deaths were due to accidents in the home. Of these fatal accidents in the home, falls, involving the deaths of 46 men and 101 women mostly over 75 years of age, were the principal cause. 78 were due to gas poisoning and these, too, were mostly of elderly people. 53 were caused by suffocation and all but 5 were of children under one. Burning and scalding accidents, involving 51 persons, were the other main cause of accidental deaths in the home.

Transport accidents caused 159 deaths in the quarter. 142 were road transport accidents, involving the deaths of 86 pedestrians, 13 motor cyclists and 5 pedal cyclists.

Deaths from tuberculosis were 229, or 18 per 100,000 of the population. The rate is 1 per 100,000 higher than in the first quarter of 1957 and 7 per 100,000 below the 1953-57 average.

There were 15 maternal deaths or 6 for every 10,000 live births. This is 2 per 10,000 more than in the first quarter of 1957 and 1 per 10,000 below the 1953-57 average.

Live Births.—The 25,101 births in the quarter under review are 342 more than in the corresponding quarter of 1957. The rate per 1,000 population is 19·7, being 0·2 above the rate for the first quarter of 1957 and 1·0 above the average. The birth-rate in the cities is 20·1 and in the large burghs 21·5. These compare with 18·8 for the rest of Scotland.

In individual areas the rate ranged in the cities and large burghs from 28.5 in Dumbarton, 26.7 in Coatbridge and 25.9 in Port Glasgow, to 17.8 in Aberdeen, 17.7 in Rutherglen and 16.4 in Edinburgh. In counties, exclusive of cities and large burghs, it ranged from 23.0 in Caithness, 21.8 in West Lothian and 21.5 in Kinross to 13.0 in Selkirk, 12.1 in Orkney and 11.4 in Sutherland.

EXPLANATORY NOTES

Correction for Residence.—Births, Stillbirths and Deaths are corrected throughout this Return by transfer where necessary to usual place of residence, if in Scotland, but Marriage figures are as registered.

Birth, Death and Marriage Rates.—These rates are calculated on the estimated population in Scotland or of the local area concerned, as the case may be, as at 31st December, 1957.

Average Rates.—Unless otherwise indicated, any reference in this Report to the average rate or the average refers to the average of the rates in the corresponding quarters of the previous five years.

The proportion of illegitimate births, $4\cdot 1$ per cent, is $0\cdot 3$ above that for the first quarter of 1957 but $0\cdot 1$ below the average rate.

Of the 25,101 births registered, 12,843 were of male children and 12,258 of female children, being 1,048 male births per 1,000 females. Births registered in January numbered 8,642, in February 7,768, and in March 8,691, the equivalent birth-rates being 19·7, 19·6 and 19·8 respectively.

Stillbirths.—The number of stillbirths registered during the quarter was 614 and is equivalent to a rate of 24 per 1,000 total births (including stillbirths), which compares with 25 per 1,000 in the first quarter of 1957.

Marriages.—The number of marriages registered in the quarter was 10,877, 402 less than in the first quarter of 1957. The rate per 1,000 population is 8.5; this is 0.4 below the rate for the first quarter of 1957 and 1.0 below the average rate.

In considering the figures given in Table I it should be remembered that many marriages of persons, one or both of whom are resident in rural areas, are contracted in neighbouring cities or towns. Thus an area to area comparison is unreliable. While it is true also that births and deaths often occur in hospitals away from the place of residence the figures, unlike those for marriages, are so adjusted as to relate to the place of residence (a similar adjustment is not possible for marriages as two residences are involved.)

10,877 marriages were registered in this quarter. 8,849 were solemnised by a minister of religion. 2,027 were civil marriages contracted in registrars' offices. One was an irregular marriage registered on the authority of the Court of Session.

Corresponding figures in the first quarter of 1957 were 9,346 marriages with a religious ceremony, 1,932 civil marriages and one irregular marriage.

Of the marriages registered in the quarter, 1,982 were registered in January, 2,850 in February and 6,045 in March.

Deaths.—18,621 deaths were registered in the quarter giving a death-rate of 14.6 per 1,000 of the population. They were 2,446 higher than in the first quarter of 1957 and the rate is 1.9 per 1,000 of the population higher than in that quarter and 0.4 above the average rate.

The rate in the four cities was 15·2 and in the large burghs 14·0. These rates compare with 14·5 in the rest of Scotland. The rate in individual cities and large burghs ranged from 16·9 in Rutherglen, 16·1 in Paisley and 16·0 in Hamilton to 12·4 in Motherwell and Wishaw, 12·0 in Clydebank, and 10·6 in Port Glasgow. In counties exclusive of cities and large burghs it ranged from 21·9 in Bute, 20·0 in Argyll and 19·7 in Sutherland to 13·0 in Aberdeen, Lanark and Moray, 12·7 in West Lothian and 11·7 in Stirling.

Deaths registered in January numbered 6,789, in February 5,746 and in March 6,086.

Infant Mortality.—Deaths of children aged under one year numbered 794 and are equivalent to an infant mortality rate of 32 per 1,000 registered live births. This rate is the same as that for the corresponding quarter of 1957 and 2 below the average. The mortality was 31 per 1,000 births for legitimate children and 38 for illegitimate children.

The infant mortality in the cities is 33, in the large burghs 32 and in the rest of Scotland 30. In the cities and large burghs individually it ranged from 59 in Dunfermline, 53 in Hamilton and 51 in Greenock to 16 in Perth and Stirling, 15 in Coatbridge and 12 in Falkirk.

In counties exclusive of cities and large burghs it ranged from 75 in Peebles, 54 in Sutherland and 53 in Kinross to 14 in Inverness and Kirkcudbright, 13 in Berwick, and 6 in Clackmannan and Roxburgh.

The neo-natal rate (deaths of infants under 28 days) is 19 per 1,000 live births and is the same as that for the corresponding quarter of 1957.

Causes of Death.—Principal Epidemic Diseases.—There were 89 deaths registered during the quarter which were attributed to the principal epidemic diseases, being 29 more than in the first quarter of 1957. The death-rate for this group is 7 per 100,000 of population. The average rate is 12. These deaths include 3 from whooping cough, 7 from meningococcal infections, and 79 from influenza. There were no deaths from typhoid fever, scarlet fever, diphtheria and measles. 15 of the cities and large burghs had no deaths from the principal epidemic diseases and in the rest of Scotland 14 counties had none.

One death from acute poliomyelitis was registered. There were three deaths from this cause in the previous quarter and none in the corresponding quarter of 1957.

Tuberculosis.—There were 229 deaths from tuberculosis, 11 more than in the first quarter of 1957. 219 were from tuberculosis of the respiratory system and 10 from other forms. The death-rate from all forms is 18 per 100,000. From respiratory tuberculosis it is 17. Both rates are one above those for the corresponding quarter of 1957, and 7 and 6 respectively below the average.

Malignant Disease.—Deaths under this head were 2,667, 120 more than in the first quarter of 1957, and the rate is up by 9 to 210 per 100,000.

Respiratory Diseases.—Deaths from bronchitis numbered 1,001 and from pneumonia (excluding pneumonia of the newborn) 883. The corresponding death-rates per 100,000 population are 79 and 69. The average rates are 67 and 53 respectively.

Maternal Mortality.—Deaths of mothers from diseases and accidents of pregnancy and childbirth numbered 15 (a rate of 0.6 per 1,000 live births). This rate is 0.2 above that for the corresponding quarter of 1957 but 0.1 below the average. Including stillbirths the maternal death-rate is 0.6 per 1,000.

Violence.—Deaths due to causes other than natural causes numbered 746, and are equivalent to a death-rate of 59 per 100,000 of the population. In the first quarter of 1957 the number was 694 and the rate 55 per 100,000 of the population.

355 of the deaths in the first quarter were from accidents in the home. The numbers are subdivided by causes, broadly grouped, and by sex and age, in the following table.

Deaths from Accidents in the Home by sex and age—quarter ended 31st March, 1958—Scotland

International Detailed List Nos.	Cause of Death	All	Under	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
E.870-E.888 E.890Y	Poisoning by solid and M. liquid substance F. Poisoning by utility (illu-	6 10	_	2	3	=	=		1	1 3	2 3	1	1	_
E.890X	minating) gas, stated M. to be accidental F. Poisoning by utility (illu-	10 27	-	1		-	1	-	2	3	4 2	1 9	3 9	3
E.891-E.895	minating) gas, un- specified as to whether M. accidental or suicidal F. Poisoning by other gases M. and vapours F.	22 19 —	<u>-</u>			1	1 1	3 2	3 2	8 -	3 1	1 4	3 3	4
E.900-E.904 E.916-E.918	Falls	46 101 14	_	1 1	E		=	1	1	2 4	6 4 1	11 16 3	17 45 2	9 34 3
E.921,E.922, E.924, E.925 Remainder	stance, radiation, etc. F. Mechanical suffocation M. F. Other and unspecified M. accidents F.	37 33 20 6 4	30 18	31	1			1 - 1	3 1 - 1	4 2 1 -	4 - 3 2	7	9 1	5
E.870-E.936, E.961, E.962	Total Accidents in the f m.	137 218	30 19	4 5	<u></u>	-	2 1	3 7	9 5	17 12	19 16	16 37	25 68	12 46

Deaths from transport accidents in the first quarter of 1958 are analysed in the following table according to the type of accident and the sex and age of the deceased. 142 of the total of 159 transport accidents were road accidents.

Deaths from Transport Accidents by sex and age—quarter ended 31st March, 1958—Scotland

E.812 Pedestrian \{ M. \ F. \ 26 \ 2 \ 5 \ 2 \ 2 \ - 1 \ 1 \ 2 \ 6 \ 3 \ 1 \ 7 \ 5 \ E.823 \\ E.813 Pedal cyclist \{ M. \ M. \ F. \ 1 \ 26 \ 2 \ 5 \ 2 \ 2 \ - 1 \ 1 \ 2 \ 4 \ 6 \ 3 \ 1 \ 7 \ 5 \ E.825 \\ Remainder of E.810-E.825 \ E.830-E.835 \\ E.840-E.842. \ E.844 \} E.843 Pedal cyclist \{ M. \ F. \ 1 \ 9 \ 1 \ 1 \ 1 \ 1 \ 1 \ 1 \ 1 \ 1							Jan Barrier								
Context Cont	Detailed	Cause of Death	All	Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
E.813 E.814,E.815, E.824 Remainder E.810-E.825 B.830-E.835 E.840-E.842, E.844 B.848 E.845 Cother persons \(\begin{subarray}{c ccccccccccccccccccccccccccccccccccc	E.812	dents involving injury to:— Pedestrian M.		hon!	7		T Se		1	2					1
E.824 Motor cyclist \{ \begin{array}{c ccccccccccccccccccccccccccccccccccc	E.813	Pedal cyclist F.	3					1	1		I	1		-	
E.810-E.825 Other persons \(\frac{r}{r} \). \(\frac{r}{s}	E.824 Remainder	Motor cyclist { F.	-			-		-	3	-	-	4	2	1	-
dents involving injury to:— E.840-E.842. Pedestrian \begin{array}{c ccccccccccccccccccccccccccccccccccc	E.810-E.825 E.830-E.835	Motor vehicle non-traffic M.	9		_	EI B				3 -		2	3 -	1 _	
E.844 } Pedestrian \(\{ \frac{\pi}{\pi}, \\ \frac{\pi}{1} \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	81-10	dents involving injury	03	17										ABS	- 3
E.845 Other persons \(\begin{array}{cccccccccccccccccccccccccccccccccccc	E.844 }	Pedestrian F.	3	1	=	EIR		-	2	-	_	1	FIN		-
Canal and Adams Canal and	A Secretary	M.	1		=		-		=	-	=				-
E.850-E.866 port accidents (F. 1 1	E810-E.845			-	7 3										
E.800-E.866 Total transport accidents $\left\{ egin{array}{c c c c c c c c c c c c c c c c c c c $	E.800-E.802, E.850-E.866			I		23		_					1	T	_
	E.800-E.866	Total transport accidents $\left\{ {{_{F.}}^{M.}} \right.$	117 42	=	7 3	5 5								12 5	1 1

The death-rates from the main causes of death in the first quarter of 1958 are indicated in the following table. The comparable rates in the first quarter of 1957 and the average rates for the first quarters of the years 1953-1957 inclusive are also given for purposes of comparison.

and the same production of the same of the	Death-ra	tes per 100,000 Pe	opulation
Cause of Death	1958 First Quarter	1957 First Quarter	Average rates for First Quarters 1953-1957
ALL CAUSES	1,464	1,275	1,416
Principal Epidemic Diseases Typhoid Fever	7 	5 -0 -1 0 1 2 17 16 1 201 54 43 *0·4	12 0 0 0 1 1 1 10 25 23 3 205 67 53 *0·7
All Violent Deaths Road Transport Accidents	†0.6 59 11	†0·4 55 8	†0.6 56 9

^{*} Per 1,000 live births

CLAIMS TO SICKNESS BENEFIT UNDER THE NATIONAL INSURANCE ACTS

The number of new claims to Sickness Benefit under the National Insurance Acts made at National Insurance Offices of the Ministry of Pensions and National Insurance in Scotland during the 13 weeks ended 1st April, 1958, was 289,125. The number of such claims made at the 17 principal towns is shown below.

		ew Sickness 13 weeks en	-	Claims in the pril, 1958		Town	New Sickness 13 weeks end		
1.	Glasgow	TR		83,936	10.	Dunferml	ine	19.15	4,482
2.	Edinburgh			24,709	11.	Clydeban	k	1000	6,148
3.	Aberdeen			9,929	12.	Ayr	31 5 5 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	120000	4,500
4.	Dundee			9,969	13.	Kilmarno	ck	1000	4,073
5.	Paisley			8,296	14.	Perth	- III		3,066
6.	Greenock		1	7,166	15.	Hamilton	Towns 1550 has		9,086
7.	Motherwell	and			16.	Falkirk		Ermon !	4,447
	Wishaw	7		10,135	17.	Airdrie	Meridian	Park all	3,326
8.	Kirkcaldy	24 1.57	4 1.00	4,380				To lesson	-
9.	Coatbridge			5,581				2	03,229
					1.8			-	

These figures represent the number of new claims made at Ministry of Pensions and National Insurance Offices in the towns named, and include a number of claims made by insured persons resident in the landward area served by these offices.

[†] Per 1,000 live and stillbirths

METEOROLOGICAL NOTES

Supplied by the Meteorological Office, Edinburgh

JANUARY, 1958

Mild in the first half and toward the end of the month, but one very cold period intervened with severe frost and heavy snowfall. Mean temperatures for the month were from one to three degrees below average. Totals of precipitation and sunshine were variable.

After a few days of cold weather, a mild southwest type set in on the 4th and continued until about the 17th with strong gales at times, especially on the night of the 8/9th. In the mild period day readings were mainly in the 50°-60° range but dropped to 30°-40° generally during the cold weather from the 18th-25th. In some places frost persisted all day. It became milder in the last week with maxima of 55°-60°. The mildest days were the 15th and 27th, the thermometer reaching 62° at Onich and 61° at Coatbridge on the latter date. The lowest night minima were minus 7° at Grantown-on-Spey, minus 6° at Kincraig and minus 5° at Braemar—all on the 25th. On the ground temperature fell to minus 8° at Balcladaich (Cannich) and at Glenlivet on the 24th and to minus 8 and minus 6 respectively at Braemar and Dyce on the 25th.

The month appears to have been a dull one at stations round the Moray Firth but elsewhere records were good for the month of January. The sunniest places lay on the East Coast; St. Andrews with 69 hours topping the list, followed closely by Edinburgh (68 hours), Dunbar (68 hours), Arbroath (66 hours), Leuchars (65 hours) and Longforgan, in the Dundee area (65 hours).

North and Northeast districts and the coastal fringe in the west had considerably more than the usual January precipitation. Elsewhere there was an appreciable deficiency, small areas in Fife and East Lothian having less than half the average. There was a good deal of snow and sleet in the first half of the month and blizzards occurred between the 18th and 25th. Roughly, the snow fell to a depth of 3-6 inches but exceeded a foot in some north and northeast counties which were the hardest hit. There traffic was brought to a standstill and farms and villages were isolated. Two trains were trapped in drifts. A rapid thaw set in with the onset of very mild weather on the 25th, and heavy rain and thawing snow caused flooding in places. Amongst noteworthy daily falls for the month were 2·40 inches at Arnadam (Dunoon area) and 2·83 at Dunoon Water Works on the 8th. Ardnadam had 2·45 on the 25th and Strathyre 2·42 on the 28th.

There was a good deal of fog, especially around the 14th-16th. Thunder was heard at one place or other on 14 days. Gales were severe at times causing damage ashore and at sea. On the 17th, wind speed rose to 94 miles per hour at Grimsetter Airport, Orkney, and to 93 at Tiree on the early morning of the 9th.

Meteorological Notes-continued

FEBRUARY, 1958

A mainly dull, cold month with heavy snowfall, but mild periods. Total precipitation variable.

The month opened with temperatures in the 50's, the 4th being the mildest day of the month in some districts. Cold North winds on the 6th-9th lowered day readings by 10°-15° and caused severe frosts at night. Around the 16th there were a few days of low temperature, but milder weather followed, the 20th being the mildest day for February in some places. Temperature was moderate in most parts of the country in the last week. The highest readings were 56° at Dyce and Logic Coldstone and 55 in a number of East Coast districts on the 4th. In contrast, frost persisted all day on the 6th at Dalwhinnie and Glenlivet. Overnight frosts were severe on the 6th-10th, the lowest minima being minus 2 at Achany (Lairg area) on the 7th and zero at Logic Coldstone on the 7th and 8th. The lowest readings on the ground were minus 5 at Balcladaich (Cannich area) on the 7th, and minus 1 at Braemar on the 9th. Mean temperatures for the month were below average by 1°-3° in most places, the mean value (37.6°) for the principal towns being 1.4° below average.

Sunshine records were poor for February especially in Moray Firth districts where totals were 30 hours below average in places. In some Northern districts, however, there was more than the seasonal amount of sunshine. The sunniest places were Leuchars (71 hours), Dundee (71), St. Andrews (67), Arbroath (65) and Glensaugh, Kincardineshire (65).

Total precipitation was below average in practically the whole of the counties of Inverness, Argyll and Perth, and also in the Central Lowlands, totals in places being less than half the February normal. Elsewhere there was mainly a slight to moderate excess but at Wick and locally inland in the Counties of Moray, Banff and Aberdeen totals exceeded double the normal. A feature of the month were the heavy snowfalls around the 7th-9th and 23rd-24th. After the former storm which blocked most main roads and isolated rural areas, thawing snow led to flooding of fields and roads in Border and Northern districts. A partial thaw following the second storm prevented widespread dislocation. At Glenlivet snow depths, undrifted, were 16 inches on the 10th and 12 inches on the 26th. In addition to the snow periods, rain or sleet fell on many other days and falls of over an inch in 24 hours were numerous. On the 4th, 1.91 inches fell at a station in Glen Etive and 1.72 at Brenchoillie Farm, in Argyll.

Winds rose to gale force at exposed stations on 16 days. Fog was fairly frequent but only local thunder was reported.

Meteorological Notes-continued

MARCH, 1958

A very cold month with heavy snowfall and "record" low temperatures but mild at the beginning and end. Totals of precipitation and sunshine were variable.

The weather in March was similar to that in January and February and mean temperature $(37\cdot1^{\circ})$ for the country as a whole was $4\cdot6^{\circ}$ below average. It was the coldest March in Scotland since 1947. Day temperatures were up to the seasonal level in the first few days and in the last week. On the 4th the thermometer rose to 59° at Elgin and to 58° at Forres and Gordon Castle. Very cold Northerly winds set in on the 5th with snow in most districts and temperatures became progressively lower. A depression crossed the country on the 12th/13th and, with a rapid build up of pressure behind it over the North Sea, cold southeast winds became established and these lasted for almost two weeks. Day maxima failed to rise above freezing point in many places around the 9th and unusually severe night frosts occurred from the 10th-14th. Low air minima were —9° (41 degrees of frost) at Logie Coldstone on the 14th, —8° at Grantownon-Spey on the 12th and -7° at Braemar on the 12th. These are the lowest air minima recorded in any March since systematic recording began about one hundred years ago. Ground frosts were frequent in most districts, the lowest minimum on the grass being -10° which occurred at Braemar on the 12th, at Balcladaich (Cannich area) on the 14th and at Glenmore Lodge on the 14th.

Heavy snow falls were reported during the second week, especially in some northern counties where a blizzard on the 8th completely paralysed traffic. At Braemar snow lay continuously from the 6th to the end of the month and at a number of high level stations the depth of snow, undrifted, was between one and two feet. In eastern districts, where onshore winds brought frequent showers, total precipitation for the month was twice to thrice the average in places. Central, north and northwest districts had about three-quarters of average but a large area in the west stretching from the Solway Firth to beyond the Caledonian Canal received only one-third to one-half the average. In contrast to the largest March total since 1866 at Montrose (Sunnyside), Greenock and Helensburgh had their least of any March this century. In the dry areas, precipitation fell on only 10-15 days (but less at some stations) and on roughly 15-20 days in the wetter parts of East Scotland. Daily falls of an inch or more occurred locally in the first few days and rather widely on the 28th and 29th. On the 28th, 2.45 inches fell at Den of Ogil (Angus), 2.19 in Dundee and 2.15 at Bridge of Dye (Kincardineshire).

The long spell of easterly winds brought a good deal of cloudiness to East Scotland where most sunshine records were below average. In Western districts the month was mainly a sunny one, especially so in the Northwest. Some totals there were 30 hours above the seasonal average. The sunniest places were Benbecula (149 hours), Duntuilm, Skye (140), Stornoway (137), Troon (127) and Prestwick Airport (127).

There were no reports of thunder, but fog was prevalent in the first and last weeks. Winds rose to gale force on 19 days.

TABLE 1.—BIRTHS, STILLBIRTHS, DEATHS AND MARRIAGES IN THE COUNTIES OF CITIES, LARGE BURGHS AND COUNTIES OF SCOTLAND, WITH THEIR EQUIVALENT RATES PER 1,000 OF POPULATION—OUARTER ENDED 31ST MARCH 1958

a der	5/Nº 15	Births (living children)		763	1 1010	17 10	Deaths	T Say	Rates	per 1,000	per 1,000 of Population	ation	Illegiti- mate		Stillbirths per 1,000 Total
in the fi	Estimated Population 31.12.57	Total	Illegiti- mate	Still- births	mar- riages	Total	*Principal Epidemic Diseases	Children aged under 1 year	Births	Marriages	Deaths	Principal Epidemic Diseases	Births Per 100 Live Births	rate per 1,000 Live Births	Births (Including Still- births)
es	5,159,500 1,912,500 863,000	25,101 9,502 4,575	1,032 441 171	614 234 120	10,877 4,422 2,143	18,621 7,145 2,980	89 88 8	794 312 146	19-7 20-1 21-5	8.5 9.4 10.1	14.0 15.2 14.0	0.03 0.08 0.04	4·1 4·6 3·7	32 32 32	24 26 26
	2,384,000	11,024	420	260	4,312	8,496	44	336	18.8	7.3	14.5	20.0	3.8	30	23
Aberdeen County Aberdeen Co. of City† Remainder of County	326,700 186,500 140,200	1,392 820 572	3.55 3.12 3.12 3.12 3.12 3.12 3.12 3.12 3.12	28 16 12	666 434 232	1,072 621 451	0 0	36 17 19	17.8	9.4	13.5	90.0	3.0	33	119
Angus County Dundee Co. of City Arbroath Burgh Remainder of County	276,600 179,500 19,800 77,300	1,338 925 92 321	69 48 19	24 7 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	596 433 33 130	1,065 653 75 337	60 -	38 22 12 12 12 12 12	20.9 18.9 16.9	1 6 6 8	14.8 15.4 17.7	0.05	0.000	22 22 37	25 111 12
Argyll County	26,600	191	11	9	73	280	20	3	13.7	5.5	20.0	0.36	5.8	16	30
Ayr County Ayr Burgh Kilmarnock Burgh Remainder of County	334,900 43,800 44,400 246,600	1,632 203 253 1,176	61 42 45	36 95	719 113 131 475	1,153 166 151 836	6 6	42 88 29	18.8 23.1 19.3	10.5 12.0 7.8	15.4 13.8 13.7	1 0.05	1.4.7. 3.8.	25 25 25	34 2 1
Banff County	50,400	224	6	8	75	179	63	10	18.0	0.9	14.4	0.24	4.0	45	34
Bute County	23,700	77 59	4 6	7 1	26	108	Vern Company	- 60	13.2	4.5	18.5		5.2	13	25
Caithness County	26,100	148	6	3	57	86	7	4	23.0	6.8	15.2	0.31	6.1	27	20
Clackmannan Co	39,800	180	10	7	86	129	1	1 1	18.3	10.0	13.1	0.10	5.6	9	37

Dumfries Burgh Remainder of County	27,500 61,500	125 263	10	4 %	95	89 204	11	8 00	18.4	14.0 9.6	13.1		6.4	24 30	31
Dunbarton County Clydebank Burgh Dumbarton Burgh Remainder of County	175,000 50,100 26,300 98,500	934 305 185 444	30 13 15	27 9 9 21 9 9 21 9 9 9 9 9 9 9 9 9 9 9 9 9	312 96 49 167	594 148 82 82 364	4 4	29 8 7 14	24.6 28.5 18.3	7.5	12.6 12.6 15.0	0.16	4.3 1.1 3.4	38 32 32	119 31 26
East Lothian County	51,700	250	6	7	92	168	2	9	19.6	7.2	13.2	0.16	3.6	24	00
Fife County Dunfermline Burgh Kirkcaldy Burgh Remainder of County	321,100 46,400 52,000 222,700	1,622 220 247 1,155	67 9 9 49	32 9 7 16	688 105 134 449	1,141 154 160 827	3276	50 13 32	19.2 19.3 21.0	9.2 10.5 8.2	13.5 12.5 15.1	0.09 0.16 0.05	4.1 3.6 4.2	28 28 28	39 14
Inverness County Inverness Burgh Remainder of County	83,000 28,200 54,800	345 127 218	17 10 7	6 89	150 110 40	311 105 206	400	6 98		15.8	15.1	0.29	7.9		23
Kincardine County‡	27,000	112	7	7	39	96		4	16.8	5.9	14.4	1	1.8	36	18
Kinross County	7,200	38	2	-	15	33	1	7	21.5	s.	18.7	1	5.3	53	26
Kirkcudbright Co	30,400	139	4	7	51	116	1	2	18.5	8.9	15.5	1	2.9	14	14
Lanark County Glasgow Co. of City Airdrie Burgh Coatbridge Burgh Hamilton Burgh Motherwell and	1,626,460 1,079,800 32,700 52,300 41,100	8,824 5,869 167 344 243	282 282 8 8 8	220 156 6 6 6 10	3,825 2,578 84 119 124	5,866 4,073 108 166 166	73 78	323 217 7 13	22.0 20.7 26.7 24.0	10.4 10.4 12.2	15.3 13.4 12.9 16.0	100	4 4 4 6 8 8 9 6 6	37 42 15 53	26 35 17 40
Wishaw Burgh Rutherglen Burgh Remainder of County	71,700 24,500 324,200	425 107 1,669	14 2 2 2 2 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2	3228	170 65 685	219 102 1,036	- 0	10 4 67	24.0 17.7 20.9	9.6 10.8 8.6	12.4 16.9 13.0	0.17	3.3 1.9 3.1	24 37 40	18 18 19
Midlothian County Edinburgh Co. of City Remainder of County	574,400 466,600 107,800	2,444 1,888 556	102 86 16	54 38 16	1,212 977 235	2,183 1,798 385	12	71 56 15	16.4	3 3 7 3 3	15.6	0.10	4.6	30	20
Moray County	50,100	260	10	9	98	161	2	∞	21.1	7.0	13.0	0.16	3.8	31	23

* Typhoid fever, scarlet fever, diphtheria, whooping courth, meningococcal infections, measles and influenza. † Including for this purpose the entire Burgh of Aberdeen, part of which is in Kincardine County. † Excluding for this purpose the portion of Aberdeen Burgh in Kincardine County.

TABLE 1.—BIRTHS, STILLBIRTHS, DEATHS AND MARRIAGES IN THE COUNTIES OF CITIES, LARGE BURGHS AND COUNTIES OF SCOTLAND WITH THEIR FOUNDAIENT RATES PER 1 000 OF POPULATION-OUARIER ENDED 31ST MARCH. 1958-continued

IEIK	WITH THEIR PROTECTION OF THE PROPERTY OF THE P						-							
Births (living children)	ths	<u> </u>		I to		Deaths		Rates	Rates per 1,000 of Population	of Popul	lation	Illegiti- mate	Infant Mor-	Stillbirths per 1,000 Total
Population 31.12.57 Total Illegiti- mate	Illegiti		Still- births	riages	Total	*Principal Epidemic Diseases	Children aged under	Births	Marriages	Deaths	Principal Epidemic Diseases		rate per 1,000 Live Births	Births (including Still- births)
,300 38 3	3		1	6	34		1	18.6	4.4	16.7	Stanoor	7.9	26	-
,800 59 2	2		9	28	86	700	7	12.1	5.7	17.6	0.21	3.4	34	92
,200 53 4	4		-	20	62	1	4	15.2	5.7	17.7		7.5	75	19
,800 534 25 ,800 186 7 ,000 348 18	25 7 18		10 4 9 6	206 99 107	497 160 337	9 9	6 89	18.5	9.6	15.9	60.0	3.8	16 17	21
200 1,673 52 990 395 13 000 505 22 300 149 6	52 13 22 6 6		38 17 10 10	681 175 226 41 239	1,187 259 382 61 61 485	w- c1	66 20 18 5 23	20.6 21.3 25.9 18.6	9.5	13.5 16.1 10.6 14.5	0.05	1.8 4.4 0.4 8.1	51 36 34 37	41 16 20 20 16
400 245 12	12		6	45	209	8	4	16-7	3.1	14.3	0.20	4.9	16	35
,000 156 4	4		9	88	165	- 1	1	14.1	7.9	14.9	Ī	2.6	9	37
,000 67 2	7		4	40	94	-1		13.0	7.7	18.2	-	3.0	15	99
900 926 31 100 173 8 1000 124 5 800 629 18	31 85 81		24 5 1 18	434 108 66 260	599 136 95 368		21 2 2 17	18.6 18.6 20.0	11.8 9.9 8.3	14.9 14.3 11.7		4.0 4.0 2.9	12 16 27	1828
200 37 5	rů.		T	15	64	1	7	11.4	4.6	19.7	1	13.5	54	26
100 496 15	15		10	188	288	2	23	21.8	8.3	12.7	60.0	3.0	46	20
900 136 9	6		ru	89	112	-	ro	18.4	6.5	15.2	0.14	9.9	37	35
00 04 . 1				17	00			10.5	2.5	10.6		1.3	40	22

	_			mbers	DWARR				Ra	tes		
	ri D			1	*			00 of Est		ps Is	Ye +	le . s
	Live B	Illegiti- mate	Still- births	Marri- ages	All Ages	Under One Year	Births (living child-ren)	Marri- ages	Deaths	Illegit. Births per 100 Live Births	Infant Mor- tality rate per 1,000 Live Births	Stillbirths per 1000 total Births incl. Stillbirths
Quarter 1948 . d , , ,	25,324 26,561 24,389 24,070	1,417 1,642 1,392 1,325	760 775 711 720	9,959 10,490 13,509 9,760	16,825 14,698 13,652 15,804	1,303 1,144 972 1,067	20·0 21·0 19·0 18·8	7.9 8.3 10.5 7.6	13·3 11·6 10·7 12·3	5·6 6·2 5·7 5·5	51 43 40 44	29 28 28 28 29
Year 1948 .	100,344	5,776	2,966	43,718	60,979	4,486	19.7	8.6	12.0	5.8	45	29
Quarter 1949 . d ,, ,	24,230 25,424 23,324 22,696	1,381 1,442 1,274 1,126	707 710 642 607	10,638 9,209 12,786 9,075	19,222 15,274 13,119 15,873	1,225 913 823 1,000	19·2 20·0 18·1 17·6	8·4 7·2 9·9 7·0	15·3 12·0 10·2 12·3	5·7 5·7 5·5 5·0	51 36 35 44	28 27 27 26
Year 1949 .	95,674	5,223	2,666	41,708	63,488	3,961	18.7	8.2	12.4	5.5	41	27
Quarter 1950 . d , , ,	23,542 24,646 22,498 21,844	1,185 1,359 1,195 1,098	673 659 627 598	11,111 8,680 11,847 8,821	18,647 14,986 13,341 17,022	1,080 841 737 911	18.6 19.3 17.4 16.9	8·8 6·8 9·2 6·8	14.8 11.7 10.3 13.2	5·0 5·5 5·3 5·0	46 34 33 42	28 26 27 27
Year 1950 .	92,530	4,837	2,557	40,459	63,996	3,569	18.0	7.9	12.5	5.2	39	27
t Quarter 1951 . d ,, ,, . d ,, ,, .	23,625 24,310 21,932 20,772	1,195 1,289 1,126 982	657 658 575 589	11,560 8,958 12,048 8,795	22,428 15,442 13,104 14,804	1,088 850 698 755	18·7 19·1 17·0 16·1	9·2 7·0 9·3 6·8	17·8 12·1 10·2 11·5	5·1 5·3 5·1 4·7	46 35 32 36	27 26 26 28
Year 1951 .	90,639	4,592	2,479	41,361	65,778	3,391	17.7	8.1	12.9	5.1	37	27
t Quarter 1952.	22,892 23,531 22,161 21,838	1,069 1,126 1,126 985	677 598 541 614	12,420 8,156 11,894 8,684	18,394 14,270 12,813 16,033	872 801 663 845	18.0 18.5 17.2 17.0	9·8 6·4 9·3 6·8	14·5 11·2 10·0 12:5	4·7 4·8 5·1 4·5	38 34 30 39	29 25 24 27
Year 1952 .	90,422	4,306	2,430	41,154	61,510	3,181	17.7	8.0	12.0	4.8	35	26
t Quarter 1953.	22,860 23,791 22,166 22,096	1,030 1,175 1,022 1,004	602 586 561 559	12,085 8,212 12,069 8,536	17,264 14,345 12,722 14,547	776 696 614 714	18·1 18·6 17·2 17·1	9·6 6·4 9·4 6·6	13·7 11·2 9·9 11·3	4·5 4·9 4·6 4·5	34 29 28 32	26 24 25 25
Year 1953 .	90,913	4,231	2,308	40,902	58,878	2,800	17.8	8.0	11.5	4.7	31	25
t Quarter 1954.	23,456 24,097 22,823 21,939	1,049 1,086 1,077 965	612 628 601 560	12,371 8,553 12,489 8,561	18,003 14,638 13,327 15,412	892 728 555 686	18.6 18.9 17.7 17.0	9·8 6·7 9·7 6·6	14·3 11·5 10·3 11·9	4·5 4·5 4·7 4·4	38 30 24 31	25 25 26 25
Year 1954 .	92,315	4,177	2,401	41,974	61,380	2,861	18.0	8.2	12.0	4.5	31	25
t Quarter 1955 . nd , , , . rd , , , .	23,111 23,942 22,734 22,752	988 1,046 1,037 920	598 566 597 569	12,420 8,662 12,966 9,151	19,078 14,998 12,733 14,836	829 692 588 702	18·3 18·7 17·6 17·6	9·8 6·8 10·0 7·1	15·1 11·7 9·8 11·5	4·3 4·4 4·6 4·0	36 29 26 31	25 23 26 24
Year 1955 .	92,539	3,991	2,330	43,199	61,645	2,811	18.0	8.4	12.0	4.3	30	25
t Quarter 1956 : nd , , ,	24,594 24,889 22,654 23,176	1,007 1,099 1,068 895	617 613 536 563	11,742 9,843 12,958 9,420	19,156 14,562 13,088 14,986	764 656 602 705	19·2 19·5 17·5 17·9	9·2 7·7 10·0 7·3	15·0 11·4 10·1 11·6	4·1 4·4 4·7 3·9	31 26 27 30	24 24 23 24
Year 1956	95,313	4,069	2,329	43,963	61,792	2,727	18.5	8.5	12.0	4.3	29	24
at Quarter 1957 . ad ,, ,, . th ,, ,, .	24,759 24,974 24,100 24,144	948 1,049 1,047 973	635 602 569 572	11,281 9,091 12,976 9,328	16,175 14,427 13,537 17,004	782 668 653 699	19·5 19·5 18·6 18·6	8·9 7·1 10·0 7·2	12.7 11.2 10.4 13.1	3·8 4·2 4·3 4·0	32 27 27 29	25 24 23 23
Year 1957	97,977	4,017	2,378	42,676	61,143	2,802	19.0	8.3	11.9	4.1	29	24
st Quarter 1958 . nd ,, ,, . rd ,, ,, .	25,101	1,032	614	10,877	18,621	794	19.7	8.5	14.6	4.1	32	24
Year 1958 .			1									

See Explanatory Notes page 2.

Table III.—Causes of Death in Scotland in Age-Groups-Quarter ended 31st March, 1958

						_															-	_
	lot ated	I		11	1	11	1	11	11				1	1	1 1	1	1	11	1	1		1
	85+		1,934 688 1,246	4-		-	1			11			I						1	-		1
	75-		5,533 2,528 3,005	13 13	1	1:1	1	20	11				1			I	1		1	I		
	65-		4,863 2,609 2,254	38	1	-	1	07	00	€ 64			I			1	1	-	-	1		1
	55		3,000 1,818 1,182	59	1	1-	1 °	0	-	w 4			1	1		-1	1		1	1 -	-	1
Age	45_		1,446 891 555	38	1		1	4	11	es			1	1		1	1	-	1		11	1
4	35		550 297 253	474	1	1-	1 +	7		-1		1	1	1		1	1	-	1			1
	25-		210 122 88	22 21	1	1	1	-	11	11	11	1	1	1		1	1	1.1	1	1	1	1
	15-		117 71 46	961	1	11	1			1.1		1	1	1		1	1		1	1		1
	101		31 16 15	11-	1	11	1	11	1.1	11	-	1	!	1		1	1	1-1	1	1	1 1	1
	تا		51 26 25	21	<u> </u>	11	1	11	1 1	1.1		1	1	1		1	1	11	1	1		-
	1		92 47 45	01	-	1.1	1 :		11	: 1		1	1			-	-	1	1.	105	- 1	1
	7		794 456 338		-		1			1		1	1	1		1	1	-		က u		1
70	Fe- males		9,052	74 70	7	7,7			-							-	'	- 2	-		2	-
All Ages	Males		9,569	155 149	67	-8	19	07	1 80	20			1	-		1	1	1-	1		4	-
	Both		18,621 9,569 9,052	229	4	61 4	13	25	4	1101			1	1		-	1.	- 60	1	100	,	1
	CAUSES OF DEATH		ALL CAUSES—Both Sexes Males Females	All Tuberculosis (001-019) Total Respiratory system Meninges and central nervous	system Intestines, peritoneum and	mesentéric glands Bones and joints	All other forms	0	Early syphilis Tabes dorsalis	General paralysis of insa.	Concoccal infootion	Typhoid fever	_	Cholera			Streptococcal sore th	Erysipelas Septicæmia and ovæmia	Diphtheria	Whooping cough		Leprosy
		Inter-	medi- ate List "A"	- 2	8	4	5	9	~ ∞	601	=	122	CI	4	16	17	180	20	21	22	24	25
International	Classification		Detailed List	001-008	011	012, 013	014-019	020	021 024	025 022-023.	026-029	040	041, 042	043	045-048	050	051	053	055	056	058	090

	111			1	1111		1		11				1	
	-	-		1	105	15 10	9	0 1	000		14	yeard		
-				4	584 222 29 113	110 26 5	42	200	100		110	6	00	0
-	1			-	734 17 24 120	105 38 7	139	4==	32 2		138	10	20	7
%			11		687 10 15 83	37	223	18	0000		121	12	19	3
- - 2	°	4	11	-	364 6 8 46	34	87	52 12 7	40	H	09	=======================================	6	3
	0	۱ ۲	11	1	110 1 5 13	m o -	17	2 x x		-	20	<i>c</i>	00	5
-				I	39	- 8	9			٠,	00	9	9	-
-	111-	-		1	17	-	-		u	>	4	C1	m	1
		1 1	11	1	∞		1		0	2	9	61	1	1
111 1	'	⊣		-	6	1 1			-	-	5	က	1	1
				1	00	1 1	1				8	n	23	-
		1 1		-	0	11					_	-	1	-
- 4		27	11	4	1,267 20 39 189	190 55	81	216	155	CI	274	33	30	17
1 6	111	0		4	1,400 40 49 915	133	440	5	92	477	213	30	46	6
7 27	111		11	σ	2,667	323	521	218	347	3/	487	63	76	26
Anthrax Acute poliomyelitis Acute infectious encephalitis Late effects of acute poliomyelitis and acute infectious encephalitis	: : :	Infectious hepatitis Rabies Trupus and other rickettsial	es	All other diseases classified as infective and parasitic (A38-A42)	t Neoplasms (140-205) T. vity and pharynx us	Intestine, except rectum Rectum	Trachea, bronchus and lung, not specified as secondary		Other and unspecified parts of uterus Prostate Skin	Bone and connective tissue	All other and unspecified sites	Lymphosarcoma and other neo-	natica	beingn neoplasms and neoplasms of unspecified nature
38282	33 33 33	35	37	43	44	044	50	52	55	26	57	58	6	00
062 080 082 082 081, 083	084 085 091	092 094 100 108	110-117	036-039, 049, 054, 059, 063- 074, 086-090, 093, 095, 096, 120-138	140-148	152, 153 154	161 162, 163	170	172-174 177 190, 191	155-160, 164,]	178-181, 192- 195 198 199	200-203, 205		210-239

Note. -- Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

						-								
I		Not betated					1			1			11	1
		+58	1 1	4 0	4	. 21	ī	11 1	381 2 92	234	53		ro	850
		75-	-	44	24 6	4	19	11	1,202 3 403	675	121	27	12	2,264
		65-	· co	00 10	2 4 0	30	9		839 10 394	373	622	21 21	18	1,870
		55-	01	37	, r.v	32	ro.	2	347 13 200	120	4 1 1 1	01	20	944
	0	45-	1 -	12	-	16	1	1-	137 11 97	25	4471	3 1	11	415
	Age	35-		4 6	7	9	1	-	33	6	1871	o	98	133
		25-		-	-	က		1-	10 3 3	1	21	o	e	26
		15-	-		-	4	1	11	221	decisional	0	ا ا م		IO
	Ī	10-			-	1	1	1	0		-	2	67	I
		ro 						11			•	-	د ا	
		1		-	-	1	l	161	2 2	all years and the second	1119	N =	2	1
naca				1		-		100	0 0		10		ر د	1
-communa		Fe- males	C1 00	114	35	54	17	12	1,736 36 707	852	141 111 23	33 22	45	3,203
IABLE III.	All Ages	Males		46	15	44	18	01.03	<i>I,222</i> 25 500	584	113	28 28	43 8	3,310
IAB	W +	Both	61 00	160	50 50	86	35	41	2,958 61 1,207	1,436	254	61	88	6,513
		CAUSES OF DEATH	goitre icosis with or	Diabetes mellitus Avitaminosis and other deficiency	states Pernicious and other hyperchrom	Allergic disorders; all other endo- crine, metabolic and blood diseases	Psychoses	Psychoneuroses and disorders of personality Mental deficiency	Vascular lesions affecting central nervous system (330-334) Total Subarachnoid hæmorrhage Cerebral hæmorrhage		žź	Epilepsy	system and sens A75, A76) Rheumatic fever	Heart Diseases (410-443) Total
		Inter- medi- ate List "A"	61 62	63	65a	99	67	89	70a 70b	700	71 72	73 77 784 784	79	
	International	Detailed List	250, 251 252	260	290	291-293 240-245, 253,] 254, 270-277, [287-289, 294-	299 300-309	310-324, 326 325	330 331	332	333, 334 340 345	353 391-393 350 341 344 351	352, 354-390, 394-398 400-402	

State Content and the properties 110 55 55 55 55 55 55 5
Chronic enfocaciditis not specified Assistant Commany was weeked. Batty degeneration of heart Chronic enfocaciditis not specified Batty degeneration of heart Chronic enforcements Batty degrees of a trends of heart Chronic enforcements Batty degrees of a trends of heart Chronic enforcements Batty degrees of a trends of heart Chronic enforcements Batty degrees of trends and decondition enforcements Batty degrees of trends of trends of heart Chronic enforcements Batty degrees of trends of heart Chronic enforcements Batty degrees of trends of trends of heart Chronic enforcements Batty degrees of trends and decondition enforcements Batty degrees of trends of trends of heart Chroni
1,789 1,130 —
1,789 1,130 —
- 1
- 4 77 288 636 1,056 721 - <t< td=""></t<>
- 4 77 288 636 1,056 721 - <t< td=""></t<>
3 5 12 23 636 1,056 721 - - - 1 8 50 267 785 - - 2 32 89 269 448 - - 2 32 89 269 448 - - 2 32 89 269 448 - - 2 17 46 130 152 - - 2 17 46 190 152 - - 2 14 17 16 16 - - 2 14 17 16 17 - - 2 9 14 23 16 - 2 9 14 23 16 - 2 9 17 23 26 - 2 9 17 28 36 - 2
77 288 636 1,056 721 5 12 23 30 30 1 8 50 267 785 2 32 89 269 448 1 2 4 8 8 2 17 46 130 152 4 9 11 16 17 2 14 17 16 16 4 9 11 16 17 5 23 23 208 260 5 6 23 59 47 1 4 11 16 19 1 4 11 16 19 1 4 11 12 1 2 28 111 28 36 3 17 28 36 36 4 19 23 33 17 4
288 636 1,056 721 12 23 30 30 8 50 267 785 32 89 269 448 2 4 8 8 17 46 130 152 23 31 63 61 19 11 16 17 14 17 16 16 14 17 16 16 14 17 16 17 9 11 16 17 4 11 16 19 4 11 16 19 9 297 297 28 11 28 36 26 28 111 12 1 19 23 33 17 2 22 23 17 2 22 23 17 3 20 2
636 1,056 721 23 30 30 1 6 50 267 785 89 269 448 4 8 8 32 52 91 46 130 152 11 16 16 17 16 17 17 16 19 17 16 19 17 23 16 29 260 260 11 16 19 11 16 19 11 16 19 11 16 19 12 28 36 11 1 1 1 1 1 2 1 1 33 4 19 2 34 29 34 29 34 2 34 29
1,056 721 30 30 6 30 6 30 6 448 8 8 8 8 8 8 130 152 16 19 16 19 17 19 17 19 17 19 18 19 19 17 10 17 11 17 12 18 14 19 15 19 16 19 17 19 18 19 19 19 10 10 11 10 12 13 14 11 15 12 16 13 17 19 18 19 19 19 10 10 11 10 12 11 14 11 15 12 16 15 17 18 18 19 19 19 10 10 11 10 12 10 13 11 14 11 15 12 16 15 17 19 18 19 19 10 10 10 10 10 10 10
721 30 44.88 44.88 44.88 152 199 109 109 109 109 109 109 109
1 11 1 1 1 11111111 111 1 1 1 1 1 1 1 1

Note.—Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

Table III .-- continued

	VoV betated								1 1
	85+	10 6	28 1-	7	5 1 27 27		-	1	
	75-	29	15 6 20 3	13	21 14 15 17 17 17 17 17 17 17 17 17 17 17 17 17	9 4			1 1
	65-	28.3	15 19 9	. 11	26 18 24 1	1	1 -		1
	55-	12 2	1132	00 01	06 9	co ro	1	1 1	1 1
	45-	10	410-10	10 H	41 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 -	1	distribution of the second	1 1
Age	35_		40 0	7 7	12 5 1 1 1	61	g (N	- 1
	25-	2 1	201 -	67	10-111	1 -	1	4	- 1
	15-	-	111-	-	4		-	-	The state of the s
	10-	67 1	-	1 -1				Adaption	1 1
	25	2 2	-		8	- 67	1		
		1 2 1	1111	1 1		1 1	1	1 1	1 1
	-	9 114		10	61	1 1	1	1 1	1 1
	Fe- males	8 41 8	23 12 12	24	57 32 1	3 41	8	9 -	
All Ages	Males	58 58	23 12 9	24	63 24 111	9	1	1 1	1
All	Both Sexes	23 99 14 14	25 41 12 12	48	120 56 5 1111	12	က	9 +	·
	CAUSES OF DEATH	Appendicitis Intestinal obstruction and hernia Gastro-enteritis, ages between weeks and 2 years Gastro-enteritis, ages 2 years an	Chronic enteritis and ulcerative colitis	Other diseases of digestiv	Chronic, other and unspecifinephritis Infections of kidney Calculi of urinary system Hyperplasia of prostate	Diseases of breast Diseases of bladder Other diseases of genito-urinary system	Sepsis of pregnancy, childbirth, and the puerperium	Hæmorrhage of pregnancy a	b Postpartum hæmorrhage Abortion without mention of sepsis
	Inter- medi- ate List	102 103 104 <i>a</i> 104 <i>b</i>	104c 105 106 107a	1076	1109	113 114 <i>a</i> 114 <i>b</i>	115	117a	1176
International Classification	Detailed List	550-553 560, 561, 570 571.0 571.1	572 581 584, 585 580, 582, 583, J	$ \begin{array}{c} 586 \\ 536-539, 542, \\ 544, 545, 573- \\ 578, 587 \end{array} $	591-594 600, 604 610	$\begin{pmatrix} 620, 621 \\ 605, 606 \\ 601, 603, 607 - \\ 509, 611-617, \end{pmatrix}$	622-637 640, 641, 681, 682, 684 649, 652, 685	$\begin{pmatrix} 642, 622, 630, \\ 686 \\ 643, 644, 670 \end{pmatrix}$	671, 672 650

1 1			11			1 1	
1 1	1 ∞	2 1	11	1 11		1	86 66
1 1	27	1 0	Reliance in the second	1 1	Water .		76 25
1 1	21	1 - 6	ا دع	8			10 10
	13	2 1 1	. a	61		1	15
-	4	7 2	ρ.	ro		1	10 %
1	. -	-	<i>w</i>	1 2		Talasan	1 1/2
1 2	67		7	12 01	demands of the second	1 1	1 2
		%	0.1	1 2 1			1 66
1			0	64			0
1 1		-	9	1 20		1	27
1 1			13	16 51		1 -	1 7
1 1	- Company	-	519	37. 56 71	137 33 2 8 8 13	28	118
1 4	57	3	15	34 39 16	56 15 13 3	7	120 40 311
1 1	19	12 2 1	338	24 38 55	81 18 1 10	21 71	53 53
1 4	76	1 2 61	563	58 77 71	137 33 2 8 13	28	185 93
Abortion with sepsis Other complications of pregnancy, childbirth, and the puerperium. Delivery without mention of complication	Infections of skin and subcutaneous tissue Arthritis and spondylitis Muscular rheumatism and rheuma-	tism unspecified Ostcomyelitis and periostitis Ankylosis and acquired musculoskeletal deformities All other diseases of skin and musculoskeletal system	Congenital malformations and certain diseases of early infancy (750-776) Spina bifida and meningocele	All other congenital malformations		All other defined diseases of early infancy	10 0 11
119	121 122 123	124 125 126	127	129	132a 132b 132c 133 133	135	137
651 645-648, 660, 673-680, 683, 687-689	690-698 720-725 726, 727	730 737, 745-749 700-716, 731- 736, 738-744	751	750, 752, 753, 755-759 $755-759$ $760, 761$ $760, 761$	763 764 765-768	773-776	780-793, 795

	2
	13
5	
ş	
ş	
5	
06-1	
- Jan	
OF 180	
Of the sale	
Of the sales	
200 100 1	
Of 100 at	
OF 100 MA	
-	
-	
-	
-	
-	
-	111.
-	111.
-	111.
-	111.
-	111.
-	111.
-	111.
-	E 111.
-	111.
-	E 111.
-	E 111.
-	E 111.
-	E 111.
-	E 111.
-	E 111.
-	E 111.
4 4 4	3LE 111
-	3LE 111
-	E 111.
-	BLE III.
-	BLE III.
-	BLE III.
-	3LE 111

													-
	Not betated	11	111		111	1			1	-			
	85+	11	45	∞	1 0	1		4	1	1			
	75-	ر د	19 76	10	1	_		4 co	1	1	-		
	65-	-	16	<u>ဂ</u>	1 2	1	c	10		2			
	55-	- 67	18	7	1-0	1	Ç	61 41		-			
	45-	14	15		- 4	3	C	2 82	27				
Age	35-	-4	00-	4	111		C	21	2				
	25-	0.4	1 6 7	_		1	ų	ი თ	1				
	15-	- 67	0110	I	1 2	1	l,	ט ינ) -				
	10-		-	1		1							
	25		-	_		.			1			·	
		11	8-1	4	10			¬	1				
	7	11	-	1		48			I				
	Fe- males	4-	115	35	01-10	20		6	9 00				
All Causes	Males	16	40 82 6	16	- 67 66	33	3	150	3 4	C.			
All	Both Sexes	8 17	96 197	51	es es 4	53	9	40 40		cr			
-	CAUSES OF DEATH	Other road vehicle accidents Other transport accidents	Accidental poisoning Accidental falls Accident caused by machinery Accident caused by fire and explo-	sion of combustible material Accident caused by hot substance, corrosive liquid, steam and	ire			All other accidental causes	Homicide and injury purposely inflicted by other persons (not in	war) Injury resulting from operations of			
	Inter- medi- ate List "A"	139a 139b	140 141 142 143	144	145	147a		1476	149	150			
International Classification	Detailed List	E840-E845 E800-E802,	E870-E895 E900-E904 E912 E916	E917-E918	E919	E921, E922, }	E910, E911, E913-E915, E913-E915,	E920, E923, E926-E928, E930-E962	E970-E979 E964, F980-E985	E965,	Contract		

Barriote Committee Committ TABLE IV

		TABLE IV.—DEATHS IN THE COUNTIL	es of Cit	ries, La	RGE E	JURGH	5 P
International	Nos		P	g	City	jo.	Marginal Index
INTERNATIONAL	Nos.		A A	ty tee	een f C	ler	5
	Abbre-		SCOTLAND	Aberdeen	Aberdeen County of City	Remainder of County	0
	viated	Causes of Death	0	Co	be	Co	1º
Detailed List	List		Ö	4	A	ter	3
	"B"		\Q		3	F	2
001-008	1	Tuberculosis of respiratory system	219	6	6	-	I
010-019	2	Tuberculosis, other forms	10	_		-	17
020-029	3	Syphilis and its sequelæ	25	1	1		A
045-048	6	Dysentery, all forms	- 2			_	A
056 057	9 10	Whooping cough	3 7			_	I
080	10	Meningococcal infections Acute poliomyelitis	7				1
085	14	Measles	-1	/			1
030-044, 049-055	1						
058-074, 081-084, }	17	Other infective and parasitic diseases	28	A	2	2	
086-138		(B4, 5, 7, 8, 11, 13, 15, 16)*	28	4	2		1
140-205	18	Malignant neoplasms Total	2,667	183	122	61	A)
160-165	-	Malignant neoplasms of resp. system	558	45	39	6	P
200-205	-	Malignant neoplasms of lymphatic	100			2	
140 150 170 100		and hæmatopoietic tissues	139	11	9	2	1
140-159, 170-199 210-239	10	Other malignant neoplasms	1,970	127	74	53	1
210-239	19 20	Benign and unspecified neoplasms	160	5	4	1	П
290-293	20 21	Diabetes mellitus Anæmias	160 71	5 1	1	1	Į.
240-254, 270-289, \							
294-299	46.0	Other general diseases	126	6	2	4	1
330-334	22	Vascular lesions affect'g cen. nerv. system	2,958	201	97	104	١.
340	23	Non-meningococcal meningitis	17				ŀ
300-326, 341-398	46.1	Other diseases of nervous system	271	15	6	9	ŀ
400-402	24	Rheumatic fever	7	1		1	ŀ
410-416	25	Chronic rheumatic heart disease	260	15	11	107	ŀ
420-422 430-434	26	Arterioscl. and degen, heart disease	5,637	328	201	127	ŀ
430-434 440-443	27	Other diseases of heart	234	14	7	7	ı
440-443 444-447	28 29	Hypertensive heart disease Other hypertensive disease	382 202	14 7	7 4	7 3	
450-468	46.2	Other hypertensive disease Other circulatory disease	202 526	38	14	24	4
480-483	30	Influenza	79	38	1	24	2
490-493	31	Pneumonia (except of newborn)	883	38	25	13	2
500-502	32	Bronchitis	1,001	47	3·1	16	2
470-475, 510-527	46.3	Other respiratory diseases	228	6	4	2	3
540, 541	33	Ulcer of stomach and duodenum	185	12	8	4	3
550-553 560-561-570	34	Appendicitis	23	1	1	_	1
560, 561, 570 543	35	Intestinal obstruction and hernia	99	6	4	2	
543 571, 572	36.0	Gastritis and duodenitis	3 74	2	-	1	
571, 572 581	36.1	Diarrhoea (except of newborn) Cirrhosis of liver	74 52	$\begin{vmatrix} 3 \\ 2 \end{vmatrix}$	2	1 1	
580, 582-586	37 46.4	0.13 1: 63:	$\begin{bmatrix} 52 \\ 62 \end{bmatrix}$	$\begin{vmatrix} 2\\2 \end{vmatrix}$	1	1	
530-539, 542, 544,		O41 1:				_	
545, 573-578, 587	46.5	Other digestive diseases	48	5	3	2	
590-594	38	Nephritis and nephrosis	131	6	1	5	١.
610	39	Hyperplasia of prostate	111	5	3	2	ŀ
600-609, 611-637	46.6	Other diseases of genito-urinary system	98	10	6	4	ŀ
640, 641, 651,	40.0	Puerperal sepsis including abortion					
681, 682, 684	10.0	with sepsis	3				ŀ
642-650, 652-680, \	40.1	Other puerperal causes	12	2	1	1	l.
683, 685-689 5 690-749	46.7	Diseases of skin and organs of locom'n	105	8	3	5	
690-749 750-759	46.7	0 11 10	105 164	8	$\begin{bmatrix} 3 \\ 2 \end{bmatrix}$	5 4	ľ
760-762	41 42	B. injur's, post-natal asph'a & atelectasis	208	14	7	7	П
763	43.0	Pneumonia of newborn	33	14	1		Г
764	43.1	Diarrhoea of newborn	2			_	ı
765-768	43.2	Other infections of the newborn	8			-	ı
769-776	44	Other diseases peculiar to early infancy					ı
		and immaturity unqualified	148	8	4	4	ı
794	45.0	Senility without mention of psychosis	185	5		5	ı
780-793, 795 F963, F970, F970	45.1 E40	Ill-defined and unknown causes	93		-		ŀ
E963, E970-E979 E810-E835	E49	Suicide and self-inflicted injury	94	9	7	2	١
E810-E835 E840-E845	E47 F48 0	Motor vehicle accidents Other road vehicle accidents	134	6	3	3	1
E840-E845 E870-E936 (part)	E48.0		8				ı
E961(pt),E962(pt)	E48.1	Accidents in the home	355	21	12	9	ı
Rem. of E800-E999	E48.2	Other violence (BE50)	155	8	6	2	ŀ
		, ,		[1
		All causes	18,621	1072	621	451	1
							f

* Including paratyphoid fever, erysipelas, septicæmia, and lethargic encephalitis.

Note:—Numbers in brackets after the titles indicate headings in International Abbreviated List which are merged under the respective Scottish headings. Those indicated by numbers (0, 1, 2, 3, etc.) apply to the Scottlsh List only.

NTI	VIIES OF SCOTLAND—QUARTER ENDED 31ST MARCH, 1958													
Numbers	Angus	Dundee County of City	Arbroath Burgh	Remainder of County	Argyll County	Ayr County	Ayr Burgh	Kilmarnock Burgh	Remainder of County	Ban ff County	Berwick County	Bute County	Caithness County	Clackmannan County
I	16	9	1	. 6	2	7	1	-books	6	1		1	1	
3	2	2	_			3		1	2	1			_	
4		_					_	_						_
6		_	_		_	1		_	1	2	-			_
8	-	_			_				_			_		_
9		_		,	1	3		1	2					
-	148 32	99	12	37	38	139	21 5	24	94	30	18	18	11	20
0		23	4	5	3	19	5	3	11	2	1	2		4
I	6 110 3 7 11	6 7 0	8	32	4 31	12 108	1 15	2 19	9 74	3 25	15	16	11	1 15
1 2 3 4 5	3	2 4	_		4	2			2	1 2	1	_		1
<i>4</i> 5	11	7		1 3 4	4	16 7	2	3 2	11 4	1	-	1	3	
6	8	7	1	-		14	1	2	11	1	1	1	2	
7 8	176	110	15	51	51	189	24	31	134	18	18	9	11	22
7 8 9 0 1	13	6		7	5	24	5	3	1 16	3	2	4	=	
I	10	1 6 186		4 118 6	3 98 7	18	1	3 41	14	71	1	31	34	1
2	325 13 18	186	21	118	98	366 27 20	61 3 4	2 3	264 22 13	1 5	36		2	1 41 2 6
2 3 4 5 6	18	7 10 8	4	4	6	20 16	4 2		13 14	5 2	3		1	6
	9 21	11	2	8 1	6	29	2 3	2	24	4	2	1	6 2	1 5 1 4 9
7 8	3 61	2 44	4	13	8	2 35 59	7 12	4 7	24	5	7	1	3 1	4
9	56 14	35 11	1	20	8	19	12		40 19	5 2 1 2	1	2	1	1
I 2	16	9	1	6	6 5 8 8 1 1 2	7 4	1	1 1	6 3		2	-	1	
3	1 7	3	-	1 4	1	10	1	1 2	3 7	1		_	1	1
4 5 6	2	1	1	. —	2	3		whereoffer	3 2 3	_	_	1	=	
6	2 2 3	1 2 3	_		1	3 3 5	1 2	_	3		1	1 1		_
8	8	3	_	. 5	1	4		1	.3	-	_	-	_	
19	8 6	4 4	2 1	1 2	3 3	9 8	2 2	2	5 6	3 2 1	1	2		1 1 2
ıı	7	5	_	2	_	6		2	4	1		1	_	2
(2	_	_		_	_	_		-		_		-	_	
13	1 -	_				-					1	2	2	2
14 15	4 8	3 6	1	1	1	3 9	1	1 1	7	3	-	1		1
16 17	11	8	_	3	1	15 2	1	1	13	1	1		1	
18		-			_	=			_		-		_	
19		_	-	_	_			2	4				1	
50 51	9	3 1	1	5 5	6	10	2	_	8	4 2	4 2	2 3	3	1 1
52 53	2 10	1 6	3	1 1	6	12 6	1	2	10	1	2	1	1	1
i4 i5	7	1	1	5	1 1	4		2	2	1	_	_		
i6	24	18	1	5	3	22	4	1	17	1	3	3	4	-
17	8	5	1	2	1	8	1	2	5	1			1	2
	1,065	653	75	337	280	1,153	166	151	836	179	108	89	98	129

International	Nos.		80	. w	r of	uo ′
Detailed List	Abbre- viated List "B"	Causes of Death	Dumfries County	Dumfries Burgh	Remainder of County	Dunbarton County
001-008	1	Tuberculosis of respiratory system				
010-019	2	Tuberculosis, other forms				
020-029	3	Syphilis and its sequelæ			_	1
045-048	6	Dysentery, all forms			_	-
056 057	9	Whooping cough		_		-
080	12	Meningococcal infections Acute poliomyelitis				
085	14	Measles				
30-044, 049-055	17	Other infective and parasitic diseases				
58-074, 081-084, }	17	(B4, 5, 7, 8, 11, 13, 15, 16)*				3
086-138	10			4.50		
140-205	18	Malignant neoplasms Total	38	15	23	97
160-165 200-205		Malignant neoplasms of resp. system Malignant neoplasms of lymphatic	16	10	6	17
200-200		and hæmatopoietic tissues	1	anamatana.	. 1	5
140-159, 170-199		Other malignant neoplasms	21	5	16	75
210-239	19	Benign and unspecified neoplasms				3
260	20	Diabetes mellitus	3		3	5
290-293	21	Anæmias	1		1	5
40-254, 270-289, 294-299	46.0	Other general diseases	1	1		1
330-334	22	Vascular lesions affect'g cen. nerv. system	48	16	32	93
340	23	Non-meningococcal meningitis				_
300-326, 341-398	46.1	Other diseases of nervous system	1		1	8
400-402	24	Rheumatic fever		_		
410-416	25	Chronic rheumatic heart disease	1		1	11
420-422	26 27	Arterioscl. and degen. heart disease	93	26 2	67	170
430-434 440-443	28	Other diseases of heart Hypertensive heart disease	5 5	- 2	3 3	8
444-447	29	Other hypertensive disease	6	3	3	7
450-468	46.2	Other circulatory disease	8	1	7	20
480-483	30	Influenza		<u> </u>	-	4
490-493	31	Pneumonia (except of newborn)	19	8	11	29
500-502 470-475, 510-527	32 46.3	Bronchitis Other respiratory diseases	8	2	6 3	30
540, 541	33	Ulcer of stomach and duodenum	2	î	1	6
550-553	34	Appendicitis				-
560, 561, 570	35	Intestinal obstruction and hernia	1		1	4
543	36.0	Gastritis and duodenitis	_			
571, 572	36.1	Diarrhoea (except of newborn)	1	-	1	7 2
581 580, 582-586	37 46.4	Cirrhosis of liver Other diseases of liver	3 3	1 2	2	2
30-539, 542, 544		0.7			1	
30-539, 542, 544, } 45, 573-578, 587 }	46.5	Other digestive diseases	3	1	2	2
590-594	38	Nephritis and nephrosis	2	-	2	2
610	39	Hyperplasia of prostate	1	-	1	3
600-609, 611-637	46.6	Other diseases of genito-urinary system	4		4	3
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	1		1	
42-650, 652-680,	40.1				1	
83, 685-689	40.1	Other puerperal causes				-
690-749	46.7	Diseases of skin and organs of locom'n	2	1	1	2
750-759	41	Congenital malformations	2		2	4
760-762	42 43.0	B. injur's, post-natal asph'a & atelectasis	2	-	2	6
763 764	43.0	Pneumonia of newborn Diarrhoea of newborn	1	-	1	1
765-768	43.2	Other infections of the newborn				
769-776	44	Other diseases peculiar to early infancy				
		and immaturity unqualified	2	1	1	6
794	45.0	Senility without mention of psychosis	6	1	5	5
780-793, 795	45.1	Ill-defined and unknown causes	1	-	1	1
E963, E970-E979 E810-E835	E49 E47	Suicide and self-inflicted injury Motor vehicle accidents	-	2	4	2 8
E840-E845	E47 E48.0	Other and archiele and dente	6		4	0
E870-E936 (part)					_	
E961(pt), E962(pt)	E48.1	Accidents in the home	6	1	. 5	9
Rem. of E800-E999	E48.2	Other violence (BE50)	3	1	2	3

* Including paratyphoid fever, erysipelas, septicæmia, and lethargic encephalitis.

Note:—Numbers in brackets after the titles indicate headings in International Abbreviated List which are merged under the respective Scottish headings. Those indicated by numbers (0, 1, 2, 3, etc.) apply to the Scottish List only.

	Table IV.—continued													
Numbers	Clydebank Burgh	Dumbarton Burgh	Remainder of County	East Lothian County	Fife County	Dunfermline Burgh	Kirkcaldy Burgh	Remainder of County	Inverness	Inverness Burgh	Remainder of County	Kincardine County	Kinross County	Kirkcudbr't County
1 2 3 4 5 6 7 8	4	1	3		8 4	2	1	5 4	2 1 1 - -	1	1		1	2
9	19	1 12 3	2 66 10	1 27 4	3 156 34	1 21 5	29 7	106 22	51 7	17 2	34 5	15 —	4	16 2
11 12 13 14 15 16 17 18 19 20 21 22 22 24 25 26 29 30 33 32 33 33 33 33 33 33 33 33 33 34 34 34 34	1 14 -3 1 17 -3 -3 47 2 2 2 2 4 -1 12 -9 2 1 -1 -1 -1 -1 -1	9 1 1 1 1 1 1 1 3 3 1 1 1 1 1 1 1 1 1 1	4 52 2 1 3 1 65 5 4 97 7 5 5 2 16 4 4 18 1 4 7 2 7 5 1 1 1 2 2 2 2 2 2 2 2 1 1 1 1 1 1 1 1	1 22 -1 1 1 -24 2 61 6 3 3 5 5 2 3 8 5 1 1 1	7 115 12 6 7 177 1 13 1 14 342 15 20 18 46 6 45 47 16 14 2 6 15 1 12 7 2	2 14 2 	22 2 3 19 2 4 46 3 3 3 9 2 6 5 1 1 3 1 1	5 79 8 6 4 139 10 1 8 247 13 13 14 36 3 29 34 14 11 7 1 3 11 5 2	44 1 6 62 3 1 98 1 9 5 7 3 12 6 2 5 7 3 12 6 2 1 1 1 1 1 1 1 1 1 1 1 1 1	15	29 1 2 39 2 	15 — 1 13 — 1 1 2 4 4 3 1 1 — — — — — — — 2 2	3 	14 —
42 43 44 45 46 47 48 49	1 1 2 —	- - 1 1 1 -	1 ————————————————————————————————————		1 16 10 6 — 1		4 3	1 12 8 .2 -	3 - - 1 3 3 - -	2 - 2 2 - -	1 1 1 1			- - 3 - - - - - 5 - 1
50 51 52 53 54 55 56 57	2 1 - 1 - 2 2	2 - 1 - 2	4 2 1 1 7 — 5	1 1 2 1 1 1 2 2	10 7 7 11 6 — 32 12	3 1 3 1 - 4	1 1 1 1 1 1 4 2	7 6 5 7 4 — 24 10	1 5 1 - - 4 5	1	1 5 1 — 3 5	3	- 3 - 1 - -	5 -1 1 - 1 3
	148	82	364	168	1,141	154	160	827	311	105	206	96	33	116

1				_		a 700
INTERNATIONAL	Nos.			Glasgow County of City	1	Marginal Index Numbers
	1	4	Lanark County	Mo.	Airdrie Burgh	In
	Abbre- viated	Correct on Develo	nna	asg y c	ird	nal
Detailed List	List	CAUSES OF DEATH	ZZ	GI	BB	Ligi-
	"B"			Cor	1	Ma
031 000		T. 1			ļ	
001-008 010-019	$\frac{1}{2}$	Tuberculosis of respiratory system Tuberculosis, other forms	126	99		I
020-029	3	Syphilis and its sequelæ	6	2 5		3
045-048	6	Dysentery, all forms		_		4
056	9	Whooping cough		_		5 6
057 080	10 12	Meningococcal intections	5	5		
085	14	Acute poliomyelitis	-			7 8
030-044, 049-055,	17	Other infective and parasitic diseases	,			1
058-074, 081-084,	.,	(B4, 5, 7, 8, 11, 13, 15, 16)*	5	2		9
086-138 140-205	18	Malignant neoplasms Total				9
160-165		Malignant neoplasms of resp. system	804 212	601	9 3	10
200-205		Malignant neoplasms of lymphatic				10
140 150 170 100		and hæmatopoietic tissues	44	34		II
140-159, 170-199 210-239	19	Other malignant neoplasms Benign and unspecified neoplasms	548	397	6	12
260	20	Diabetes mellitus	54	39	1 1	13 14
290-293	21	Anæmias	18	12	1	15
240-254, 270-289, 294-299	46.0	Other general diseases	37	25		16
330-334	22	Vascular lesions affect. cen. nerv. system	882	618	17	
340	23	Non-meningococcal meningitis	9	6		17
300-326, 341-398	46.1	Other diseases of nervous system	94	66	5	19
400-402 410-416	24 25	Rheumatic fever	4	3	_	20
420-422	26	Chronic rheumatic heart disease Arterioscl. and degen. heart disease	93	1,058	36	21
430-434	27	Other diseases of heart	74	54	_	22
440-443	28	Hypertensive heart disease	130	92	1	24
444-447 450-468	29 46.2	Other hypertensive disease	60	42	1	25
480-483	30	Other circulatory disease Influenza	128 23	84	4	26
490-493	31	Pneumonia (except of newborn)	330	258	2	27 28
500-502	32	Bronchitis	446	339	6	29
470-475, 510-527 540, 541	46.3 33	Other respiratory diseases Ulcer of stomach and duodenum	106	34 43	3 2	30
550-553	34	Appendicitis	66 10	6		31 32
560, 561, 570	35	Intestinal obstruction and hernia	24	18		33
543 571, 572	36.0 36.1	Gastritis and duodenitis	:		_	34
581	37	Diarrhoea (except of newborn) Cirrhosis of liver	23 14	13		35
580, 582-586	46.4	Other diseases of liver	17	11	1	36 37
530-539, 542, 544,	46.5	Other digestive diseases	8	4	1	_
545, 573-578, 587 <i>f</i> 590-594	38	NT1-11 1 1 1			1	38
610	39	Hyperplasia of prostate	38 26	26 18		39
600-609, 611-637	46.6	Other diseases of genito-urinary system	27	17	1	40 41
640, 641, 651, 681, 681, 682, 684	40.0	Puerperal sepsis including abortion				1
642-650, 652-680,		with sepsis		-		42
683, 685-689	40.1	Other puerperal causes	4	2	-	43
690-749	46.7	Diseases of skin and organs of locomn.	31	20	1	44
750-759 760-762	41 42	Congenital malformations B. injur's, postnatal asph'a. & atelectasis	67	40	2	45
763	43.0	Pneumonia of newborn	80 14	53 8	2	46
764	43.1	Diarrhoea of newborn	1	1		48
765-768	43.2	Other infections of the newborn	4	4	-	49
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	61	41	2	50
794	45.0	Senility without mention of psychosis	61 48	41 25	$\begin{bmatrix} 3 \\ 2 \end{bmatrix}$	50 51
780-793, 795	45.1	Ill-defined and unknown causes	27	18		52
E963, E970-E979 E810-E835	E49	Suicide and self-inflicted injury	21	16	2	53
E810-E835 E840-E845	E47 E48.0	Motor vehicle accidents Other road vehicle accidents	53	33	1	54
E870-E936 (part)	E48.1	Accidents in the home		1		55
E961(pt), E962(pt)			104	74	1	56
Rem. of E800-E999	E48.2	Other violence (BE50)	50	33	-	57
		All causes	5,866	4,073	108	
	Including	paratyphoid fever, erysipelas, septicæmia, and lethargi				

^{*} Including paratyphoid fever, erysipelas, septicæmia, and lethargic encephalitis.

TABLE IV.—continued												
Marginal Index Numbers	Coatbridge Burgh	Hamilton Burgh	Motherwell and Wishaw Burgh	Rutherglen Burgh	Remainder of County	Midlothian County	Edinburgh County of City	Remainder of County	Moray County	Nairn County	Orkney County	Peebles County
1 2 3 4 5 6 7 8	2	5		1	18 3 1	9 1 4 — 1 —	6 1 3 - 1	3 1 — —				
9	1 21 6	22 2	26 2	14	111 26	2 339 73	2 283 61	56 12	18 2		1 9 —	1 4
11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41	3 26 -2 -3 622 -3 1 3 622 1 3 1 -2 1 	1 19 — 1 17 — 5 — 2 53 2 1 1 4 4 — 5 111 4 1 — — 1 1 1 2 2 — — 1 1 — — — — — — — —	3 21 1 1 1 33 3 4 65 3 6 2 4 9 18 8 3 1 -1 2 1 1	11	6 79 1 8 4 7 154 3 13 12 297 13 25 12 22 23 50 60 47 15 4 4 ———————————————————————————————	14 252 5 18 4 16 311 1 26 31 683 13 65 18 83 11 122 114 18 20 1 13 27 7 8 10 8 8 13 8 8 8 8 8 10 8 8 8 8 8 8 8 8 8 8 8 8 8	8 214 4 13 4 15 260 1 18 	6 38 1 5 - 1 51 - 8 - 7 131 4 4 4 10 - 25 14 7 1 - 1 2 1 1 1 2 1 1 1 1 2 1 1 1 1 1 1 1	2 14 — 36 — 3 — 1 56 — 4 — 8 2 3 3 — — 1 2 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1 8	4 -1 1 1 13 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1
42 43 44 45 46 47 48 49	1 2 1	1 4 4 2 —		1 1 1 3 -	1 6 16 15 4	1 14 15 20 3 —	9 14 14 2 —	5 1 6 1	1 1 2 2 -	1	- - 1 1 - -	111
50 51 52 53 54 55 56	2 1 1 - 1 4	1 4 - 1 - 5	4 2 1 1 1 2 - 3	1 2 1	10 14 8 1 15 — 18 12	14 5 4 16 12 — 61	11 4 3 16 10 — 50	3 1 1 2 - 11 5	2 1 1 - 1 - 3	1 - 1 - -	7 2 1 - 2	1 2 1 1 1 1
57	166	162	219	102	1,036	2,183	1,798	385	161	34	86	62

		TABLE IV.—continuea					
International	Nos.	1 1 1 1 1	y		r of	B A	Marginal Index
	Abbre-		Perth County	Perth Burgh	Remainder County	Renfrew County	al I
	viated	CAUSES OF DEATH	Pe	Pe	Sou	lo en	lig a
Detailed List	List				em	2	arg
	"B'				K		M
001-008	1	Tuberculosis of respiratory system	. 1	1		10	I
010-019	2	Tuberculosis, other forms				2	2
020-029	3	Syphilis and its sequalæ	1	. 1		1	3
045-048 056	6: 9	Dysentery, all forms				-	4
057	10	Whooping cough		i		-	5 6
080	12	Acute poliomyelitis				1	7 8
085	14	Measles			·		8
030-044, 049-055 058-074, 081-084, }	17	Other infective and parasitic diseases					
086-138		(B4, 5, 7, 8, 11, 13, 15, 16)*		_		1	9
140-205	18	Malignant neoplasms Total	85	25	60	183	-
160-165		Malignant neoplasms of resp. system	11	6	5	34	10
200-205		Malignant neoplasms of lymphatic and hæmatopoietic tissues	4		4	10	II
140-159, 170-199		Other malignant neoplasms	70	19	51	139	12
210-239	19	Benign and unspecified neoplasms	-				13
260 290-293	$\frac{20}{21}$	Diabetes mellitus	3	1	2	8	14
240-254, 270-289,		Anæmias	1	***************************************	1	4	15
294-299	46.0	Other general diseases	2	1	1	7	16
330-334	22	Vascular lesions affect. cen. nerv. system	69	19	50	214	17
340 300-326, 341-398	23 46.1	Non-meningococcal meningitis Other diseases of nervous system	12	3	9	13	18
400-402	24	Rheumatic fever	12				19
410-416	25	Chronic rheumatic heart disease	7	3	4	17	21
420-422	26 27	Arterioscl. and degen, heart disease	178	54	124	352	22
430-434 440-443	28	Other diseases of heart Hypertensive heart disease	7 5	2 3	5 2	10 26	23
444-447	29	Other hypertensive disease	7	1	- 6	18	25
450-468	46.2	Other circulatory disease	9	1	8	28	26
480-483 490-493	30 31	Influenza Pneumonia (except of newborn)	2 26	11	2 15	3 58	27 28
500-502	32	Bronchitis	13	7	6	64	20
470-475, 510-527	46.3	Other respiratory diseases	2	1	1	6	30
540, 541 550-553	33 34	Ulcer of stomach and duodenum Appendicitis	7	4	3	10	31
560, 561, 570	35	Intestinal obstruction and hernia	4	1	3	7	32 33
543	36.0	Gastritis and duodenitis		decembring			34
571, 572 581	36.1 37	Diarrhoea (except of newborn)	_			2	35
580, 582-586	46.4	Other diseases of liver	3 2	2	3	5 4	36
530-539, 542, 544, \	46.5	0.1 1' 1' 1'	2	~	2	1	37
545, 573-578, 587 ∫							38
590-594 610	38 39	Nephritis and nephrosis Hyperplasia of prostate	6 3	1 1	5 2	10 8	39
600-609, 611-637	46.6	Other diseases of genito-urinary system	. 1	î		6	40 4I
640, 641, 651,	40.0	Puerperal sepsis including abortion					4-
681, 682, 684 642-650, 652-680,		with sepsis					42
683, 685-689	40.1	Other puerperal causes	-			-	43
690-749	46.7	Diseases of skin and organs of locomn.	3		3	5	44
750-759	41	Congenital malformations	2	1	1	17	45
760-762 763	42 43.0	B. injur's, postnatal asph'a. & atelectasis Pneumonia of newborn	3		3	18 4	46
764	43.1	Diarrhoea of newborn					48
765-768	43.2	Other infections of the newborn		-	-	1	49
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	A	2	2	_	
794	45.0	Senility without mention of psychosis	4 4	1	3	5	50 51
780-79 3, 7 95	45.1	Ill-defined and unknown causes	2	1	1	9	52
E963, E970-E979 E810-E835	E49 E47	Suicide and self-inflicted injury Motor vehicle accidents	3	· 3		3	53
E840-E845	E48.0	Other road vehicle accidents	6				54 55
E870-E936 (part)	E48.1	Accidents in the home	7	4	3	22	56
E961(pt),E962(pt) Rem. of E800-E999	E48.2	Other violence (RE50)	5		5	9	
1011.01 1000-1000	210.2						57 .
		All causes	497	160	337	1,187	

^{*} Including paratyphoid fever, erysipelas, septicæmia, and lethargic encephalitis.

TABLE IV.—continued															
Marginal Index Numbers	Greenock Burgh	Paisley Burgh	Port Glasgow Burgh	Remainder of County	Ross and Cromarty Co	Roxburgh County	Selkirk County	Stirling County	Falkirk Burgh	Stirling Burgh	Remainder of County	Sutherland	West Lothian County	Wigtown	Zetland County
1 2 3 4 5 6 7 8	5	3	2	2 1 — — 1	2	-1		11 1	4	2 1 — — —	5	1	1	1	1 = = = = = = = = = = = = = = = = = = =
9	44 9	1 60 13	12 3	67 9	21 4	29 6	18 2	1 77 12	20 5	18	1 39 7	- 7 2	1 30 6	17 3	1 15 1
11 12 13 14 15	2 33 - 4 - 2	47 -3 1	1 8 - 1	7 51 1 3 3	2 15 -3 -1	23 1 3	16 1 1	4 61 2 5 2 2	3 12 —	1 17 — 1 1	32 2 5 1	1 4	3 21 2 3 —	14 1 4	14 2 2 2
17 18 19 20 21 22 23	40 1 1 - 2 78 1	84 6 101 2	5 -2 -2 14 -	85 1 8 -7 159 7	38 -3 -1 72 -1 12	34 1 3 65 3 3	16 	95 2 10 	29 1 — 1 43 —	18 1 - 2 24 1 2	48 1 9 11 134 6 4	11 3 - 1 18 3	43 -3 -6 88 1 6	22 1 6 38 2	15 1 - 24 3 1
24 25 26 27 28 29 30	8 1 4 1 18 10	9 6 9 	2 2 1 - 2 4 - 1	7 7 9 14 2 19 27 4	12 4 6 3 5 5	3 1 8 2 4 1	2 2 5 2	6 9 14 — 22 25 9 4	3 6 -3 10 1 3	3 - 5 4 1	14 11 7 1	1 1 - 2	3 17 2 22 17 7		5 -2 2 2 -2
31 32 33 34 35 36 37	1 1	1 2 2 2 1	2	2 2 3	1	1	1 1 1	1 4 2	1	_	1 3 - 2	1		1 - 1 1 1	1 - -
38 39 40 41	$\frac{3}{2}$	1 3 2 3		4 6 1	1 1 -		1 1	2 5 4 6	1 1	1 2	2 4 2 4	1	2	1	1 1 -
42 43 44 45 46 47	1 6 3 1	1		3 5 8 2	1 1 1			3 6 5 2	1 2	1 3 —	1 3 3 2	- 1 1 - 1	1 1 2 6 1	1 - 3 -	
47 48 49 50 51 52 53	1 2 1 7	1 1 1 2 4		1 1 1 1 1	1 17 4	1	1 4 - 1	1 2 11 -			1 2 9 —	 8 2 1	5	1	3 2
54 55 56 57	4 4	6	3 1	9 3	2 2	2	1 1	2 11 12 599	1 4	1 1 95	2 9 7	64	3 6 - 288	1 112	2 2 89
	259	382	61	485	209	165	94	379 1	136	90	300 1	U-X 1	200	112	

Table V.—Ages at Death in the Counties of Cities, Large Burghs and Counties of Scotland—Quarter ended 31st March, 1958.

	Not	1	111	1111	1	1111	1	91	1	1	i	111	1111	1	1111	111
	85 and over	1,934	135 72 63	129 70 72 52	40	101 18 13 70	17	16	7	10	11	27 20	47 6 5 36	27	122 19 15 88	90 91 31
	75-84	5,533	338 187 151	339 187 123	16	374 55 45 274	70	36	27	37	34	94 90 90 94	172 33 22 117	47	355 48 52 255	102 38 64
	65-74	4,863	260 160 100	284 194 18 72	7.2	275 46 34 195	40	28	31	20	38	70 21 49	160 45 21 94	48	297 28 43 226	87 62 62
	55-64	3,000	168 105 63	159 112 5 42	43	186 26 25 135	25	13	11	12	27	48 112 36	100 27 17 56	23	177 21 31 125	41 17 24
AT DEATH	45-54	1,446	81 51 30	65 41 5 19	16	107 10 19 78	10	œ	00	63	6	26 112 114	56 18 7 31	13	85 15 9 61	16
SATE	35-44	550	27 17 10	31 15 11	10	36 30	9	ND.	63	rt.	00	2 - 7	150 00 00	7	38 4 4 19	6 014
AGES	25-34	210	11 7	-123¢	9	∞ ¬ ¬ •	1	1	ļ	6	1	60] 50	6 01 4	2	21 4 8	48-
	15-24	117	600	20-02	1	10 10 17	1	1	I	7	1	⇔ − 04	101 = 01	1	P==10	4 4
	10-14	31	7	4-1-	2	4 1 8	Į	1	1	1	1	111		1	1111	
	5-8	51	4 6	es	1	-11-	I	1	1	1	I		u 3	1	, w = 4	111
	1	92	60 → 61	40	2	0-18	-	1	1	2	ı	!	w-101	1	ro- 4	-1-
	Under	794	36	3.6	60	20006	10	-	69	4	=	≡ ∞∞	29 7 4 1	9	50 13 32	© @ &
	Ail	1,8621	1,072 621 451	1,065 653 75 337	280	1,153 166 151 836	179	108	89	86	129	293 89 204	594 148 82 364	168	1,141 154 160 827	311 105 206
		:	: : :	::::	:	: : : :	:	:	:	:	:	:::	.::::	:	::::	:::
		:	:::	::::	:	: : : :	:	;	:	:	:	:::	::::	*	::::	:::
		:	:::	::::	:	::::	:	:	:	:	:	:::	::::	:		: : :
		:	; ; ; ; »		:	::::	:	:	:	:		:::	::::	:	:::::	
		SCOTLAND	Aberdeen County Aberdeen County of City Remainder of County	Angus County Dundee County of City Arbroath Burgh Remainder of County	Argyll County	Ayr County Kilmarnock Burgh Kilmarnock Burgh Remainder of County	Banff County	Berwick County	Bute County	Caithness County	Clackmannan County	Dumfries County Dumfries Burgh Remainder of County	Dunbarton County Clydebank Burgh Dumbarton Burgh Remainder of County	East Lothian County	Fife County European Kirkcaldy Burgh Kirkcaldy Burgh Remainder of County	Inverness County Inverness Burgh Remainder of County
		SCOTI	Aberda Ab Re	Angus Du Arl Re	Argyll	Ayr Cc Ay Kil Kil Rei Ree	Banff	Berwic	Bute C	Caithn	Clackn	Dumfr Du Re	Ounbar Cly Du Ree	East L	Fife Co Du Kin Rei Rei	Invern

1	l	1		111	1 1	1	-	111			ı	111	1	1	
17	. 3	17	325 325 10 14 7 7 10 95	261 230 31	77 50	17	13	73 18 55	93 111 222 6 54	43	10	32 32	15	23	20
34	12	36	1,028 1,028 477 417 56 280 280	688 576 112	10	39	24	157 47 110	337 71 1113 10 143	78	33	190 42 32 116	19	77	32
23	6	29	1,563 1,110 1,110 48 40 60 60 27 248	574 466 108	70	19	6	143 50 93	311 74 103 9 125	41	77	157 34 18 105	16	81	20
12	4	23	1,067 745 745 31 32 52 18 168	333 267 66	3 2	90	60	63 42 42	210 47 68 14 81	25	12	85 27 16 42	90	12	10
-	3	60	515 371 7 7 115 115 8 8	158 128 30	a ru	00	8	34 16 18	103 118 36 9 9	8 11	12	47 111 7 29	7	21	0 -
8	1	70	207 159 159 133 333 144 33	12 12	۰ -	-	ı	# s s	36 8 44 11	9 7	-	22 3 3 16	1	6	2
1	}	1	6 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	21 14 7	n -	-	=	2	5 40 40	7 -	7	6 046	944	C4 +	4
1	1	-	803 21 11 20 30 30 30 30 30 30 30 30 30 30 30 30 30	∞ o o o o	1 -	-	1	60 0	5 0 4 - 0	1 1	1	42	-	7	
1	1	1	00 0	7 7	-	1	1	111	4- -	1 1	1	-1-1	1	7 -	-
=	1	1	16	441	1 1	1	deserve	8			-	w -01	1	7	1
1	1	1	14 19 19 19 19 19 19 19	7.00	7	. 1	1	111	w a -	7	1	4 4	1		1 1
4	2	7	323 217 7 7 5 113 10 67	71 56 15	œ -	. 7	4	900	66 20 18 5 23	4 -	-	22 27 17 17 27	7	23	0 4
96	33	116	5 866 4,073 108 166 162 219 102 1,036	2,183 1,798 385	161	86	62	497 160 337	259 259 382 61 485	209	94	599 136 95 368	64	288	89
		:	111111	:::	:	: :	:	:::	:::::	<i>;</i> ,	: :	::::	;	:	: :
				:::	;	:	:	:::	:::::	;	: :	::::	:	;	: :
		÷		:::	:	: :	÷	:::	:::::	:	: :	1:11	:	:	
:	:	:	::::::::::::::::::::::::::::::::::::::	:::	;	: :	:	:::	11113	:	: :	111:	:	:	: :
:	:	:	City shaw 1	of City ty	:	: :	;	:: ty:	hty	Ross and Cromarty County	: :	:::5	:	:	: :
3.5	:	ounty	diagow County of City Aricite Burgh Coatbridge Burgh Moherwell and Wisham Moherwell and Wishaw Remainder of County	iothian County Edinburgh County of Cit Remainder of County	:	: :	:	.h County Perth Burgh Remainder of County	frew County Greenock Burgh Paisley Burgh Port Glasgow Burgh Remainder of County	urty C	<u>.</u>	h.: Court	aty	ounty	. :
Count	nty	ht C	Aty Coun Surgh ge Bu Bur ell an	Coun		nty	nty	y irgh ler of	unty E Bur Sgow sgow ler of	rome	oun	Burg Burg ler of	Com	nn Co	ount
ine (Con	brig	ark County Glasgow County or Airdrie Burgh Coatbridge Burgh Hamilton Burgh Moherwell and W Ruthergien Burgh Remainder of Cou	dan abur	Cour	Coun	Con	h County Perth Burgh Remainder of	Greenock Burgh Paisley Burgh Port Glasgow Bu Remainder of Co	nd Cr	Cou	kirk ling	pue	othia	vn C
Kincardine County	Kinross County	Kirkcudbright County	Gasgow County Gasgow County of City Airdrie Burgh Coatbridge Burgh Hamilton Burgh Motherwell and Wishaw Ruthergien Burgh Remainder of County	Midlothian County Edinburgh Count Remainder of Co	Moray County	Nairn County Orkney County	Peebles County	Perth County Perth Burg Remainder	Renfrew County Greenock Bur Paisley Burgh Port Glasgow Remainder of	SS ar	Koxburgn County Selkirk County	Stirling County Falkirk Burgh Stirling Burgh Remainder of County	Sutherland County	West Lothian County	Wigtown County Zetland County
Kit	KA	KÜ	La	M	M	Ž Ö	Pe	Pe	Re	R	Se	S	S	W	2 2

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

at Televen of the Principal Towns during the Quarter ended 31st March, 1958

I		- CII	01 (1	1	пистр	a1)	OWIS	uuli	ing the	Qua	ai tei	em	ren	3181	ware	11, 19	36	
1	EALT 8-2		AIR TEMPERATURE									TER T.)	RA	RAIN and other FORMS of PRE-			BRIGHT SUNSHINE	
1	五影的	Mea	Mean of		ошо	. A	Absolute 1 and Min			N	fean o	f	CIPITATION			Hours per day		
1/-	2/_	Maximum (A)	Minimum (B)	Mean Temp. § (A + B)	Difference from Average	Maximum	Day of Month	Minimum	Day of Month	Dry Bulb	Vapour Pressure	Humidity	Number of Days	Total Fall	Difference from Average	Daily Mean	Difference from Average	
		°F.	°F.	°F.	°F.	°F.	1 4	°F.		°F.	mb.	%		Inch	Inch			
	GLASGOW	41.9	32.1	37.0	-1.4	56	27	11	24	36.0	6.9	90	17	4.52	0.14	1.20	+0.21	
205	Edinburgh Aberdeen	42·2 40·0	32·9 30·9	37·5 35·5	-1·2 -1·6	56 52	27 15	22 11	21,22,24 25	36·7 35·5	6·3 6·2	86 88	13 19	1·37 3·52	-1.08 + 0.49	2·20 1·76	+0.51 +0.04	
1958	DUNDEE	41-1	3 0·9	36-0	-1.5	50	16	19	24	35.8	6.4	90	14	1.84	-0.99	1.71	+0.10	
ANUARY,	Paisley Greenock Kirkcaldy	43·2 43·1 42·1	32·7 34·0	37·9 38·5	-1·3 -1·1 -	56 56 53	27 27 27	17 21	24 21 —	37·1 37·7 36·0	6·7 6·9 6·2	90 90 87	22 22 16	5.85 7.27 1.31	+0.64 0.56 1.34	0.85	+0.33	
	KILMARNOCK	43.5		newtonic .	_	.57	27	to	-	37.2	6-4	86	18	4-11	-	1.83	+0.68	
J	Prestwick Inverness	44·2 42·3	33·3 30·5	38·7 36·4	_ _1.8	58 57	27 27	15 13	22 3, 21	37·7 36·9	7·1 6·5	92 87	17 16	3·32 1·98	-0·37 0·76			
	PERTH	41.7	28.3	35.0	-2.2	52	27, 28	10	24	33.9	6-1	92	12	1.79	-1.23	1.29	+0.05	
	Means	42.3	31.7	36-9	-1.5					36-4	6.5	89	17	3.35	0.53	1.55	+0.18	
FEBRUARY, 1958	GLASGOW EDINBURGH ABERDEEN DUNDEE PAISLEY GREENOCK KIRKCALDY KILMARNOCK PRESTWICK INVERNESS	43·3 42·3 40·6 43·1 44·1 43·6 43·4 43·1 43·3 42·6	34·0 33·0 30·2 31·5 33·1 34·2 31·1 33·8 31·2	38·7 37·7 35·4 37·3 38·6 38·9 37·3 38·5 36·9	-0·6 -1·1 -2·4 -1·2 -1·3 -0·9 -1·81·8	52 52 55 53 53 51 54 50 50 53	20 20 4 4 20 20 20 13, 20 10, 14	15 22 19 19 20 24 17 ———————————————————————————————————	9 7 7 9 9 7,8 9,10 7	37·4 37·0 35·3 36·3 38·1 38·2 37·0 37·5 38·1 36·9	7·0 6·3 6·1 6·3 6·8 6·9 6·4 6·5 7·1 6·5	89 85 88 87 87 89 86 86 91	19 17 23 15 18 21 17 19 19	2·35 1·65 3·90 2·71 2·78 3·46 2·21 2·96 3·32 1·70	$\begin{array}{c} -0.84 \\ -0.03 \\ +1.64 \\ +0.54 \\ -0.69 \\ -1.63 \\ +0.29 \\ -0.95 \\ -0.21 \end{array}$	2·06 1·85 2·53 1·89 1·51	+0.08 -0.62 -0.87 -0.16 +0.04 - -0.39 -0.92	
	PERTH	43-5	30.2	36.9	1.5	55	20	11	9	35.5	6.1	88	16	2.52	+0.33	2.15	0.30	
-	Means	43.0	32.2	37.6	-1.4					37.0	6.5	88	18	2.69	+0.03	1.93	-0.39	
	GLASGOW EDINBURGH	43·5 40·7	32·5 32·0	38·0 36·3	-3·9 -5·0	54 54	1 4	21 22	11 10	37·0 36·1	6·5 6·1	84 85	11 13	0·89 1·97	$\frac{-1.62}{+0.37}$	2·68 2·85	0·32 0·84	
CH, 1958	ABERDEEN DUNDEE PAISLEY GREENOCK	38.6 41.5 44.0 42.6	30·2 32·1 33·1 33·8	34·4 36·8 38·5 38·2	-5·8 -4·4 -4·2 -4·0	55 55 54 51	4 4 1 1	11 21 35 27	11 12 11 11,12,22	34·4 36·6 37·9 37·5	5·7 6·1 6·4 6·5	85 84 83 86	23 18 13 10	4·77 5·73 1·00 1·33	+2·73 +3·77 -1·80 -2·73	3·59 2·94	0·73 +0·20 +0·01	
MARCH,	Kirkcaldy Kilmarnock	42·1 44·2	31 •9 32·1	37·0 38·1	-4·7 -4·3	52 52	31	17 21	11 11	37·2 38·6	6·3 5·9	84 74	19 10	2·88 0·84	+1.08	3·29 3·60	+0.32	
	Prestwick Inverness Perth	43·5 41·6 42·4	32·7 30·4 31·4	38·1 36·0 36·9	-5·1 -4·6	54 54 55	31 4 1	23 14 19	10, 11 14 12	38·0 36·6 35·7	6·7 5·8 6·3	86 79 89	9 10 13	0·93 1·05 2·69	-1·19 0·46 +0·78	3·35 2·97	0·15 0·39	
	Means	42.2	32.0	37.1	-4.6		-	_	_	36.9	6.2	84	14	2.19	+0.93	3.09	0.24	

POSITION AND ELEVATION OF STATIONS

	orth	West Long.	Elev. (Feet)		North Lat.	West Long.	Elev. (Feet)		North Lat.	West Long.	Elev. (Feet)
Glasgow (Renfrew) Edinburgh 55' Aberdeen (Craibstone) Dundee 56'	° 11′	3° 11′		Greenock Kirkcaldy	55° 51′ 55° 56′ 56° 08′ 55° 36′	4° 46′ 3° 10′	199 137	Perth	55° 30′ 56° 24′ 57° 29′	3° 27′	76

Printed in Great Britain under the authority of Her Majesty's Stationery Office by The Herald Printing Works, York Wt. 70992 K4 6/58 Gp. 180. (49467).

THE ROYAL SOCIETY OF HEALTH LIBRARY RAL

OF THE REGISTRAR-GENERAL Scotland

BIRTHS, DEATHS AND MARRIAGES

Registered in the Quarter ended 30th June, 1958

No. 414



© Crown copyright 1958

EDINBURGH HER MAJESTY'S STATIONERY OFFICE

PRICE 2s. 6d. NET

Annual Subscription 10s. 6d. including postage

Quarterly Report

of the

Births, Deaths and Marriages registered in Scotland for the Quarter ended 30th June, 1958

REPORT

Summary.—In this quarter there were 25,588 births or 19.9 per 1,000 of the population. This rate is 0.4 higher than for the second quarter of 1957 and 0.9 above the average.

The marriage-rate was 6.5 per 1,000 of the population, 0.6 less than in the second quarter of 1957 and 0.4 less than the average for 1953-7.

There were 15,186 deaths in the quarter or 11.8 per 1,000 of the population, and this compares with 11.2 in the second quarter of 1957. The average over the five years 1953-1957 was 11.4.

There were 677 deaths in the quarter due to causes other than natural causes. 290 of these deaths were due to accidents in the home. Falls, involving the deaths of 27 men and 85 women mostly over 75 years of age, were the principal cause of these fatal accidents. 68 deaths were due to gas poisoning and these too were mostly of elderly people. 50 deaths were caused by suffocation of which 39 were of children under one. Burning and scalding accidents, involving 21 persons, were the other main cause of accidental deaths in the home.

Transport accidents caused 137 deaths in the quarter. 124 were road transport accidents, involving the deaths of 48 pedestrians, 32 motor cyclists, and 10 pedal cyclists.

Deaths from tuberculosis were 134, or 10 per 100,000 of the population. The rate is 2 per 100,000 lower than in the second quarter of 1957 and 8 per 100,000 below the 1953-57 average.

There were 15 maternal deaths or 6 for every 10,000 live births. This was 3 per 10,000 more than in the second quarter of 1957 and 1 per 10,000 above the 1953-57 average.

Live Births.—The 25,588 births in the quarter under review are 614 more than in the corresponding quarter of 1957. The rate per 1,000 population is 19.9 being 0.4 above the rate for the second quarter of 1957 and 0.9 above the average. The birth-rate in the cities is 20.2 and in the large burghs 21.4. These compare with 19.1 for the rest of Scotland.

In individual areas the rate ranged in the cities and large burghs from 29·0 in Coatbridge, 25·1 in Clydebank and 24·7 in Dumbarton to 18·0 in Perth, 17·6 in Edinburgh and 17·0 in Arbroath. In counties, exclusive of cities and large burghs, it ranged from 24·8 in Caithness, 22·1 in Kirkcudbright and Wigtown and 21·7 in Lanark to 14·1 in Nairn, 12·3 in Kinross and 8·5, in Bute.

EXPLANATORY NOTES

Correction for Residence.—Births, Stillbirths and Deaths are corrected throughout this Return by transfe where necessary to usual place of residence, if in Scotland, but Marriage figures are as registered.

Birth, Death and Marriage Rates.—These rates are calculated on the estimated population in Scotland or of the local area concerned, as the case may be, as at 31st December, 1957.

Average Rates.—Unless otherwise indicated, any reference in this Report to the average rate or the average refers to the average of the rates in the corresponding quarters of the previous five years.

The proportion of illegitimate births, 4.3 per cent., is 0.1 above that for the second quarter of 1957 but 0.2 below the average rate.

Of the 25,588 births registered, 13,234 were of male children and 12,354 of female children, being 1,071 male births per 1,000 females. Births registered in April numbered 8,783 in May 9,037, and in June 7,768, the equivalent birth rates being 20·7, 20·6 and 18·3 respectively.

Stillbirths.—The number of stillbirths registered during the quarter was 568 and is equivalent to a rate of 22 per 1,000 total births (including stillbirths) which compares with 24 per 1,000 in the second quarter of 1957.

Marriages.—The number of marriages registered in the quarter was 8,381, 710 fewer than in the second quarter of 1957. The rate per 1,000 population is 6.5. This is 0.6 below the rate for the second quarter of 1957 and 0.4 below the average rate.

In considering the figures given in Table 1 it should be remembered that many marriages of persons, one or both of whom are resident in rural areas, are contracted in neighbouring cities or towns. Thus an area to area comparison is unreliable. While it is true also that births and deaths often occur in hospitals away from the place of residence the figures, unlike those for marriages, are so adjusted as to relate to the place of residence (a similar adjustment is not possible for marriages as two residences are involved).

6,850 of the 8,381 marriages registered in this quarter were solemnised by a minister of religion. 1,531 were civil marriages contracted in registrars' offices.

Of the 9,091 marriages in the second quarter of last year there were 7,475 marriages with a religious ceremony, 1,615 civil marriages and one irregular marriage.

Of the marriages registered in this quarter 3,604 were registered in April, 1,176 in May and 3,601 in June, the equivalent marriage rates being 8.5, 2.7, and 8.5 respectively.

Deaths.—15,186 deaths were registered in the quarter giving a death-rate of 11.8 per 1,000 of the population. They were 759 higher than in the second quarter of 1957 and the rate is 0.6 per 1,000 of the population higher than in that quarter and 0.4 above the average rate.

The rate in the four cities was 12·1 and in the large burghs 11·2. These rates compare with 11·7 in the rest of Scotland. The rate in individual cities and large burghs ranged from 13·8 in Ayr, 13·6 in Dumfries and 12·9 in Perth to 9·5 in Inverness, 9·1 in Dumbarton and 8·9 in Port Glasgow. In counties exclusive of cities and large burghs it ranged from 17·5 in Orkney, 17·3 in Argyll and 15·2 in Roxburgh to 10·5 in Kirkcudbright and Stirling, 9·7 in Moray and 9·3 in Midlothian and West Lothian.

Deaths registered in April numbered 5,633, in May 4,988 and in June 4,565, the equivalent death-rates being 13·3, 11·4 and 10·8 respectively.

Infant Mortality.—Deaths of children aged under one year numbered 692 and are equivalent to an infant mortality rate of 27 per 1,000 registered live births. This rate is the same as that for the corresponding quarter of 1957 and one below the average. The mortality was 27 per 1,000 births for legitimate children and 37 for illegitimate children.

The infant mortality in the cities is 30, in the large burghs 28 and in the rest of Scotland 24. In the cities and large burghs individually it ranged from 49 in Dumbarton, 46 in Port Glasgow and 41 in Clydebank to 14 in Dumfries, 13 in Inverness and 12 in Kilmarnock.

In counties exclusive of cities and large burghs it ranged from 48 in Dumfries, 46 in Banff and 35 in Kincardine to 14 in Sutherland, 12 in Kirkcudbright, Moray and Roxburgh and 7 in Angus. There were no infant deaths in 5 counties.

The neo-natal rate (deaths of infants under 28 days) is 19 per 1,000 live births and is one below that for the corresponding quarter of 1957.

Causes of Death.—Principal Epidemic Diseases.—There were 43 deaths registered during the quarter which were attributed to the principal epidemic diseases, being 19 more than in the second quarter of 1957. The death-rate for this group is 3 per 100,000 of population, and the average rate is 4. These deaths include 6 from meningococcal infections, 1 from measles and 36 from influenza. There were no deaths from typhoid fever, scarlet fever, diphtheria and whooping cough. 16 of the cities and large burghs had no deaths from the principal epidemic diseases and in the rest of Scotland 20 counties had none.

One death from acute poliomyelitis was registered. There was one death from this cause in the previous quarter and one in the corresponding quarter of 1957.

Tuberculosis.—There were 134 deaths from tuberculosis, 19 fewer than in the second quarter of 1957. 118 were from tuberculosis of the respiratory system and 16 from other forms. The death-rate from all forms is 10 per 100,000. From respiratory tuberculosis it is 9. Both rates are 2 below those for the corresponding quarter of 1957, and 8 and 7 respectively below the average.

Malignant Disease.—Deaths under this head were 2,714, 29 fewer than in the second quarter of 1957. The rate was 211 per 100,000 being 3 below the second quarter of 1957 but 8 above the average.

Respiratory Diseases.—Deaths from bronchitis numbered 443 and from pneumonia (excluding pneumonia of the newborn) 472. The corresponding death-rates per 100,000 population are 34 and 37. The average rate is 30 in each case.

Maternal Mortality.—Deaths of mothers from diseases and accidents of pregnancy and childbirth numbered 15 (a rate of 0.6 per 1,000 live births). This rate is 0.3 above that for the corresponding quarter of 1957 and 0.1 above the average. Including stillbirths the maternal death-rate is 0.6 per 1,000.

Violence.—Deaths from violence (i.e. from other than natural causes) numbered 677, and are equivalent to a death-rate of 53 per 100,000 of the population. In the second quarter of 1957 the number was 640 and the rate 50 per 100,000 of the population.

290 of the deaths in the second quarter were from accidents in the home. The numbers are subdivided by causes, broadly grouped, and by sex and age, in the following table.

Deaths from Accidents in the Home by sex and age—quarter ended 30th June, 1958—Scotland

International Detailed List Nos.	Cause of Death	All	Under	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	86 and over
E.870-E.888	Poisoning by solid and M. liquid substance F.	5 9	1	=	_			_	2 2	1 2	3	1 1	=	=
E.890a	Poisoning by utility (illuminating) gas, stated \(\) m. to be accidental \(\).	11			-	_	_	_	1	1 3	3	3 5	3	
E.890b	Poisoning by utility (illuminating) gas, un-	15	_			_			1	3	3	5	0	1
	specified as to whether \(\) M. accidental or suicidal \(\) F.	22 16		_	_	_	4	2	2	6 3	2.3	2 5	2	-
E.891-E.895	Poisoning by other gases \(M. \) and vapours \(F. \)	_	_			_	_	-	_				_	_
E.900-E.904	Falls \{ \begin{align*} M. \\ F. \end{align*}	27 85			_	-		2	4		5 4	16	8	10
E.916-E.918	Fire, explosion, hot sub- \(\) M. stance, radiation, etc. \(\) F.	6 15	1 2	1 2		_		_	1	-	2	2	1 2	1
E.921,E.922, E.924, E.925	Mechanical suffocation $\begin{cases} M. \\ F. \end{cases}$	25 25	21 18	1	_	=	_		1	2	2	3	_	=
Remainder	Other and unspecified M. accidents F.	20 5	1	_			_		1	1	\$100mg	3	8	6 2
E.870-E.936, E.961, E.962	Total Accidents in the M. home F.	116 174	24 21	2 3	2	1	4 2	2 3	11 8	9	12 15	12 31	22 50	17 28

Deaths from transport accidents in the second quarter of 1958 are analysed in the following table according to the type of accident and the sex and age of the deceased. 124 of the total of 137 transport accidents were road accidents.

Deaths from Transport Accidents by sex and age—quarter ended 30th June, 1958—Scotland

International Detailed List Nos.	Cause of Death	All	Under	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
E.812 E.814,E.815, E.821 Remainder of E.810-E.825 E.830-E.835		26 17 9 -26 6 22 6 6		5 3	7 3 3	1 2 2 - - - 1	1 1 2 15 3 5	1 - 5 2 3 2 1	2 2 1 3 - 4 1 1	1 2 1 3 1 —	1 3 -	2 2 1 — — 2 2	2 2	
E.840-E.842. E.844 E.843 E.845		2 3 1 —										<u>-</u>	2 2 — —	
E810-E.845	Total road transport acci- { M. dents { F.	92 32	_	6 3	10	4 2	25 4	10	11 4	6 3	8 1	6 4	6 4	
E.800-E.802, E.850-E.866	Rail, air and water trans- { M. port accidents { F.	13	_	1	_		3	1	2	5	1			
E.800-E.866	Total transport accidents $\binom{M}{F}$.	105 32	=	7 3	10	4 2	28	11	13	11 3	9	6 4	6 4	

The death-rates from the main causes of death in the second quarter of 1958 are indicated in the following table. The comparable rates in the second quarter of 1957 and the average rates for the second quarters of the years 1953-1957 inclusive are also given.

	Death-ra	tes per 100,000 Po	pulation
Cause of Death	1958 Second Quarter	1957 Second Quarter	Average rates for Second Quarters 1953-1957
ALL CAUSES	1,180	1,124	1,142
Principal Epidemic Diseases Typhoid Fever Scarlet Fever Diphtheria Whooping cough Meningococcal Infections Measles Influenza All Tuberculosis Respiratory Other Forms Malignant Neoplasms Bronchitis Pneumonia (excluding Pneumonia of newborn) Diseases and Accidents of Childbirth All Violent Deaths Road Transport Accidents	3 	2 	4

^{*} Per 1,000 live births

CLAIMS TO SICKNESS BENEFIT UNDER THE NATIONAL INSURANCE ACTS

The number of new claims to Sickness Benefit under the National Insurance Acts made at National Insurance Offices of the Ministry of Pensions and National Insurance in Scotland during the 13 weeks ended 1st July, 1958, was 201,674. The number of such claims made at the 17 principal towns is shown below.

	ew Sickness i 13 weeks end				Town	Iew Sickness 13 weeks en	,	Claims in the July, 1958
1. Glasgow			57,150	10.	Dunferml	ine		3,016
2. Edinburgh	٠	•••	15,395	11.	Clydeban	k ,	* 914	4,305
3. Aberdeen	•••	• • •	7,410	12.	Ayr		***	3,475
4. Dundee	***		7,327	13.	Kilmarno	ck		2,947
5. Paisley		• • •	5,446	14.	Perth			1,824
6. Greenock		***	4,879	15.	Hamilton		• • •	6,246
7. Motherwel	l and			16.	Falkirk		• • •	2,774
Wishaw			7,100	17.	Airdrie .	•••	ete a	2,441
8. Kirkcaldy	***	• • •	3,245					
9. Coatbridge		•••	4,240				1 .	139,220

These figures represent the number of new claims made at Ministry of Pensions and National Insurance Offices in the towns named, and include a number of claims made by insured persons resident in the landward area served by these offices.

[†] Per 1,000 live and stillbirths

METEOROLOGICAL NOTES

Supplied by the Meteorological Office, Edinburgh

APRIL, 1958

Cold with wintry showers in the first half of the month followed by mild unsettled weather in the second half.

The cold southeasterly winds which gave wintry showers in East Scotland and had been a feature of the weather since mid-March continued during the first week of April. An anticyclone brought a more settled spell between the 6th and 16th but temperatures remained mainly below the seasonal level. unsettled mild southwesterly type followed, and this continued until almost the end of the month. Despite the general mildness in the second half, mean temperature (44.8°) for the month as a whole was slightly below average but in some districts mean values were slightly above average. The cold weather around the 2nd-4th and 10th-12th, when day maxima rose at some high level stations to only 35°-40°, contrasted with readings around 65° on the 22nd and 29th-30th. Keen night frosts occurred in the first half of the month, amongst low air minima being 15°F (17 degrees of frost) at Kincraig on both the 2nd and 11th. On the grass, temperature fell to 5°F at Coalburn (Lanarkshire) on the 2nd and to 7°F. at Dalwhinnie on the 3rd. In general the highest temperature occurred at stations round the Moray Firth Estuary and in Clyde and southwest districts, where the thermometer rose in places to 68° on the 30th. In striking contrast were maxima of only 53° at Baltasound (North Shetland) and 55 at Stornoway and Benbecula.

The first half of April had, in general, more sunshine than the second but whereas records at many stations in the South were above average, some in the North were well below the usual quota for the month of April. At Fort William, Gordon Castle (Fochabers) and Tiree aggregates were 20-40 hours short of average. The sunniest places were Forres (163 hours), Troon (163), Stranraer (162), Dunbar (161) and Arbroath (161).

Total precipitation over most of the country ranged from one half to three quarters of average. At Paisley it was the driest April for about 20 years. There was, however, a slight to moderate excess in coastal districts from Arbroath southwards to the Borders, and also in small areas around Upper Loch Linnhe and Loch Ness. Mainly light showers, often of snow and sleet, came in the first fortnight but falls were heavier in some Eastern districts on the 3rd and 4th. Snow fell to a depth of 1-4 inches in places, for instance at Balmoral and Penicuik it lay about 4 inches deep on the 4th and 5th. In the unsettled spell in the second half of the month precipitation, mostly rain, occurred frequently. Amongst the highest daily rainfalls for the month were 2·00 inches at Roberton (Hawick) and 1·51 at Balerno, both on the 4th.

Gales occurred at exposed places on 7 days, and local thunder and fog on 3 and 15 days respectively.

Meteorological Notes-continued

May, 1958

A rather cold unsettled month with a fine mild opening. Rainfall was mainly above average but sunshine records were fairly good for the season.

In the opening days temperature rose above 70 degrees in many districts and to 75 at Bowhill (Selkirk) on the 1st. A number of stations had 74 on the same day. These moderately high readings for May contrasted with day maxima in the 45°-50° range in the colder weather from the 3rd-7th, 9th-14th and around the 23rd. Night frosts were fairly widespread in these periods and were quite low for the month of May. Amongst the lowest minima were 19°F. (13 degrees of frost) at Kincraig on the 3rd and 10th, 20°F. at Dalwhinnie on the 3rd and 22° at Sourhope Farm (Cheviots) and Glenlivet on the 7th and 11th respectively. Thermometers exposed on the ground registered 10°F. (22 degrees of frost) at Balcladaich (Cannich area) on the 3rd and 7th and 11°F. at Dalwhinnie (3rd and 10th) and at Kincraig (7th). For the country as a whole, mean temperature (49·1°) was 0·9° below average, North and South districts having the greatest departures viz. 2° to 3°.

Precipitation showed a slight to moderate excess over the greater part of the country but in some Northwest districts, totals were double the average. At Achnashellach it was the wettest May since 1922. Some coastal areas, especially in the South, had somewhat less than the usual rainfall for May. Only light scattered showers came in the first week and showers were more frequent and heavy from the 9th-15th and 25th-29th; otherwise rain was persistent and on some days thunder caused heavy rains. On the 19th, 2·29 inches fell at Spean Bridge; 2·29 in Glen Etive and 2·08 at Kinlochourn. Local snow and sleet showers fell in the Northern half of the country during the cold periods.

Except on the extreme North and South, sun records were good for May' a number of stations having aggregates over 200 hours. Whereas totals in some cases were 35·40 hours in excess of average, there were local deficiencies of 20-40 hours in the duller areas. Amongst the sunniest places were Benbecula (237 hours), St. Andrews (223), Elgin (223), Banff (219), Rattray Head (219), Duntuilm, Skye (218) and Gordon Castle, Fochabers (218).

There was a high frequency of fog, thunder and gales. The most widespread gale was that on the 19 th/20 th. Fog was prevalent on the North and East coasts on the 30 th/31 st.

Meteorological Notes—continued

June, 1958

An unsettled and rather cool month. Sunshine records were low in most places and though it was drier than usual in the North and West of the country in many Eastern, Central and Southern districts, rainfall was above the seasonal average.

The warmest days occurred at the beginning and end of the month and on the 14th and 15th. The highest temperatures were recorded in North and Northeast Scotland and included 78°F. at Findhorn on the 29th, 77°F. at Strathy and at Elgin on the 30th and 76° at Kinlochewe on the 6th. In Southern Scotland the highest temperature was 74° at Paisley and Auchincruive on the 29th. The lowest day maximum temperatures occurred on the 9th and 10th and also from the 18th to the 23rd and included readings of 44° at Glenshee Lodge and Balmoral on the 10th and 48° at Coalburn on the 20th. Low night minima were 28°F. (4 degrees of frost) at Strathyre on the 1st/2nd, 25°F. at Halkirk on the 10th/11th and 28°F. at Dalwhinnie on the 20th/21st. Ground frost occurred locally on the 1st and 7th, 11th and 13th and from 16th to 23rd, the lowest minima recorded by thermometers exposed on the grass were 20° at Dalwhinnie on the 20th/21st and 20° at Balcladaich (Cannich area) on the 21st/22nd.

There was much less rain than usual over North and West Scotland and also over much of the Northeast. In Orkney and Shetland and in West Inverness-shire, there was less than half the average rainfall for June. Southeast of the mountain areas from Argyllshire to Aberdeenshire there was a moderate to large excess, particularly in Southeast and Central districts where rainfall was from one and one half to twice the average for June. The variation from average was greatest in the North and South, at Baltasound (Shetland) it was the driest June since records began in 1911, whereas Marchmont (Berwickshire) had its wettest one for 20 years. It was mainly dry over the country as a whole from about the 3rd to the 6th, and about the 13th/14th, and in the Northeast and East on the 29th/30th. On most other days rain was persistent especially during the periods 8th to 11th, 15th to 19th and 23rd to 28th. A number of heavy falls occurred often as a result of thunderstorms; the wettest days generally were the 25th to 27th. On the 26th there was 1.65 inches at Cabrach Manse, Aberdeenshire, and 1.55 inches at Strathyre.

Records of sunshine were below average in most places except locally in Northwest Scotland. At many places totals were 50 to 100 hours below average and several stations had less than 100 hours for the month. The sunniest place was Duntulm (Skye) with 181 hours followed by Stornoway, Benbecula and Rattray Head each with 177. Other records were Tiree (173), Wick (160), Grimsetter, Orkney (155), Elgin (155), Dunbar (150), North Berwick (144).

Fog occurred at one place or other on 26 days—a high frequency for June—and was particularly prevalent near the East coast. The number of gales and thunderstorms was about average.

TABLE 1.—BIRTHS, STILLBIRTHS, DEATHS AND MARRIAGES IN THE COUNTIES OF CITIES, LARGE BURCHS AND COUNTIES OF SCOTLAND, WITH THEIR FOUNDALENT RATES PRR 1 000 OF POPULATION—OUARTER ENDED 30TH LINE 1958

	Stillbirths per 1,000 Total	Births (Including Still- births)	2 2 24 20	20	13	25	21	15 23 20 20	20	12	28	18	15
	Infant Mor-	. 0	27 30 28	24	15	22 24 7	21	25 12 28 28	46	1	29	31	70
	Illegiti- mate	per 100 Live Births	4.3 5.0 4.1	3.7	5.3	6.5 3.6 2.0	5.1	3.5	5.4	2.4		8.9	4.5
NE, 1900	ation	Principal Epidemic Diseases	0.03 0.03 0.02	0.04	0.02	0.05	0.21	0.09	0.16		1	0.15	
of utoo	of Population	Deaths	11.8 12.1 11.2	11.7	11.5	11.9 12.6 11.3	17.3	13.8 10.5 10.7	12.9	13.1	14.8	12.3	11.3
LENDED	per 1,000	Marriages	6.9 6.9	5.1	8.80	17.4.3	4.8	6.5	5.0	3.9	3.4	6.5	2.9
ZOARIER	Rates	Births	19.9 20.2 21.4	19.1	18.3	20.3 17.0 15.9	16.8	18.4 222.7 19.9	19.0	14.2	3.5	24.8	20.1
AIION		Children aged under 1 year	692 287 128	277	25 15 10	7 00000	20	34 3 3 4 4 5	111	1	_	70	4
TO LO LO	Deaths	*Principal Epidemic Diseases	43	25	=-	==	3	∞ ⊢ 01	7		- Consistence	-	
WITH THEIR EQUIVALENT NATES FER 1,000 OF I OFULATION—QUARTER ENDED JULH JUNE, 1930		Total	15,186 5,792 2,419	6,975	929 535 394	811 531 62 218	244	924 151 116 657	162	77	61	80	112
eates rea	1	riages	8,381 3,864 1,482	3,035	608 407 201	454 328 22 104	89	489 103 69 317	63	23	14	40	99
TNT	1170	births	568 241 96	231	119 111 8	23	ro	34 8 8 8 8 8 8	70	-	-	3	3
EZUIVAL	Births (living children)	Illegiti- mate	1,093 481 187	425	79 45 34	50000	12	56 7 10 39	13	2	1	11	6
HEIK	Bir (living o	Total	25,588 9,630 4,612	11,346	1,503 851 652	1,300 909 84 307	237	1,673 201 251 1,221	239	84	35	161	199
WITH		Population 31.12.57	5,159,500 1,912,500 863,000	2,384,000	326,700 186,500 140,200	276,600 179,500 19,800 77,300	56,600	334,900 43,800 44,400 246,600	50,400	23,700	16,500	26,100	39,800
			SCOTLAND Counties of Cities 1 Large Burghs Counties (ex Counties	of Cities and Large Burghs)	Aberdeen County Aberdeen Co. of City† Remainder of County	Angus County Dundee Co. of City Arbroath Burgh Remainder of County	Argyll County	Ayr County Ayr Burgh Kilmarnock Burgh Remainder of County	Banff County	Berwick County	Bute County	Caithness County	Clackmannan Co

9

19

13 13 17

28

19 27 27 20 20

13

13 23 16

enero .										100	I	-		
12	4.5	80.0	4.6	8.0	19.8	60	-	121	100	3	=======================================	247	50,100	Moray County
30 2 16	4.6	0.01	12.8	8.0	17.6	63 46 17	=-	1,740 1,490 250	1,066 931 135	39	115 94 21	2,615 2,042 573	574,400 466,600 107,800	Midlothian County Edinburgh Co. of City Remainder of County
31 22 2	4 4 6	0.05	12.6	6.4	18.9	22 50	- 4	923	39	417	26 57 9	1,757	24,500 324,200	Wishaw Durgn Rutherglen Burgh Remainder of County
NO. SPRINTED	4.8		11.1	8.5	20.2	00	1	114	87	4	10	207	41,100	Hamilton Burgh
to també - v.	2.4		10.9	5.3	29.0	11	1	142	69	9	16	379	52,300	Coatbridge Burgh
35	1.4.0	0.04	12.0	8.2	21.6	295 206 5	110	4,772 3,236 88	2,923 2,198 60	228 168	383 283 4	8,841 5,828	1,626,400 1,079,800 32,700	Canark County Glasgow Co. of City Airdrie Burgh
12	3.6	1	10.5	6.2	22.1	7	1	80	47	-	9	168	30,400	Kirkcudbright Co
	9.1	-	12.9	10.1	12.3	T	1	23	18		7	22	7,200	Kinross County
35	3.5		13.4	5.5	16.8	4		06	37	7	4	113	27,000	Kincardine County‡
100	9.6	0.22	13.8	13.2	21.6	9014	w w	256 67 189	130 93 37	984	18 01 8	375 152 223	83,000 28,200 54,800	Inverness County Inverness Burgh Remainder of County
272 27 27 27	3.8	0.02	10.9	7.4	20.2 19.4 19.2	41 5 7 29	- -	867 126 131 610	433 85 76 272	26 3 6 17	51 10 32	1,553 234 251 1,068	321,100 46,400 52,000 222,700	Fife County Dunfermline Burgh Kirkcaldy Burgh Remainder of County
22	4.3	1	12.8	4.3	17.8	5	1	165	55	3	10	230	51,700	East Lothian County
25 22	9.00	0.15	9.1	5.4 5.8	24.7	8 11		285	36	040	16 41	162 437	26,300 98,500	Clydebank Burgh Dumbarton Burgh Remainder of County
1:	18	1	1	L	1	32	2	465	218	19	35	913	175,000	Dunbarton County
48 3	4.8	1 1	11.1	7.9	17.6	13		170	121	6	13	270	61,500	Dumfries Burgh Remainder of County
	6.7		13.6	0.3	106	15	1	263	185	13	22	410	89,000	Dumfries County

Typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.
 Indulaing for this purpose the entire Burgh of Aberdean, part of Mahal, is in Kincarchine County.
 Excluding for this purpose the portion of Aberdean Burgh in Kincarchine County.

TABLE 1.—BIRTHS, STILLBIRTHS, DEATHS AND MARRIAGES IN THE COUNTIES OF CITIES, LARGE BURGHS AND COUNTIES OF SCOTLAND TO FOUNDATION RATES PER 1 000 OF POPULATION -QUARTER ENDED 30TH JUNE, 1958 -continued

		Births (living children)	hs ildren)				Deaths		Rates	Rates per 1,000 of Population	of Popul	ation	Illegiti- mate	Infant Mor-	Stillbirths per 1,000 Total
	Estimated Population 31.12.57	Total	1	Still- births	Mar- riages	Total	*Principal Epidemic Diseases	Children aged under 1 year	Births	Marriages	Deaths	Principal Epidemic Diseases		tality rate per 1,000 Live Births	Births (including Still- births)
Nairn County	8,300	29	7	П	13	29	1		14.1	6.3	14.1	I	6.9		1
Orkney County	19,800	81	9	1	20	98	1	2	16.4	4.1	17.5		7.4	25	12
Peebles County	14,200	26	7	H	25	47	1	1	15.8	7.1	13.3	-	3.6	18	18
Perth County Perth Burgh Remainder of County	126,800 40,800 86,000	538 183 355	30	41 01	188 91 97	425 131 294	111	13 6	18.0	9.0	12.9		4.9	33 I	21 27
Renfrew County Greenock Burgh Paisley Burgh Port Glasgow Burgh Remainder of County	333,200 77,900 96,000 23,300 136,000	1,725 403 528 130 664	18 18 7 4	43 15 4 2 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	467 1117 149 41 160	955 198 302 52 403	ro - 4	40 12 14 17	20-7 22-1 22-4 19-6	6.0 6.2 7.1 4.7	10.2 12.6 8.9 11.9	0.17	5.5 3.4 5.4 2.1	30 27 46 26	183881
Ross and Cromarty County	59,400	242	12	8	46	207	-	4	16.3	3.1	14.0	0.07	5.0	17	12
Roxburgh County	45,000	173	9	9	99	171	1	2	15.4	5.9	15.2	1	3.5	12	34
Selkirk County	21,000	75	7	60	28	78	1	1	14.3	5.4	14.9		2.7	1	38
Stirling County Falkirk Burgh Stirling Burgh Remainder of County	191,900 37,100 27,000 127,800	969 190 133 646	20 1 7 12	24 4 4	305 66 49 190	530 117 80 333	- -	25 5 16	20.5 19.8 20.3	7.1	12·7 11·9 10·5	0.03	0.5 5.3 1.9	26 30 25	29 29 21
Sutherland County	13,200	69	60	7	18	48	1	==	21.0	5.5	14.6	1	4.3	14	28
West Lothian County	92,100	477	16	13	110	213	1	6	20.8	4.8	9-3	l	3.4	19	27
Wigtown County	29,900	165	22	10	39	89	[60	22.1	5.5	11.9	1	13.3	18	29
Zetland County	18,500	11	4	3	19	99	1	1	15.4	4.1	14.3	0.22	2.6	-	41

								,	1010	10 100		
			Nı	ımbers					Ra	ites		
_	Live I	Births	10		De	aths		00 of Est		ths	or- te ive	s stal
	Total	Illegiti- mate	Still- births	Marri- ages	All Ages	Under One Year	Births (living child- ren)	Marri- ages	Deaths	Illegit, Births per 100 Live Births	Infant Mortality rate per 1,000 Live Births	Stillbirths per 1000 total Births incl. Stillbirths
1st Quarter 1948 . 2nd ,, ,, . 3rd ,, ,, . 4th ,, ,, .	25,324 26,561 24,389 24,070	1,417 1,642 1,392 1,325	760 775 711 720	9,959 10,490 13,509 9,760	16,825 14,698 13,652 15,804	1,303 1,144 972 1,067	20·0 21·0 19·0 18·8	7·9 8·3 10·5 7·6	13·3 11·6 10·7 12·3	5·6 6·2 5·7 5·5	51 43 40	29 28 28
Year 1948 .	100,344	5,776	2,966	43,718	60,979	4,486	19.7	8.6	12.0	5.8	44	29
1st Quarter 1949.	24,230	1,381	707	10,638	19,222	1,225	19.2	8.4	15.3	5.7	51	28
2nd , ,	25,424 23,324 22,696	1,442 1,274 1,126	710 642 607	9,209 12,786 9,075	15,274 13,119 15,873	913 823 1.000	20·0 18·1 17·6	7·2 9·9 7·0	12·0 10·2 12·3	5·7 5·5 5·0	36 35 44	27 27 26
Year 1949 .	95,674	5,223	2,666	41,708	63,488	3,961	18.7	8.2	12.4	5.5	41	27
1st Quarter 1950 . 2nd ,, ,, . 3rd ,, ,, . 4th ,, ,, .	23,542 24,646 22,498 21,844	1,185 1,359 1,195 1,098	673 659 627 598	11,111 8,680 11,847 8,821	18,647 14,986 13,341 17,022	1,080 841 737 911	18.6 19.3 17.4 16.9	8·8 6·8 9·2 6·8	14.8 11.7 10.3 13.2	5·0 5·5 5·3 5·0	46 34 33 42	28 26 27 27
Year 1950 .	92,530	4,837	2,557	40,459	63,996	3,569	18.0	7.9	12.5	5.2	39	27
1st Quarter 1951 . 2nd ,, ,, . 3rd ,, ,, . 4th ,, ,, .	23,625 24,310 21,932 20,772	1,195 1,289 1,126 982	657 658 575 589	11,560 8,958 12,048 8,795	22,428 15,442 13,104 14,804	1,088 850 698 755	18·7 19·1 17·0 16·1	9·2 7·0 9·3 6·8	17·8 12·1 10·2 11·5	5·1 5·3 5·1 4·7	46 35 32 36	27 26 26 28
Year 1951 .	90,639	4,592	2,479	41,361	65,778	3,391	17.7	8.1	12.9	5.1	37	27
1st Quarter 1952 . 2nd , , , . 3rd , , , . 4th , , , ,	22,892 23,531 22,161 21,838	1,069 1,126 1,126 985	677 598 541 614	12,420 8,156 11,894 8,684	18,394 14,270 12,813 16,033	872 801 663 845	18·0 18·5 17·2 17·0	9·8 6·4 9·3 6·8	14·5 11·2 10·0 12:5	4·7 4·8 5·1 4·5	38 34 30 39	29 25 24 27
Year 1952 .	90,422	4,306	2,430	41,154	61,510	3,181	17.7	8.0	12.0	4.8	35	26
1st Quarter 1953 . 2nd , , . 3rd , , . 4th , , ,	22,860 23,791 22,166 22,096	1,030 1,175 1,022 1,004	602 586 561 559	12,085 8,212 12,069 8,536	17,264 14.345 12,722 14,547	776 696 614 714	18·1 18·6 17·2 17·1	9·6 6·4 9·4 6·6	13·7 11·2 9·9 11·3	4·5 4·9 4·6 4·5	34 29 28 32	26 24 25 25
Year 1953 .	90,913	4,231	2,308	40,902	58,878	2,800	17.8	8.0	11.5	4.7	31	25
1st Quarter 1954 . 2nd , ,	23,456 24,097 22,823 21,939	1,049 1,086 1,077 965	612 628 601 560	12,371 8,553 12,489 8,561	18,003 14,638 13,327 15,412	892 728 555 686	18·6 18·9 17·7 17·0	9·8 6·7 9·7 6·6	14·3 11·5 10·3 11·9	4·5 4·5 4·7 4·4	38 30 24 31	25 25 26 25
Year 1954 .	92,315	4,177	2,401	41,974	61,380	2,861	18.0	8.2	12.0	4.5	31	25
1st Quarter 1955 . 2nd , , . 3rd , , . 4th ,, ,, .	23,111 23,942 22,734 22,752	988 1,046 1,037 920	598 566 597 569	12,420 8,662 12,966 9,151	19,078 14,998 12,733 14,836	829 692 588 702	18·3 18·7 17·6 17·6	9·8 6·8 10·0 7·1	15·1 11·7 9·8 11·5	4·3 4·4 4·6 4·0	36 29 26 31	25 23 26 24
Year 1955 .	92,539	3,991	2,330	43,199	61,645	2,811	18.0	8.4	12.0	4.3	30	25
1st Quarter 1956 . 2nd , , ,	24,594 24,889 22,654 23,176	1,007 1,099 1,068 895	617 613 536 563	11,742 9,843 12,958 9,420	19,156 14,562 13,088 14,986	764 656 602 705	19·2 19·5 17·5 17·9	9·2 7·7 10·0 7·3	15·0 11·4 10·1 11·6	4·1 4·4 4·7 3·9	31 26 27 30	24 24 23 24
Year 1956	95,313	4,069	2,329	43,963	61,792	2,727	18.5	8.5	12.0	4.3	29	24
2nd ,, ,, ,, ,,	24,759 24,974 24,100 24,144	948 1,049 1,047 973	635 602 569 572	11,281 9,091 12,976 9,328	16,175 14,427 13,537 17,004	782 668 653 699	19·5 19·5 18·6 18·6	8·9 7·1 10·0 7·2	12.7 11.2 10.4 13.1	3·8 4·2 4·3 4·0	32 27 27 29	25 24 23 23
Year 1957	97,977	4,017	2,378	42,676	61,143	2,802	19.0	8.3	11.9	4.1	29	24
1st Quarter 1958 . 2nd ,, , . 3rd ,, ,, . 4th ,, ,, .	25,101 25,588	1,032 1,093	614 568	10,877 8,381	18,621 15,186	794 692	19·7 19·9	8·5 6·5	14.6 11.8	4·1 4·3	32 27	24 22
Year 1958 .												

See Explanatory Notes page 2.

TABLE III.—CAUSES OF DEATH IN SCOTLAND IN AGE-GROUPS—QUARTER ENDED 30TH JUNE, 1958

										, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,												
-		N			1		1			11	-		11	1		1		1			1	1
	L	+62	1,453 521 932	I	-	1-	1 *	7	11	-		1	TI	1	11	1		1		I	1	
		-6/	4,419 1,976 2,443	11 6	1	-	1	ا در		100	1	1	11	1		1		1	11	1	1	
	, c	-69	3,955 2,026 1,929	35	1	11	7 7	4		- 6	-		-	1		1	1-	1	11	1	1	
	u	-ec	2,531 1,485 1,046	31 28	1	-	1 0	ا د		77			11		I	1	11	1		1	-	1
Age	ų	-64	1,168 697 471	19 17	1		1	1		-	I				I		-	I		I	1	
A	, c	-00	452 252 200	15	1	-	1 0	1	11	12	1		11		1	1		-		1	1	
	36	27	230 119 111	14 13	1	11	-	1			-		11		1			1	11	I		
	7	TOT I	131 84 47	400	-		-	1			-			11	1	1		1	11	1		
	10		34 24 10	I	-			1		11				11	1			1		-		
	v	5	41 26 15	11	1	11	11		-		1				-			1		-		
	_	4	80 45 35	0-	-					11				11	1				1 80	1		
	-		692 408 284	1	-	11			-	11			1	107	1	11	60	-	1 8	1	1	
	Fe-	HIGHES	7,523	34	7		8 4	-		- co	1		-	+ 1	1		2	1	121	1	1	
All Ages	Moles	Maics	7,663	93	8	12	4		11	01 00				2	1	1	3	-	4	1		
A	Both	COWCS	15,186 7,663 7,523	134	S	- 60	7		11'	11 3	, .	-	1	21	I		3	I	9	1	11	
	1		:::	Total	:	::	Total	:	: :	: :	:	Sal-	: :	: :	:	:	: :	:	: :	:	;	
	н		XES	ne.	and	::			: :	ane 	:	er	: :.	er)	:	:	: :	:	: -	:	: :	
	CAUSES OF DEATH		BOTH SEXES MALES FEMALES	All Tuberculosis (001-019) Respiratory system Meninges and central		spu	: ;	lis	: :;	General paralysis of insane All other syphilis	n			Brucellosis (undulant fever) Dysentery, all forms	:.	hroat	emia	:	ctions	:	: :	
	SES OF		SS—BO	I Tuberculosis (001- Respiratory system Meninges and cer	system Intestines, peritoneum	mesenteric gland	ozo)	Congenital syphilis	alis	General paralysis All other syphilis	Gonococcal infection Typhoid fever	Paratyphoid fever and		Brucellosis (undulant Dysentery, all forms		Soret	nd pya	42	ugn ıl infec	:	: :	
	CAU		ALL CAUSES	ubercul pirator nges	system	mesenteric gla Bones and joints	All other forms philis (020-020)	Congenital syp	Tabes dorsalis	eral pa ther sy	occal in	phoid	L.	iosis (t ery, al	fever	ococca	emia a	ing	TOCOCCE	,		ı
			ALL C	All Tu Rest Meni	sy Inte	Bone	All other forms Syphilis (020-020)	Cong	Tabe	Allo	Gonococcal inf Typhoid fever	Paraty	Cholera	Dysent	Scarlet fever	Streptococcal sore throat Ervsipelas	Septicæmia and pyæmia	Diphtheria	Meningococcal infections	Plague I eprocu	Leprosy Tetanus	
		Inter-	ate List "A"	- 63	က	41		9 1	. ∞ 0	10	111		14				-	-	23		26	
	cation			~		3				~~	7											
	International		Detailed List	001-008	011	012, 013	014-019	020	024	022-023, 022-023, 026-029	030-025 030-03 5 040	041, 042	043	045-048	050	052	053	050	057	020	061	
			H	0		0	3			00	0	041		0								

111		11 1				1 1	
		11	102 5 20 22 7	4000000	12	61	-
	1 -	11_1	548 17 22 95 102 33 8	55 33 10 10 5	66	9 6	2
111 -	1 -	8	779 19 17 148 97 51	155 55 7 7 18 36 6	118	23	9
%	1		716 11 102 74 28 10	206 55 13 17 8 7	134	18	5
%) -	-	384 33 51 10 10	38 13 13 13 5 3	28	9 41	2
6			105	24 41 41 8 1 1 1	19	10	7
-		1	21 12821	-4- m-	12	0 10	
	111-1		175		- c	n n	2
111-1	11111	1 1	ω	-	1 0	N	
111	-		0	-	61 0	N =	I
-	-		13	111111	2 -	-	
		-	4			- 1	-
1 1 7	9	=	7,256 28 28 205 189 57 57	203 203 61 57 22 13	240	42	14
4	1 2 -	2 7	7,458 33 35 217 152 82 82	465 1 103 103 15	240	. 46	16
11 2 1	- - 0	- 8	2,714 63 422 341 139 26	538 204 204 61 103 37 28	480	88	30
Acute poliomyelitis Acute poliomyelitis Late effects of acute poliomyelitis and acute infectious encephalitis		Malaria	Matignant Neoplasms (140-205) Total Buccal cavity and pharynx Csophagus Stomach Intestine, except rectum Rectum Larynx Trachea, bronchus and lung, not	d as secondary eri i unspecified parts of ut	All other and unspecified sites	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system Benign neoplasms and neoplasms	of unspecified nature
28 30 30	35 33 33 33 33 33 33 33 33 33 33 33 33 3	37	4444444 600 600 600	51 52 53 55 55	57	69	
062 080 082 081, 083	084 085 091 092 094 100-108	$ \begin{array}{c} 110\text{-}117 \\ 036\text{-}039, \ \ 049, \\ 054, \ 059, \ \ 063\text{-} \\ 074, \ \ 086\text{-}090, \\ 093, \ \ 095, \ \ 096, \\ 120\text{-}138 \end{array} \right) $	140-148 150 151 152, 153 154 161 162, 163	170 171 172-174 177 190, 191 196, 191	165, 175, 176, [178-181, 192-]	200-203, 205	

Note,—Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

2
(3

ì		stated	1 .		,				, ,		1						
	-	toV			-								11				
	_	85+		ic	+	с 0	1		11	269	72.2	157	38				
ı		75-	1	36	00	19	6	14	11	646	337	552	83	0101	7	6	I.410 I.820
ı		65-	1	42	-	13	18	16	4	790	346	373	55	10	17	13	
ı		55-	1	31	67	014	13	9	===	323	178	106	18	υ 4 κ	7	00	2 2 2 2 2 2
ı	e	45-	1	1 10	-	-1-	G.	2	8	IIS	68	32	.07	010-	· co	11	330
ı	Age	35-	-	مَا		11	67	-	~ co	30	12	4		04	1	9	901
ı		25-	1		_	-	67	-	11	17	30 rb	8		က က -	1	10	37
ı	_	15-	1	-		11	8	1	-	0	27	-	11	-67	1	2	9
I		10-	1	1+	- Comment	1 1		1	11	-		-	1-	-	1	yand	- Dome
ı		rp.	1	11	1	11	1	1	11	1		1	-	-	1	-	
			1	11	1	1-	-	-	11	9	1 1	-	2	5	1	5	
	,	-1	1		-	11	-	1	67	c)	2	1	2		1	ro.	
		Fe- males	-	92	ಣ	30	36	18	010	1,497	634	969	116	13 13	21	29	2,624
	All Ages	Males	understoor	34	4	12	22	29	ro	1,031	386	532	82	0 co	14	34	2,639 2,624
	¥ Ţ	Both	-	126	7	18	58	47	77	2,528	1,020	1,228	198	25 9	35	63	
		CAUSES OF DEATH	Non-toxic goitre Thyrotoxicosis with or without	ther d	her hy	anæmias Other anæmias	Allergic disorders; all other endo- crine, metabolic and blood diseases	Psychoses Development of		Vascular lesions affecting central nervous system (330-334) Total	Cerebral hæmorrhage	bosis Other vascular lesions affecting	central nervous system Non-meningococcal meningitis	Epilepsy Otitis media and mastoiditis	Paralysis agitans All other diseases of the nervous	system and sense organs (A74, A75, A76)	Heart Diseases (410-443) Total
		Inter- medi- ate List "A"	61	63	65a	656	99	68	69	202	706	70d	71	73	78 <i>a</i> 78 <i>b</i>	- 62	0
	International Classification	Detailed List	250, 251 252	260 280-286	290	291-293	254, 270-277, 287-289, 294-	310-324 326	325	330	331	333, 334	340	353 391-393	341-344, 351,	352, 354-390, \\ 394-398 \\ 400-402	410.418

	11	1 1			11			111	1	11	1		11		1		
110	7	319	8	25	111	014	10	48	52	36	17	1	2	100	-	4-	۱ ا
640	32	568	9	76	50	10	12	164 24 123	17	112	62	41	7 7	11	1	19	-
775	15	212 219	11	100	51	14	710	118 18 80	12	141	96	33		32		22	2
625	6 6 7	42	4	17	88 4	10	14	45 113 29	60	396	89	25	7	13	American	12	
241	ا من	12	23	× =	17	3 23	+	27.	-	35	21	10	1	7		2 = 2	
73	60	7 7 7	1		9	ကက	67	NW 61	1	12	10	11	1 73	100	1	00 00	
6	2	12	4	-	00	- 1	-	4-100	1	e		-	-	-		-	1
-	1	-		l	-	1 1	2	0 0	1	11	1		1 1			-	1
			1			11		I	1		1		1 1				-
		11	1		1	1 1		0 0	1		1	1-	1 1				
	11					11	-	4 60	1	1	1		11	- Income			
				1		11	3 1	60 6 51	co	77		1 1					
931	45	684	13	97	160	16	20	218 37 162	19	144	76	39	00	17		29	1
1,543	29	466	17	74	89	20	16	254 41 190	23	299	199	87	1001	97		35	5
2,474	74	1,150	30	171	300 300	36	36	472 78 352	42	443	275	121	00 4	61		64	1
Arteriosclerotic l	as rheumatic Fatty degeneration of heart	Myocardial degeneration with arteriosclerosis Other myocardial degeneration			Hypertensive heart disease Other hypertensive disease	Other diseases of ar	Acute upper respiratory infections Influenza		Primary atypical, other and un- specified pneumonia	Bronchitis (500-502) Total Acute bronchitis Chronic and unqualified bron-	chitis with heart d	chitis otherw Chitis otherw Hypertrophy of t			Diseases of teeth and supporting	lach	Castritis and duodenitis
81a	810	81 <i>d</i> 81 <i>e</i>	82a	826	2 4 2	856	88	88	91	92 93a	027	94	96	97 <i>a</i> 97 <i>b</i>	86	96	101
420	422.0	422.1	430-432	433, 434	440-443 444-447 450	451-456	470-475 480-483	490 491	492, 493	501b, 502b	5012	510	518, 521 519	511-517, 520, 3	530-535	540	543

Note.—Sub-headings indicated by letters (a, h, c, etc.) apply to the Scottish List only.

TABLE III.—continued

	stated	
	TOM	
	82+	8 1 20 4 2 7 E E 2
	75-	8
	65-	ετ ε α εξτ. α 412 22 ε 4
	55-	40 2 01 80 6 1 4 1
	45-	40 140 6 1 160 1 1
Age	35-	04 0 === = 001 0 = = =
	25-	- - - - - - - - - -
	15-	
	10-	
	٠ <u>٠</u>	-
	1	- -
	Т	
Ages	Fe- males	214 21
All Ages	Males	35 8 11 8 11 8 11 8 1 8 8 8 8 8 1 1 1 1 1
A	Both	18 18 19 10 10 10 10 10 10 10 10 10 10 10 10 10
	CAUSES OF DEATH	Appendicitis Intestinal obstruction and hernia Castro-enteritis, ages between 4 weeks and 2 years 2 years and over Chronic enteritis and ulcerative colitis Choleithiasis and cholecystitis Choleithiasis and cholecystitis Other diseases of liver Other diseases of liver Other diseases of prostate Infections of kidney Calculi of urinary system Hyperplasia of prostate Diseases of bladder Diseases of bladder Other diseases of genito-urinary system Acute nephritis Diseases of prostate Other diseases of pregnancy and the puerperium Sepsis of pregnancy, childbirth, and the puerperium diseases of pregnancy and the puerperium Abotrion without mention of sepsis or toxemia
	Inter- medi- ate List "A"	102 1045 1046 1046 1046 1077 1078 109 110 1110 1115 1115 1117 1117 1117 1117
International Classification	Detailed List	$\begin{array}{c} 550-553 \\ 560, 561, 570 \\ 571.0 \\ 571.1 \\ 572 \\ 581, 582 \\ 584, 582, 583, \\ 586, 584, 583, \\ 586, 584, 587 \\ 586, 587, 587 \\ 590 \\ 591, 594 \\ 600 \\ 601, 602, 604 \\ 610 \\ 602, 604 \\ 610 \\ 603, 607 \\ 604, 611, 617, \\ 605, 606 \\ 601, 603, 607 \\ 601, 603, 607 \\ 604, 611, 617, \\ 622-637 \\ 604, 641, 681, \\ 632-637 \\ 640, 641, 681, \\ 642, 652, 685, \\ 643, 644, 670 \\ 643, 644, 670 \\ 643, 644, 670 \\ 644, 670 \\ 661, 671, 672 \\ 686 \\ 643, 644, 670 \\ 661, 671, 672 \\ 686 \\ 643, 644, 670 \\ 686 \\ 644, 644, 670 \\ 686 \\ 644, 644, 670 \\ 686 \\ 644, 644, 670 \\ 686 \\ 644, 644, 670 \\ 686 \\ 644, 644, 670 \\ 686 \\ 644, 644, 670 \\ 686 \\ 644, 670 \\ 686 \\ 644, 670 \\ 686 \\ 644, 670 \\ 686 \\ 644, 670 \\ 686 $

		,						 000		2000	1000	Qu.	uri	7								1
1					-	1	1			1			1	1	1	1		1		1		
-			710	-	1	-			1		- Barbara		-	- 1	1	-				-	72	
Ī		•	14	1	_	1	8		-	7	1	-	1	1	1	-		1		1	62	
1		0	24	1	1	-	2		C	0	1	CT.	1		-	1		-		1	20	
1		(210				_		ì,	0	1	4	1	1	1			1		-	12	
			2	1	1	1	-		4		_	LC.		1		1				1	60	
Ī	-	-	1	and the same of th	1	-	-		c	9		6	1	-	1					1	1	
1	C	1			1	1	2			4	3	-	1	1						ļ	67	
1	-	٦		1	1	1	2		C	ا د	_	6			1	-		-			panel	
Ī			11			1	_		ų	0-4	4	1	1	-		1		-		İ		
1		1	11		1	1	1			+	7	6		1	1	1				1	=	
1					1	1	1		40	727	6	7	.	1		1		-		1	-	
1			11	-	1	1	-		000	322	43	47	69	139	23		17	27		110	10	
Ī		t (33.2	1	1.	1	6		000	200	31	37	28	50	10	-	110	10		42	95	
1		'	241	1	,	1	4		700	15	33	37	41	89	18	-	12	17		89	51	
1	_	t 1	47	1		1	13		260	35	64	7.4	69	139	23	7.7	17	27		110	139	
Abortion with sepsis Other complications of pregnancy	childbirth, and the puerperium.	Infections of skin and subcutaneous	Arthritis and spondylitis	tism unspecified	Osteomyelitis and periostitis	skeletal deformities	All other diseases of skin and musculoskeletal system	Congenital malformations and certain	diseases of early infancy (750-776)	Spina bifida and meningocele	culatory system	form	Birth injuries	tasis tasis	Pneumonia of newborn	Diarrhoea of newborn		All other defined diseases of early infancy	Ill-defined diseases peculiar to early infancy, and immaturity	or	chosis	
119		121	122	140	124	277	126			127	077	129	130	101	132a	1326	133	134	135	136	137	
651 645-648 660)	673-680, 683, 5 687-689	869-069	720-725	120, 121	737 745_749	101, 120-120	700-716, 731-} 736, 738-744			751		755-759	760, 761	707	763	765_768	770	709, 771, 772	773-776	707	780-793, 795	

Table III .- continued

									_							
	I	toN Stated					1					1	1	- 1	-	
		85+		84	41		7			-		2	I	1		
		75-		110	12 76	1	67		7	ا ئ		4	3	1	I	
		-69		98	17 23		က		1-	9		-	23		ŀ	
		55_		71 9 9 1	16		7		1-	80		က	21	1		
		45-		00 0	17	<u> </u>	-			ω 61		10	24	77	1	
Age		35-		4410	13	1	-	,	-	2		9	22	8	prid	,
		25-		14 1	ကတ	1	-			-		00	6	1	1	
		15-	,	3 3	20.00		-			4-1		-	8	00	1	
		10-		9	2	1	-		1-	2		<u> </u>	-	1	1	
		5		13	2	1	67		11	-		1	1		1	
			Q	9		!	C7 ⁻	-	۱ ا	6 67			1	1		
		7	Q	0	-	1	က		11	39		67	-	-	1	
		Fe- males	0	230	46		15	7	-	13		7	35	4	-	
All Causes		Males		298 80 E E	40 80	٦ -	9	c	9 00	29		26	72	7	T	
All		Both	1	118	86 180	-	21	-	# m	42		33	107	11	=	
	CAUSES OF DEATH		Accidents, Poisonings, and Violence (External Cause) (E800-E999)	Motor vehicle accidents Other road vehicle accidents Other transport accidents	Accidental poisoning	Accident caused by fire and explo-	sion of combustible material Accident caused by hot substance,	corrosive liquid, steam and	Accident caused by firearm	Accidental drowning and submersion Accidental mechanical suffocation		All other accidental causes	Suicide and self-inflicted injury	Homicide and injury purposely inflicted by other persons (not in	Injury resulting from operations of	
	Inter-	ate List		138 139a 139b	140	143	144		145	146 147 <i>a</i>		1476	148	149	150	
International Classification		Detailed List		E810-E835 E840-E845 E800-E802,	E870-E895 E900-E904 F912	E916	E917-E918		E919	E929 E921, E922, F924 F924 F925	E910, E911,] E913-E915, [E920, E923, Y E926-E928, E920,	E970-E979	E980-E985 }	E965, E990-E999	

TABLE IV

		Table IV.—Deaths in the Country	es of Ci	TIES, L	ARGE]	Burgh	SA
International	Nos.	·	SCOTLAND	l a	Aberdeen County of City	er of	Marginal Index
	Abbre-		1 3	de	de	nde	1
	viated	Causes of Death	Ţ	Aberdeen County	ber	nai	in.
Detailed List	List		1 5	I AC.	A du	Remainder County	2TE
	"B"		S		ပိ	124	2
001-008	1	Tuberculosis of respiratory system	118	2	2	_	
010-019	2	Tuberculosis, other forms	16	1	1	-	ı
020-029 045-048	3	Syphilis and its sequelæ	14	5	4	1	п
056	6 9	Dysentery, all forms Whooping cough	2	-	_	_	ı
057	10	Meningococcal infections	6		*******	_	ı
080	12	Acute poliomyelitis	1	_		-	L
085 030-044, 049-055	14	Measles	1			_	ı
058-074, 081-084, >	17	Other infective and parasitic diseases					ı
086-138		(B4, 5, 7, 8, 11, 13, 15, 16)*	32	1	_	1	
140-205 160-165	18	Malignant neoplasms Total	2,714	183	108	75	-
200-205	OTTOMAS .	Malignant neoplasms of resp. system Malignant neoplasms of lymphatic	575	27	21	6	1
		and hæmatopoietic tissues	158	11	4	7	1
140-159, 170-199	10	Other malignant neoplasms	1,981	145	83	62	1
$\frac{210-239}{260}$	19 20	Benign and unspecified neoplasms Diabetes mellitus	30	1	11	1	I
290-293	21	Anæmias	126 60	15 2	11	$\begin{vmatrix} 4\\2 \end{vmatrix}$	I
240-254, 270-289, \	46.0	Other 1 1:	72	6	1	5	I
294-299 <i>f</i> 330-334	22						ı
340	23	Vascular lesions affect'g cen.nerv.system Non-meningococcal meningitis	2,528 12	151	79	72	I
300-326, 341-398	46.1	Other diseases of nervous system	237	20	12	8	I
400-402	24	Rheumatic fever	5				2
410-416 420-422	25 26	Chronic rheumatic heart disease	206	12	100	3	2
430-434	27	Arterioscl. and degen. heart disease Other diseases of heart	4,548 201	284	163	121	2
440-443	28	Hypertensive heart disease	308	24	13	11	2
444-447 450-468	29 46.2	Other hypertensive disease	169	9	6	3	2
480-483	30	Other circulatory disease Influenza	398 36	29 1	14	15	2 2
490-493	31	Pneumonia (except of newborn)	472	23	16	7	2
500-502	32	Bronchitis	443	21	13	8	2
470-475, 510-527 540, 541	46.3	Other respiratory diseases Ulcer of stomach and duodenum	132 130	5 11	3	2 3	3
550-553	34	Appendicitis	18	3	3	3	3
560, 561, 570	35	Intestinal obstruction and hernia	77	5	1	4	3
543 571, 572	36.0 36.1	Gastritis and duodenitis Diarrhoea (except of newborn)	1			_	3
581	37	Cirrhosis of liver	77 66	8	2 3	6	3.
580, 582-586	46.4	Other diseases of liver	67	3	2	1	3
530-539, 542, 544, \ 545, 573-578, 587 }	46.5	Other digestive diseases	45	1	1	-	3
590-594	38	Nephritis and nephrosis	109	10	7	3	3
610	39	Hyperplasia of prostate	81	5	4	1	4
600-609, 611-637 640, 641, 651,	46.6	Other diseases of genito-urinary system	94	3	1	2	4.
681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	3				4.
642-650, 652-680,	40.1	Other puerporel courses					
683, 685-689 <i>f</i>		Other puerperal causes	12				4.
690-749 750-759	46.7 41	Diseases of skin and organs of locom'n Congenital malformations	68 173	3 6	1 5	2	4
760-762	42	B. injur's, post-natal asph'a & atelectasis	208	8	5 4	1 4	4.
763	43.0	Pneumonia of newborn	23	3	3		4
764 765-768	43.1 43.2	Diarrhoea of newborn Other infections of the newborn	1			-	4
769-776	44	Other diseases peculiar to early infancy	1			-	4.
50.1		and immaturity unqualified	154	4	2	2	5
794 780-793, 795	45.0	Senility without mention of psychosis	139	3		3	5
E963, E970-E979	45.1 E49	Ill-defined and unknown causes Suicide and self-inflicted injury	75 107	2 11	5	2 6	5
E810-E835	E47	Motor vehicle accidents	118	10	, 4	6	5
E840-E845	E48.0	Other road vehicle accidents	6				5
E870-E936 (part) E961 (pt),E962(pt)	E48.1	Accidents in the home	290	14	11	3	5
Rem. of E800-E999	E48.2	Other violence (BE50)	156	11	7	4	5
		A 33					
		All causes	15,186	929	535	394	

* Including paratyphoid fever, crysipelas, septicæmia, and lethargic encephalitis.

Note:—Numbers in brackets after the titles indicate headings in International Abbreviated List which are merged under the respective Scottish headings. Those indicated by numbers (0, 1, 2, 3, etc.) apply to the Scottish List only.

1958—Second Quarter ties of Scotland—Quarter ended 30th June, 1958

T	1	51		44 I			1	1	ч. Т				1	E
	nty	Dundee County of City	gh	Remainder of County	yll	Ayr County	urgh	Kilmarnock Burgh	Remainder of County	nff	rick	te	ness	Clackmannan
	Angus County	Dundee	Arbroath Burgh	mainder County	Argyll County	T C	Ayr Burgh	ilmarno Burgh	mainder County	Banff	Berwick County	Bute	Caithness County	County
		Cor	7	Re		Ay	A	M	Re				0	Cla
	5	3		2	2	4	2	1	1 1	1	_	1		4
١	2	1		1			_	_	process.	1			_	
	_				_		_		- Management	1				
	_		_	_		_	_	_					_	_
ı	-	_			_	2	_		2		_	_		
	175 41	118 27	10 4	47 10	35	147 16	28 1	18 2	101 13	26 6	10 1	14 2	10 1	18 2
Ш	3 131	1	-6	2 35	2 27	10 121	1 26	2 14	7 81	1 19	<u> </u>	12	9	1 15
	6	90 5 5	_	1 1	2 4	6 9	26 2 — 1	2	4 7 5	19		_	1	_
	9	5 4	_	4 2		6	1	_ 1	5	2	_	_	1	2
	123	85	11	27	39	162	27	23	112	23	16	8	13	21 2
	11	5	2	4	4	11 -	2	3	6	2		2	2	2
	9 233 5		2 ————————————————————————————————————	1 74 2 4 2 6	92	5 291	3 46	1 36	1 209	1 56	34	17	1 21	1 18 3 2 3 6
	5 9	3 5	_	2 4	8	12 26	8	2	209 10 18 13 22	3 3	3	3	1 -2	3 2
	9 5 19 1 35	8 143 3 5 2 12 1 25 15 1	1 1	6	1 92 3 8 2 3 7 3 7 3 2 3	18 30	4	5 4	13 22	5 1	1 2	2	3 1	
7	22	25	6 2	4 5	7 3	3 22 21	1 4 2 1 2	3 5	2 15 14	4	1	2	1 2	4 1 1 1
	2 11 3	1 7	6 2 1 1	3	3	6 9	1 2	1	5 6	2	1	_	1	1
2	3 4	1 3	1	1 1	2	4	1	_	3	=	1	1	1	1
5	1 2 3	- 2	1	_	2	4	_	_	4	1	1	_		
7		2 1		2	2	4	2	1	2	1	1	=	1	_
8	4 5	3 5		1	1 1	6	_		4	2	_			3 2
9 0 I	6	5 2 3	1	3 3	1 -	9 4	1	1 1	7 2	3	1 1	_	gardenes mercent	
2			-		-			-	- 1	_	_	_	-	_
3	12	4	2		1	3		_	3	1	-	1	2	
5 6	11 11	10	1	1	4 2	7 14	1	3	5 10 1	1 1		1	2	<u>-</u>
789	1 -		=	_	_	1 1 -	-	_	1		_	_		=
0	3	2	1	_	1	12	2	_	10	4	1	-		2 2 1
I 2	2 2	2	1	-	3	8 8	1	- 2	5 7 6	3 1 2	-	2	9	
3 4	11 6 1	9 4 1	1	2	$\frac{1}{1}$	5	2		3	1 -	-	-	2	4
5	18	12			4	16	3	1	12	2	-	1	2	3
7	5	5			3	11	1 = 1	110	11	162	77	61	80	112
	811	531	62	218	244	924	151	116	657	162	1 //	1 01	1 00	114

		Table IV.—continued					
International N	ios		S	S	r of	on	Marginal Index
- INTERNATIONAL I			Dumfries County	Dumfries Burgh	Remainder County	Dunbarton County	H
	Abbre-	Causes of Death	nr our	uri	nin I	eq in	na.
Detailed List	viated		Z	Du B	CE	EĞ	rgi
	List "B"		A		Re	0	Tai
	D						
001-008	1 1	Tuberculosis of respiratory system	1		1	4	
010-019		Tuberculosis, other forms					
020-029		Syphilis and its sequelæ	-				
045-048 056		Dysentery, all forms Whooping cough				_	
056	10	Whooping cough Meningococcal infections				_	
080		Acute poliomyelitis		_11		1	
085		Measles		-	-		ı
30-044, 049-055	17	Other infective and parasitic diseases					
58-074, 081-084,		(B4, 5, 7, 8, 11, 13, 15, 16)*				2	ı
086-138	10	Malignant neoplasms Total	40	13	27	87	١.
140-205 160-165	18	Malignant neoplasms of resp. system	7	3	. 4	20	
200-205		Malignant neoplasms of lymphatic				_	ı
		and hæmatopoietic tissues	2		2	4	ı
140-159, 170-199		Other malignant neoplasms	31	10	21	63	
210-239		Benign and unspecified neoplasms		1	1	8	
260		Diabetes mellitus				1	
290-293 40-254, 270-289, \		Anæmias		1			
294-299	46.0	Other general diseases	1	1	-	3	
330-334	22	Vascular lesions affect'g cen. nerv. system	54	24	30	73	1
340	23	Non-meningococcal meningitis	1		1		ı
300-326, 341-398		Other diseases of nervous system	Bertholte	_		9	ı
400-402		Rheumatic fever	2	1	1	5	ı
410-416 420-422	26	Chronic rheumatic heart disease Arterioscl. and degen, heart disease	77	25	52	129	ı
430-434	27	Other diseases of heart	4		4	10	ı
440-443		Hypertensive heart disease	5	3	2	12	ı
444-447	29	Other hypertensive disease	5	1	4	8	ı
450-468	46.2	Other circulatory disease	7	2	5	4 2	ı
480-483	30	Influenza	13	5	8	14	ı
490-493 500-502	31 32	Pneumonia (except of newborn) Bronchitis	11	6	5	11	ı
470-475, 510-527	46.3	Other respiratory diseases	_			3	ı
540, 541	33	Ulcer of stomach and duodenum	1	1		6	ı
550-553	34	Appendicitis	_				ı
560, 561, 570	35	Intestinal obstruction and hernia	1		1	2	H
543	36.0	Gastritis and duodenitis	1		1		ı
571, 572 581	36.1	Diarrhoea (except of newborn) Cirrhosis of liver	3	1	2	2	ı
580, 582-586	46.4	Other diseases of liver	3	1	2	1	1
530-539, 542, 544,			1		1	1	
545, 573-578, 587 <i>∫</i>	46.5	Other digestive diseases					1
590-594	38	Nephritis and nephrosis	3	2	1	6	1
610	39	Hyperplasia of prostate Other diseases of genito-urinary system	1		1	2	1
600-609, 611-637 640, 641, 651, \	46.6	Puerperal sepsis including abortion	1				
681, 682, 684	40.0	with sepsis	_	-	-		1
642-650, 652-680,	40.1	*				1	ı
683, 685-689 <i>f</i>	40.1	Other puerperal causes					
690-749	46.7	Diseases of skin and organs of locom'n	7	1	6	6	1
750-759	41 42	Congenital malformations B. injur's, post-natal asph'a & atelectasis		1	3	12	1
760-762 763	42 43.0	Pneumonia of newborn		_	_	2	
764	43.1	Diarrhoea of newborn	-	-		-	
765-768	43.2	Other infections of the newborn		-	-	-	
769-776	44	Other diseases peculiar to early infancy			0	_	
F C 4	45.0	and immaturity unqualified	3		3 4	5 5	
794	45.0	Senility without mention of psychosis	4		4	-	
780-793, 795 E963, E970-E979	45.1 E49	Ill-defined and unknown causes Suicide and self-inflicted injury	1		1	1 1	١
E810-E835	E47	Motor vehicle accidents	3	1	2	2	1
E840-E845	E48.0			_	1-		ı
E870-E936 (part)	F48 1	Accidents in the home	3	3	-	15	
E961(pt), E962(pt)			2		1	4	
Rem. of E800-E999	E48.2	Other violence (BE50)		1	1		

						ABLE 1	·	tinued						
Numbers	Clydebank Burgh	Dumbarton Burgh	Remainder of County	East Lothian County	Fife	Dunfermline Burgh	Kirkcaldy Burgh	Remainder of County	Inverness County	Inverness Burgh	Remainder of County	Kincardine County	Kinross County	Kirkcudbr't County
3 4 5 6 7 8	1	1	2 - - - 1	1	1		1	4				1	1	1
9	19 3	1 5 2	1 63 15	30 10	133 21	18 2	21 5	94 14	1 45 6	14 5	1 31 1	13	8	13 2
123456 789012345678	1 15 — 1 1 16 — 3 35 2 2 3 3 — 5 3	3 -4 -1 7 -1 13 2 4 1 1 1 1 2 2 2	3 45 4 - 1 50 - 8 1 2 81 6 5 4 3 1 7 6 6 3	1 19 1 	8 104 1 13 5 2 167 11 1 9 284 10 18 7 24 1 15	1 15 3 27 2 -1 42 2 3 -3 3	16 1 2 1 1 26 -5 -3 38 2 1 1 1 4 -3	7 73 8 4 1 114 4 1 5 204 6 14 6 17 1 9	2 37 1 41 1 4 - 78 3 10 2 6	2 7 1 	31 31 3 57 3 8 2 5 2 6	2 11 2 - 1 16 - 1 - 31 1 1 1 2 - 2	2 6 — 1 — 1 — 4 1 1 1 —	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
9 30 31 32 33 34 35 36 37 38 40 41	3 -2 -1 1 4 	2 - 2	6 3 4 - 1 - 1 - 2 1 2	5 5 3 1 1 -1 -1 	1 15 20 15 8 - 3 - 6 5 1 1 4 3 3	3 3 1 1 - 1 - 1 1 1	3 1 2 1 ————————————————————————————————	1 9 16 12 6 - 2 - 4 3 3 3 3 3 3	1 4 2 -2 -1 2 -1 2 -1 2 -1	3 1 1 - - 1 - 1	1 1 1 2 - 2	1 1 1 - - - 2 2 1	1 2	1 3 1 - - - - 1 1 1
13 14 15 16 17 18	1 4 5 —	$\begin{bmatrix} -\\ 2\\ 3\\ -\\ -\\ - \end{bmatrix}$	1 1 2 4 2 —	4 1 1	1 2 3 11 12 1	1 1 2 1	1 2 3 -	1 1 2 8 7 —	1 1 2 1 —	1 -	1 1 2	1 1		
50 51 52 53 54 55	2 - 1 -	1 3 1 - 2	2 2 — 1	2 4 - 2 1	11 6 3 8 7 —	12	- 3 1 - 4	10 16 3 5 4 —	2 10 3 7 5	1 2 1 -1	1 8 2 -6 -4	2 1 1 - 1	2	1 3 - 1 - 1
i6	6	2	7 3		13	4	1	8	7	2	5			_
	120	60	285	165	867	126	131	610	256	67	189	90	23	80

International	Nos.	O 12 APR 1999	urk aty	gow of City	rie gh	Inde
Detailed List	Abbre- viated List "B"	Causes of Death	Lanark County	Glasgow County of City	Airdrie Burgh	Marginal Index
001-008 010-019	$\begin{array}{c c} 1 \\ 2 \end{array}$	Tuberculosis of respiratory system Tuberculosis, other forms	63	48	1	1 2
020-029	3	Syphilis and its sequelæ	5	4		3
045-048	6	Dysentery, all forms	1	_		4
056	9	Whooping cough				5 6
057 080	$\begin{vmatrix} 10 \\ 12 \end{vmatrix}$	Meningococcal infections	3	2		
085	14	Acute poliomyelitis Measles				7 8
030-044, 049-055, 058-074, 081-084,	17	Other infective and parasitic diseases	11	0		
086-138		(B4, 5, 7, 8, 11, 13, Î5, 16)*	11	8		9
140-205	18	Malignant neoplasms Total	837	586	16	
160-165 200-205		Malignant neoplasms of resp. system Malignant neoplasms of lymphatic	217	166	2	IC
200-203		and hæmatopoietic tissues	49	35		11
140-159, 170-199		Other malignant neoplasms	571	385	14	12
210-239	19	Benign and unspecified neoplasms	4	3		13
260	20	Diabetes mellitus	34	23	2	I4
290-293 240-254, 270-289, \	21	Anæmias	19	15		15
294-299	46.0	Other general diseases	27	18	1	16
330-334	22	Vascular lesions affect. cen. nerv. system	748	496	13	17
340	23	Non-meningococcal meningitis	2	1	1	I
300-326, 341-398 400-402	46.1	Other diseases of nervous system Rheumatic fever	88	65 1	1	19
410-416	25	Chronic rheumatic heart disease	104	77	2	2
420-422	26	Arterioscl. and degen. heart disease	1,329	868	32	22
430-434	27	Other diseases of heart	58	33	1	23
440-443	28 29	Hypertensive heart disease	85 57	56 41	$\frac{2}{2}$	24
444-447 450-468	46.2	Other hypertensive disease Other circulatory disease	94	59	2	25
480-483	30	Influenza	13	9		27
490-493	31	Pneumonia (except of newborn)	173	141	1	28
500-502	32	Bronchitis	209	164	2 2	29
470-475, 510-527 540, 541	46.3	Other respiratory diseases Ulcer of stomach and duodenum	50 36	13 23		32
550-553	34	Appendicitis	6	5	. 1	32
560, 561, 570	35	Intestinal obstruction and hernia	27	16	-	33
543	36.0	Gastritis and duodenitis			-	3.
571, 572 581	36.1 37	Diarrhoea (except of newborn) Cirrhosis of liver	34 15	20	1	3.
580, 582-586	46.4	Cirrhosis of liver Other diseases of liver	16	9	1	3'
530-539, 542, 544, \				11		
<i>5</i> 45, <i>5</i> 73- <i>5</i> 78, <i>5</i> 87 ∫	46.5	Other digestive diseases	14			38
590-594	38	Nephritis and nephrosis	32 29	20		39
610 600-609, 611-637	46.6	Hyperplasia of prostate Other diseases of genito-urinary system	33	25		4.
640, 641, 651,	40.0					4.
681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	1	1		4:
642-650, 652-680,	40.1	Other puerperal causes	4	2		4.
683, 685-689 <i>f</i> 690-749	46.7	Diseases of skin and organs of locomn.	17	10		4.
750-759	41	Congenital malformations	59	38	1	4
760-762	42	B. injur's, postnatal asph'a. & atelectasis	91	61	2	4
763	43.0	Pneumonia of newborn	9	6		4
764 765-768	43.1	Diarrhoea of newborn Other infections of the newborn	1	1		4
769-776	44	Other diseases peculiar to early infancy		1		1
		and immaturity unqualified	58	36		5
794	45.0	Senility without mention of psychosis	31	14	-	5
780-793, 795 E963, E970-E979	45.1 E49	Ill-defined and unknown causes Suicide and self-inflicted injury	24 26	14	1	5
E810-E835	E47	Motor vehicle accidents	33	28		5
E840-E845	E48.0		4	3		5
E870-E936 (part)	E48.1	Accidents in the home	108	87	1	5
			1	1		1
E961(pt),E962(pt) Rem. of E800-E999		Other violence (BE50)	39	25	-	5

^{*} Including paratyphoid fever, erysipelas, septicæmia, and lethargic encephalitis.

Coatbridge Burgh	Hamilton Burgh	Motherwell and Wishaw Burgh	Rutherglen Burgh	Remainder of County	Midlothian County	Edinburgh County of City	Remainder of County	Moray	Nairn County	Orkney County	Peebles County
3 	2 1 - - - 23 6 2 15 - 2 - 1 20 - 3 - 4 30 - - 1 2 1 2 1 - 1 - 1 - 1 - 1 - 1 - 1 -	3 1 		6 2 — 1 — 1 — 3 3 143 30 6 107 1 4 4 3 3 153 1 16 19 10 222 3 18 30 23 6 — 7 — 7 1 6 6 2	8 336 76 20 240 3 10 3 6 283 29 1 17 534 19 36 13 57 1 59 44 12 15 7 1 8 8 11 10 8 6	8 284 67 13 204 3 9 3 6 246 24 17 322 12 53 1 516 10 14	2 - 1 - 52 9 7 366 - 1 - 37 5 1 1 82 2 4 1 4 4 8 8 8 2 1 - 2 1 1 4 4 - 1 1 1 - 1 1 1 - 1 1 1 1 - 1 1 1 1	1 1 1 1 2 2 4 2 1 1 3 9 6 6 4 2 2 5 1 1 1 1 1 1 1 1 1 2 2 1 1 1 1 1 1	12 1 1 10 — 8 8 — 7 7 — — — — — — — — — — — — — —	14 2 1 1 1 1 2 1 3 3 3 3 3 3 3 3 3 3 3 3 3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 7 1 — 2 1 2 1 2 — — — — — — — — — — — — —	- 1 2 1 - - 3 1 - 1 - - 2 1	1 2 1 3 3 1 1 3 1		-2 4 9 26 2 13 12 6 7 5 14	1 4 22 18 2 — 16 10 1 21 9 43 22	1 4 17 13 2 — — — — — — — — — — — — — — — — — —	5 5 5 - 3 4 6	- 1 1 - - - - 2 3		2 4 2 2 2 2	
	3 	3 2 - 1	3 2 3 - - 1 - - -	3 2 3 — — — — — — <	3 2 3 — 6 —	3 2 3 — 6 7 — — — 1 —	3 2 3 — 6 7 5 — — — 1 —	3	3	3	3

1958—Second Quarter TABLE IV.—continued

		TABLE IV.—continued				
International	Nos.				of	۵.
			Perth County	the specific	Remainder County	Renfrew County
	Abbre-	C Towns	er	Perth Burgh	ind	nf.
Detailed List	viated List	Causes of Death	Ch	ЩЩ	Co	20
Detailed List	"B"				Rer	
					-	
001-008	1	Tuberculosis of respiratory system	1	-	1	10
010-019 020-029	2 3	Tuberculosis, other forms				
045-048	6	Syphilis and its sequalæ Dysentery, all forms				
056	9	Whooping cough				
057	10	Meningococcal infections		-		1
080	12	Acute poliomyelitis		_		_
085	14	Measles	-		-	-
30-044, 049-055	17	Other infective and parasitic diseases				
58-074, 081-084, \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		(B4, 5, 7, 8, 11, 13, 15, 16)*	1		1	1
140-205	18	Malignant neoplasms Total	84	21	63	172
160-165		Malignant neoplasms of resp. system		5	12	46
200-205		Malignant neoplasms of lymphatic				
		and hæmatopoietic tissues	12	4	8	10
140-159, 170-199	10	Other malignant neoplasms	55	12	43	116
210-239 260	19 20	Benign and unspecified neoplasms Diabetes mellitus	1	1		3
290-293	21	A construction of	2	2		1
10-254, 270-289,						
294-299	46.0	Other general diseases	1	1		3
330-334	22	Vascular lesions affect. cen. nerv. system	80	16	64	168
340	23	Non-meningococcal meningitis	1	_	1	2
300-326, 341-398 400-402	46.1	Other diseases of nervous system	4	2	2	14
410-416	25	Rheumatic fever Chronic rheumatic heart disease	2		2	17
420-422	26	Arterioscl. and degen. heart disease	136	43	93	285
430-434	27	Other diseases of heart	3	1	2	9
440-443	28	Hypertensive heart disease	4	2	2	16
444-447	29	Other hypertensive disease	4	3	1	8
450-468	46.2 30	Other circulatory disease	15	5	10	32
480-483 490-493	31	Influenza Pneumonia (except of newborn)	15	7	8	28
500-502	32	Bronchitis	6	í	5	23
470-475, 510-527	46.3	Other respiratory diseases	4	î	3	6
540, 541	33	Ulcer of stomach and duodenum	1		1	9
550-553	34	Appendicitis	1	1		3
560, 561, 570	35	Intestinal obstruction and hernia	Name of Street			6
543 571, 572	36.0 36.1	Gastritis and duodenitis Diarrhoea (except of newborn)	1		1	7
581	37	Cirrhosis of liver	4	. 1	3	.7
580, 582-586	46.4	Other diseases of liver	2	î	1	5
30-539, 542, 544,	46.5	0.1 1: 1: 1:	2		2	1
15, 573-578, 587				-	,	
590-594	38	Nephritis and nephrosis Hyperplasia of prostate	1	-	1	6
610 600-609, 611-637	39 46.6	Hyperplasia of prostate Other diseases of genito-urinary system	3	1	3	2
640, 641, 651,			3		3	7
681, 682, 684	40.0	Puerperal sepsis including abortion				
42-650, 652-680,	40.1	with sepsis Other puerperal causes	-		1	1
83, 685-689		* *				
690-749	46.7	Diseases of skin and organs of locomn.	2		2	4
750-759 760-762	41 42	Congenital malformations B. injur's, postnatal asph'a. & atelectasis	4	2 2	$\frac{2}{2}$	12 14
763	43.0	Pneumonia of newborn	4	4		4
764	43.1	Diarrhoea of newborn			_	
765-768	43.2	Other infections of the newborn		-	1	
769-776	44	Other diseases peculiar to early infancy				
704	15.0	and immaturity unqualified	3	3		7
794 780-7 93, 7 95	45.0 45.1	Senility without mention of psychosis	9	3	$\begin{array}{c c} 6 \\ 2 \end{array}$	8 5
1963 E970-E979	E49	Ill-defined and unknown causes Suicide and self-inflicted injury	2 3	3	2	9
E810-E835	E47	Motor vehicle accidents	6	2	-4	9
	E48.0				11	
E840-E845						
E870-E936 (part)	F48 1	Accidents in the home		1 1	1	12
E870-E936 (part) { E961(pt),E962(pt) }	E48.1	Accidents in the home	5	4	1	12
E870-E936 (part)			5 5	4 2	1	12 5

^{*} Including paratyphoid fever, erysipelas, septicæmia, and lethargic encephalitis.

						Тав	LE IV.	-cont	inued						
Numbers	Greenock Burgh	Paisley Burgh	Port Glasgow Burgh	Remainder of County	Ross and Cromarty Co.	Roxburgh County	Selkirk County	Stirling County	Falkirk Burgh	Stirling Burgh	Remainder of County	Sutherland County	West Lothian County	Wigtown County	Zetland
1 2 3 4 5 6 7 8	· 4	4	1	2	1			5	2		3	-			
9	37 10	- 48 16	6	1 81 20	1 35 5	33	18 3	2 106 22	25 9	- 17 4	2 64 9	6	1 40 8	1 9 1	7 1
11 12 13 14 15	1 26 —	3 29 2 4 1	5	5 56 1 3 —	1 29 - 2 1	30 2 2	1 14 — 1	8 76 - 2 3	1 15 1	13 - - 1	7 48 - 1 3	6	5 27 - 1 - 1	8 1	-6 -2 1
17 18 19 20 21	26 2 1	61 - 5 - 4	9 - 1 13	72 2 7 —	41 3 -	24 1 - 2 64	13	85 - 8 - 8	$\frac{25}{1}$	$\begin{array}{c} 12 \\ -2 \\ -1 \end{array}$	48 - 5 - 6	8 -1 -	28 2 - 5	17 1 1 -	13 1 - -
22 23 24 25 26 27 28	1 71 2 5 1 9	89 4 4 1 10 —	2 2	112 3 5 4 13 4	58 6 7 2 5	6 3 2 8	25 5 1 1	161 9 12 4 9	36 1 3 1 3 —	22 4 1 2 6	103 8 5 2 4 1	16 1 1 1 4 -	66 3 2 3 9	1 31 3 6 1 -1	28 1 2 1 2 4 1 1
29 30 31 32 33	6 1 1 1 1	11 6 2 2 2 2 2	2 1 1 1 -	$ \begin{array}{c c} 4 \\ -9 \\ 10 \\ 2 \\ 6 \\ \hline 2 \end{array} $	6 1 1 3 - 2 -	3 4 - 1 - 1	2 1 1	14 9 9 5 — 3	$\begin{bmatrix} 2\\2\\-1\\1\\-1 \end{bmatrix}$	2	6 6 9 2 - 2	-	11 4 2 — 1	1 4	
34 35 36 37 38	1 1 -	1 3	1 2	4 4 2	3 1 1		2	2 4 — 1	1 1	1 2	1 3 —		1 2 3 —	1 2	
39 40 41 42	1 1	$\begin{bmatrix} 3 \\ -3 \end{bmatrix}$	- 1	1 1 5	3 -	1 1		7 6 2 —	1 - 1		6 2	1 1	1 1	1 1 -	
43 44 45 46 47 48	1 2 5 —	3 4 2 2		4 6 1	2 2 2 -	1 1 -		2 7 6 —	1 1 2		1 6 3 —	- 1 -	1 2 2 —	1	1
49 50 51 52 53	2 1 2 3	3 3 2 2 2 3	1 - -	1 4 1 4	1 6 4	$-\frac{2}{1}$	- 3 - 1	10 2 1 1 1 5			7 2 1 1 5	- 1 -	3 1 -	2 - 1 1	
54 55 56 57	2	4	2 - 1	6 4	1 1 2	4	2	6 10	1 1	2 2	3 7		5 3		2
	198	302	52	403	207	171	78	530	117	80	333	48	213	89	66

TABLE V.—AGES AT DEATH IN THE COUNTIES OF CITIES, LARGE BURCHS AND COUNTIES OF SCOTLAND—QUARTER ENDED 30TH JUNE, 1958.

	Not stated	1	111	1111	1		_	1	1	1		1111	1 1111	:
	85 and over	1,453	108 54 54	106 56 11 39	25	85 16 12 57	26	10	9	oo i	7 88 7 5 6 78	28 0 0 0	20 83 10 10 64	4 8 8
	75-84	4,419	308 167 141	229 143 18 68	79	261 41 28 192	51	32	25	18	78 26 52	125 26 15 84	262 42 42 35 185	82 19 63
	65-74	3,955	219 130 89	200 138 12 50	69	259 40 31 188	39	25	16	20	318 47	109 24 12 73	37 216 28 43 145	53 17 36
	55-64	2,531	148 102 46	149 103 11 35	39	141 27 88 88	20	.9	70	16	. 40 15 25	92 26 15 51	31 149 25 18 106	33 8 8 55
AT DEATH	45-54	1,168	65 38 27	59 40 15	15	70 115 110 45	6	60	8	4 (10 10 2	44 13 26 26	70 9 113 488	11 9 11
AT D	35-44	452	20 13 7	10 10 10 10 10 10 10 10 10 10 10 10 10 1	9	22 22 23	4	۲	7	2	N 400	10	70 77 77 74 T	∞ 4 4
AGES	25-34	230	6 00	00 00	69	33	7	1	7	=	N 1001-	90 0	4 7 0000	9-10
	15-24	131	12 5	P10 01	I	11 6	ı	1	1	60	ب ا ا س	P01-4	H 6mm4	4 ≃ი
	10-14	34	400	==	-	-11-	1	1	1	-	1 111	1111	1 =11=	-1-
	8-8	4	70 00 01	4011	1	-	1	1	1	-	m = -	11:11	1 6- 6-	=-1
	1	80	900	0401	2	9==4	1	4	1	-	 6 0	1111	1 41-0	-1-
	Under	692	25 15 10	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	NO.	3000 48	11	1	-	7D	4 75 2 2	32 13 8	5 29 29	6 014
	All	1,5186	929 535 394	811 531 62 218	244	924 151 116 657	162	77	61	80	263 93 170	465 120 60 60 7. 285	165 867 126 131 610	256 67 189
		:	:::	::::	:	: ; : :	:	:	:	:	: ::		: ;::::	:::
		10:	:::		:	::::	:	:	:	1:	: ::	11.14	: ::::	:::
		:	:::	::::	:		:	:	:	:	: ::	: ::::		:::
		:	:::	::::	:	::::	:	:	:	:		4 141 1	1 1111	:::
		:	of City	City	:		. :	:	:	:	: " : : ;		ity: :: ::	aty
		:	unty of Coun	ity of righ f Coun	:	Burgh f Coun	:		:	ty	Sounts Figh	nty urgh Burgh f Cour	Burgh urgh f Cour	righ f Cour
		9	Coun sen Co	unty e Count th Bu	unty	urgh rnock nder o	nty	Sounts	ıty	Coun	Counties Bu	n Cou	ian C.	Coun
1		SCOTLAND	Aberdeen County Aberdeen County of City Remainder of County	Angus County Dundee County of City Arbroath Burgh Remainder of County	Argyll County	Ayr County Ayr Burgh Kilmarnock Burgh Remainder of County	Banff County	Berwick County	Bute County	Caithness County	Clackmannan County Dumfries County Dumfries Bugh	Dunbarton County Clydebank Burgh Dumbarton Burgh Remainder of County	Fife County Fife County Undermine Burh Kirkcaldy Burgh Remainder of County	Inverness County Inverness Burgh Remainder of County

-																
1	į	I		111	1	1 1	1	111	11111	1	1	1111	1	1	-	1
10	7	10	332 221 221 9 9 9 7 7	174 157 17	17	3	6	52 15 37	21.2 24.24 35.4	40	23	36 7 23 6 7 7	6	21	6	13
33	7	18	1,228 801 801 24 39 30 50 50 23 261	532 461 71	37	15	17	129 32 97	279 57 91 14 117	63	63	167 43 23 101	16	63	21	28
20	6	31	1,303 908 23 23 24 24 23 23 23 23 23 23	458 404 54	32	15	13	117 41 76	253 50 91 9 103	46	34	133 27 20 86	111	52	25	18
10	144	10	870 608 18 26 19 40 149	278 228 50	16	7	тĊ	61 19 42	155 37 40 10 68	23	31	89 116 177 56	9	34	14	3
6	H	10	3884 261 261 10 10 73	145 122 23	7	"	=	30 20 20	23 23 6 6 34	13	15	. 24	1	21	6	7
60	-	8	185 116 4 9 5 10 10	% 0 0	60	1 %	1	00 00 10	25 8 9 16	10	1 -	17 5 11	8	9	4	7
=	1	-	88 77 14 9 4 2 4 4 4 4 4 7	20 16 4	=	-	I	F-0110	13	4	==	11 8 8 8 9 8	1	3	-	1
1	7	1	86 2 - 6 8	1002	4	- 1	1	10 11 44	no 4 -	=	7	60] [60	1	7	7	ī
1	1	1	#4	4 61	I	1 -	=		-111-	-		1111	1	-	I	1
1	1	ı	2011110	604	1	1 1	1	111	10 0	1	1	4 4	1	J	1	1
1	ı	1	7 28	99	1	1 1	1	6 001 →	P 01-4	7	1		×	54	I	1
4	1	2	295 206 5 11 8 8 8 8 22 25 25 25	63 46 17	m	1 ~	-	13	46 112 14 17	4	7	25 5 16	=	6	3	1
06	23	80	3,236 3,236 142 1114 1192 777 923	1,740 1,490 250	121	29	47	425 131 294	955 198 302 52 403	207	171	530 117 80 833	48	213	68	99
:	:	:	- : : : : : : :	:::	:	:	: :	:::	:::::	:	.:	: ::::	:	:	:	:
:	;	:	::::::::	:::	:	:	: :	:::	:::::	:	:	: ::::	:	:	:	:
÷	:	:	:::::::	:::	÷	:	: :	:::	:::::	E	:	: ::::	:	:	:	:
;		:	 Burgh	:::	:	:	: :	:::	:::::		:	: ::::	:	:	i	:
:	:	;	City shaw I	of City	:	:	: :	:: .	::: ⁴ b	ount	:	: ::: ½	:	:	:	:
2	:	unty	ty of rgh gh d Wis urgh	ty unty Count	:	:	: :	Coun	gh Burg Coun	rty C	A	 Coun	ıty	unty		:
Count	nty .	ht Cc	Country Country Surgh ge Bu	Country Con	ty .			ry irgh ier of	unty k Bur Burgh sgow er of	roma	Count	anty Burgh Burgh ler of	Coun	n Co	ounty	unty
dine (Con	dbrig	ark County Glasgow Courty of City Adrictie Burgh Hamilton Burgh Hamilton Burgh Motherwell and Wishaw Rutherglen Burgh Remainder of County	Iothian County Edinburgh County of City Remainder of County	Coun	Coun	Cou	h County Perth Burgh Remainder of County	frew County Greenock Burgh Paisley Burgh Port Glasgow Burgh Remainder of County	nd Cr	rgh C	S Cou	land	othia	wn C	d Cor
Kincardine County	Kinross County	Kirkcudbright County	Canark County Glasgow County of City Airdrie Burgh Coatbridge Burgh Hamilton Burgh Hamilton Burgh Rutherglen Burgh Rutherglen Burgh Remainder of County	Midlothian County Edinburgh Coun Remainder of Co	Moray County	Nairn County	Orkney County Peebles County	Perth County Perth Burg Remainder	Renfrew County Greenock Bur Paisley Burg Port Glasgow Remainder of	Ross and Cromarty County	Roxburgh County	Stirling County Falkirk Burgh Stirling Burgh Remaineder of County	Sutherland County	West Lothian County	Wigtown County	Zetland County
7	X	X	Ä	Σ	Z	Z	D Q	4	2	×	~	2 02	(2)	>	>	Z

1958—Second Quarter

ABSTRACT OF METEOROLOGICAL OBSERVATIONS Eleven of the Principal Towns during the Quarter ended 30th June, 1958

-	Andread of t) IC Y C	. 01	tile 1	Tillet	pai	TOWNS	uui	ing u	ic Q	aar te	1 (1	lucu	3011	1 Jun	., 17.	00
			1 + '	ÄII	R TEM	PER	ATURE	11	į		ROME G.M.		RAI FOI	RMS of	OTHER PRE-		IGHT
1	TOWNS	Mea	n of	0	om	. A	and Mir			N	Iean o	đ . 9	CIPITATION			Hours per day	
ta i	, aomin'ny	Maximum (A)	Minimum (B)	Mean Temp.	Difference from Average	Maximum	Day of Month	Minimum	Day of Month	Dry Bulb	Vapour Pressure	Humidity	Number of Days	Total Fall	Difference from Average	Daily Mean	Difference from Average
		°F.	°F.	°F.	°F.	°F.		°F.		°F.	mb.	%		Inch	Inch		
1	GLASGOW	52.7	37.7	45.2	-0.2	64	22	.24	11	45-1	8.0	77	13	1.07	-1.25	4.60	+0.13
	Edinburgh Aberdeen	50·7 49·6	38·2 36·3	44·5 42·9	±0·0 0·3	65 64	30 30	28 25	11	44·8 44·1	7·1 7·1	71 73	10 16	1·38 1·67	-0·24 0·53	4·61 4·59	-0·01 -0·20
538	DUNDEE	52.0	38-1	45.1	+0.3	67	30	29	10	46.3	7.6	71	9	1.50	-0.24	4.98	+0.33
APRIL, 1958	Paisley Greenock Kirkcaldy	53·4 52·1 51·4	39·0 39·3 37·7	46·2 45·7 44·5	$-0.2 \pm 0.0 \\ -0.8$	66 64 66	30 30 30	28 31 27	11 2, 11 2	46·9 45·8 46·2	8·1 8·1 7·4	75 77 70	13 13 12	1·12 2·35 1·99	-1·36 -1·20 +0·34	4.92	+0·25 —
API	KILMARNOCK	52.3	37.7	45.0	-0.7	69	30	29	11	46-0	7.8	74	10	1.48		4.69	±0·0
	PRESTWICK INVERNESS	49·7 50·3	39·4 38·2	44·5 44·3	+0.1	57 63	30 30	28 27	2, 11 2, 3	44·2 44·6	8·0 8·1	82 81	13 16	1·16 1·49		4·87 4·18	
1	PERTH	52.7	37-3	45.0	0.5	67	30	27	11, 12	44.6	7.6	76	8	1.23	-0.49	5.04	+0.30
-	Means	51.5	38.1	44.8	-0.2					45.3	7.7	75	12	1-49	-0.60	4.73	+0.07
MAY, 1958	GLASGOW EDINBURGH ABERDEEN DUNDEE PAISLEY GREENOCK KIRKCALDY KILMARNOCK PRESTWICK INVERNESS	57·7 55·0 52·6 57·0 58·8 56·9 55·8 58·0 54·5 55·2	41·9 42·0 40·0 42·1 43·0 43·2 41·6 41·3 43·2 40·4	49·8 48·5 46·3 49·5 50·9 50·1 48·7 49·7 48·9 47·8	-0.6 -0.6 -1.3 +0.1 -0.8 -0.9 -1.1 -1.4 -1.0	71 69 66 74 74 70 71 69 63 68	1 1 1 1 1 1 1, 2, 3	31 34 32 33 35 35 35 32 34 31	7 7 12 7 7 7 7, 13 10 10 3	50·1 48·8 47·9 51·3 51·6 49·6 50·6 50·9 49·5 49·3	9·4 8·7 8·6 9·1 9·4 9·1 8·7 8·9 9·4 9·5	75 75 76 71 72 75 70 71 78 80	16 18 19 20 15 19 18 12 15 12	2·90 1·97 3·28 3·05 3·30 4·50 2·18 2·94 2·59 2·61	-0.24 $+0.60$ $+0.44$ $+0.50$	5·91 6·78 6·81 6·47 6·58 6·53	+1·20 +0·48 +0·23 +0·55 +1·22
	PERTH	58.2	41.0	49•6	-1.0	73	1	31	11	50.7	9.5	75	16	2.42	+0.11	6.30	+0.73
-	Means	56.3	41.8	49.1	0.9				_	50.0	9.1	74	16	2.89	+0.32	6.42	+0.75
	GLASGOW EDINBURGH	62·4 59·5	48·0 47·6	55·2 53·5	0·4 1·4	74 69	29 29	40 42	1 4	55·3 53·1	11·9 11·6	80 85	14 17	2·89 3·30	+0.48 +1.42	3·91 4·15	2·14 2·37
E, 1958	ABERDEEN DUNDEE PAISLEY GREENOCK	58·7 60·4 63·0 61·2	46·1 47·8 48·8 48·8	52·4 54·1 55·9 55·0	-0·5 -1·2 -1·1 -1·1	69 71 74 71	14 14 29 29	39 41 43 44	24 21 1 10	53·1 54·6 56·2 54·8	11·7 12·1 12·2 11·9	85 83 79 81	14 20 15 15	1·55 2·95 3·16 3·49	-0.50 + 0.96 + 0.59 + 0.13	3·42 3·52	2·31 2·66 2·56
JUNE,	Kirkcaldy Kilmarnock	58·9 62·4	47.2	53·1 —	-2·7	68 72	4, 14 29	40	4	54·8 56·8	11.6	79 73	15 14	2·78 2·05	+0.70	3·74 3·71	
	Prestwick Inverness Perth	60·4 59·3 61·3	48·6 46·5 48·3	54·5 52·9 54·8	-0·9 -1·5	73 72 70	5 29 30	43 41 43	1,2,23 10,21 21	55·1 54·3 54·6	12·0 11·7 12·0	81 82 82	15 8 16	2·68 1·29 2·97	$^{+0.38}_{-0.68}$ $^{+1.05}$	4·10 3·73 3·39	-1·90 -3·13
	Means	60.7	47.8	54.1	-1.2				_	54.8	11.8	81	15	2.65	+0.45	3.78	-2.44

POSITION AND ELEVATION OF STATIONS

	Elev. (Feet)		Vest Elev.		North Lat.	West Long.	Elev. (Feet)
Glasgow 559 52' 4° 24' (Rentrew) Edinburgh 55° 55' 3° 11'			° 26′ 108 • 46′ 199		55° 30′ 56° 24′	4° 37′ 3° 27′	17 76
Aberdeen 57° 11′ 2° 12′ (Craibstone) Dundee 56° 28′ 2° 56′	Kilmarnock	56° 08′ 3° 55° 36′ 4°		Inverness	57° 28′	4* 12′	108

Printed in Great Britain under the authority of Her Majesty's Stationery Office by The Herald Printing Works, York 49-9999 Wt. 70992 K4 8/58 Gp. 180. (49882).

QUARTERLY RETURN OF THE REGISTRAR-GENERAL Scotland

THE ROYAL SOCIETY

BIRTHS, DEATHS AND MARRIAGES

Registered in the Quarter ended 30th September, 1958

No. 415



© Crown copyright 1959

 $\frac{EDINBURGH}{\text{HER MAJESTY'S STATIONERY OFFICE}}$

PRICE 2s. 6d. NET

Annual Subscription 10s. 6d. including postage

Quarterly Report

of the

Births, Deaths and Marriages registered in Scotland for the Quarter ended 30th September, 1958

REPORT

Summary.—There were 23,535 births in the quarter or 18·1 per 1,000 of the population. This rate is 0·5 lower than for the third quarter of 1957 but 0·4 above the average for corresponding quarters of the five years 1953-1957.

The marriage-rate was 9.6 per 1,000 of the population, 0.4 less than in the third quarter of 1957 and 0.2 below the average for 1953-1957.

There were 12,664 deaths in the quarter or 9.7 per 1,000 of the population. This is the lowest quarterly death-rate ever recorded in Scotland. It compares with a rate of 10.4 in the third quarter of 1957. The average for the corresponding quarters over the five years 1953-1957 was 10.1.

There were 702 deaths in the quarter due to causes other than natural causes. 218 of these deaths were due to accidents in the home, as detailed in the table on page 5. 200 were due to transport accidents, of which 184 were road transport accidents.

Deaths from tuberculosis (all forms) were 124, or 10 per 100,000 of the population. The rate is 1 per 100,000 higher than in the third quarter of 1957 but 5 per 100,000 below the 1953-1957 average.

There were 16 maternal deaths or 7 for every 10,000 live births. This was 2 per 10,000 more than in the third quarter of 1957 but the same as the 1953-1957 average.

Live Births.—The 23,535 births in the quarter under review are 565 fewer than in the corresponding quarter of 1957. The rate per 1,000 population is 18·1, which is 0·5 below the rate for the third quarter of 1957 but 0·4 above the average. The birth-rate in the cities is 18·2 and in the large burghs 19·1. These rates compare with 17·6 for the rest of Scotland.

In individual areas the rate ranged in the cities and large burghs from 25·4 in Dumbarton, 22·0 in Coatbridge and 21·9 in Kilmarnock to 15·8 in Perth, 15·7 in Dunfermline and 14·4 in Arbroath. In counties, exclusive of cities and large burghs, it ranged from 22·3 in Sutherland, 21·5 in Wigtown and 20·7 in Clackmannan to 13·1 in Berwick, 12·7 in Zetland and 11·1 in Bute and Kinross.

The proportion of illegitimate births, 4.0 per cent, is 0.3 below that for the third quarter of 1957 and 0.6 below the average.

Of the 23,535 births registered, 12,154 were of male children and 11,381 of female children, being 1,068 male births per 1,000 females. Births registered in July numbered 7,821, in August 7,709, and in September 8,005, the equivalent birth-rates being 17.8, 17.6 and 18.9 respectively.

EXPLANATORY NOTES

Correction for Residence.—Births, Stillbirths and Deaths are corrected throughout this Return by transfer where necessary to usual place of residence, if in Scotland, but Marriage figures are as registered.

Birth, Death and Marriage Rates.—These rates are calculated on the estimated population in Scotland or of the local area concerned, as the case may be, as at 31st December, 1957.

Average Rates.—Unless otherwise indicated, any reference in this Report to the average rate or the average refers to the average of the rates in the corresponding quarters of the previous five years.

Stillbirths.—The number of stillbirths registered during the quarter was 530 and is equivalent to a rate of 22 per 1,000 total births (including stillbirths) which compares with 23 per 1,000 in the third quarter of 1957.

Marriages.—The number of marriages registered in the quarter was 12,454,522 fewer than in the third quarter of 1957. The rate per 1,000 population is 9.6. This is 0.4 below the rate for the corresponding quarter of 1957 and 0.2 below the average rate.

In considering the figures given in Table 1 it should be remembered that many marriages of persons, one or both of whom are resident in rural areas, are contracted in neighbouring cities or towns. Thus an area to area comparison is unreliable. While it is true also that births and deaths often occur in hospitals away from the place of residence, the figures, unlike those for marriages, are so adjusted as to relate to the place of residence (a similar adjustment is not possible for marriages as two residences are involved.)

Of the 12,454 marriages registered in this quarter, 10,356 were solemnised by a minister of religion. 2,097 were civil marriages contracted in registrars' offices, and 1 was an irregular marriage registered on the authority of a decree of court.

12,976 marriages were registered in the third quarter of last year, and of these, 10,945 were marriages with a religious ceremony, 2,029 civil marriages and 2 irregular marriages.

Of the marriages in this quarter 4,390 were registered in July, 3,499 in August and 4,565 in September, the equivalent marriage rates being 10.0, 8.0 and 10.8 respectively.

Deaths.—12,664 deaths were registered in the quarter giving a death-rate of 9.7 per 1,000 of the population. They were fewer than in the third quarter of 1957, and the rate is 0.7 per 1,000 of the population lower than in that quarter and 0.4 below the average rate.

The rate in the four cities was 9.9 and in the large burghs 9.2. These rates compare with 9.8 in the rest of Scotland. The rate in individual cities and large burghs ranged from 11.2 in Kilmarnock and Perth, 10.6 in Edinburgh and 10.4 in Hamilton, to 7.1 in Dumfries, 6.9 in Clydebank and 6.6 in Port Glasgow. In counties exclusive of cities and large burghs it ranged from 18.3 in Bute, 14.8 in Peebles and 14.2 in Sutherland, to 8.1 in West Lothian, 7.6 in Banff and 6.1 in Kinross.

Deaths registered in July numbered 4,369, in August 4,099 and in September, 4,196, the equivalent death-rates being 10.0, 9.4 and 9.9 respectively.

Infant Mortality.—Deaths of children aged under one year numbered 578 and are equivalent to an infant mortality rate of 25 per 1,000 registered live births. This rate is 2 less than that for the corresponding quarter of 1957 and one below the average. The mortality was 24 per 1,000 births for legitimate children and 36 for illegitimate children.

The infant mortality in the cities was 26, in the large burghs 28 and in the rest of Scotland 22. In the cities and large burghs individually it ranged from 63 in Hamilton, 62 in Airdrie and Perth and 35 in Paisley, to 15 in Ayr, 12 in Kirkcaldy and 8 in Rutherglen. There were no infant deaths in Arbroath Inverness or Stirling.

In counties exclusive of cities and large burghs it ranged from 70 in Kirkcudbright, 41 in Sutherland and 37 in Inverness, to 14 in Argyll, East Lothian and Perth, 13 in Aberdeen, Midlothian and Roxburgh and 12 in Dumfries and Ross and Cromarty. There were no deaths in the Counties of Berwick, Kincardine and Kinross.

The neo-natal rate (deaths of infants under 28 days) is 18 per 1,000 live births and is 2 below that for the corresponding quarter of 1957.

Causes of Death.—Principal Epidemic Diseases.—There were 13 deaths registered during the quarter which were attributed to the principal epidemic diseases, being 91 fewer than in the third quarter of 1957, during which there was an epidemic of influenza. The death-rate for this group of diseases was 1 per 100,000 of population, compared with an average rate of 3. The deaths include 1 from typhoid fever, 1 from whooping cough, 4 from meningococcal infections, 1 from measles and 6 from influenza. There were no deaths from scarlet fever or diphtheria. 19 of the 24 cities and large burghs had no deaths from the principal epidemic diseases, and in the rest of Scotland 27 of the 33 counties had none.

Five deaths from acute poliomyelitis were registered in this quarter, compared with 1 in the previous quarter and 7 in the corresponding quarter of 1957.

Tuberculosis.—There were 124 deaths from tuberculosis, 2 more than in the third quarter of 1957. 113 were from tuberculosis of the respiratory system and 11 from other forms. The death-rate from all forms was 10 per 100,000, and that from respiratory tuberculosis was 9. The rate from all forms is 1 above that for the corresponding quarter of 1957, and 5 below the average. The rate from respiratory tuberculosis is the same as that for the third quarter of 1957 but 4 below the average.

Malignant Disease.—Deaths under this head were 2,615, 91 fewer than in the third quarter of 1957. The rate was 201 per 100,000, being 8 below the third quarter of 1957 and 3 below the average.

Respiratory Diseases.—Deaths from bronchitis numbered 227 and from pneumonia (excluding pneumonia of the newborn) 268. The corresponding death-rates per 100,000 population are 17 and 21, and the average rates are 18 and 23 respectively.

Maternal Mortality.—Deaths of mothers from diseases and accidents of pregnancy and childbirth numbered 16 (a rate of 0.7 per 1,000 live births). This rate is 0.2 above that for the corresponding quarter of 1957 but is the same as the five years' average. Including stillbirths, the maternal death-rate is 0.7 per 1,000.

Violence.—Deaths from violence (i.e., from other than natural causes) numbered 702, and are equivalent to a death-rate of 54 per 100,000 of the population. In the third quarter of 1957 the number was 713 and the rate 55 per 100,000 of the population.

218 of the deaths in the third quarter were from accidents in the home. The numbers are subdivided by causes, broadly grouped, and by sex and age, in the following table.

Deaths from Accidents in the Home by sex and age—quarter ended 30th September, 1958—Scotland

International Detailed List Nos.	Cause of Death	All	Under	1-4	6-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
E.870-E.888	Poisoning by solid and \{ M. liquid substance \{ F.	2 9	Printed	_	=	=	<u> </u>	2	1 -	1 4		_	_	_
E.890a E.890b	Poisoning by utility (illuminating) gas, stated m. to be accidental F. Poisoning by utility (illu-	9 5	1	_	_	=	_	1	_	2	1	2	2 3	1
E.891-E.895	minating) gas, un- specified as to whether M. accidental or suicidal F. Poisoning by other gases M. and vapours F.	18 25 —			=	1	<u>1</u>	2 2	2	6	3 4 —	5 4	4 7 —	_ _ _
E.900-E.904	Falls $\left\{ \begin{array}{lll} M. \\ F. \end{array} \right.$	37 76	1	_	=	1	1	_	1		3	7	10 38	14 21
E.916-E.918 E.921,E.922, E.924, E.925	Fire, explosion, hot substance, radiation, etc. F. Mechanical suffocation M. F.	5 6 14 11	1 12 11	2 1 1		1	_	_	=	1 -	1 2 1 -	1	1 -	
Remainder	Other and unspecified \{ m. accidents \dots \text{r.}	1	_	_		_	_		_	_		_	1	
E.870-E.936, E.961, E.962	Total Accidents in the { M. home { F.	85 133	13 13	3		2	1 2	3 4	3 1	4 13	9	15 16	17 49	15 22

Deaths from transport accidents in the third quarter of 1958 are analysed in the following table according to the type of accident and the sex and age of the deceased. 184 of the total of 200 transport accidents were road accidents.

Deaths from Transport Accidents by sex and age—quarter ended 30th September, 1958—Scotland

International Detailed List Nos.	Cause of Death	All	Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
E.812 E.813 E.814,E.815, E.821 Remainder of E.810-E.825		46 24 9 1 35 1 38 17 2		7 5 1 -	8 -1 1 -	1 2 - - 1	3 1 3 18 1 3 1	2 1 6 9 4	3 - 5 - 7 1	6 1 3 5 1 1	6 4 1 2 - 4 4	4 3 1 1 - 1 6 2	4 8 - - - 3 1 -	2 1 - -
E.840-E.842. E.844 E.843 E.845 E810-E.845	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	2 1 5 1 2 — 139 45		8 5				- 1 1 - 20 4			13 8	2 1 1 — — 15 6	7 9	2
E.800-E.802, E.850-E.866	Rail, air and water trans- { M. port accidents { F.	16	_	=	1	1	6	3	1	3	1	=	_	
E.800-E.866	Total transport accidents { M. F.	155		8 5	11 3	5	35 3	23	16	19	14	15	7 9	2

The death-rates from the main causes of death in the third quarter of 1958 are indicated in the following table. The comparable rates in the third quarter of 1957 and the average rates for the third quarters of the years 1953-1957 inclusive are also given.

	Death-rai	tes per 100,000 Po	pulation
CAUSE OF DEATH	1958 Third Quarter	1957 Third Quarter	Average rates for Third Quarters 1953-1957
ALL CAUSES	974	1,044	1,012
Principal Epidemic Diseases Typhoid Fever	1 0 0 0 0 0 0 10 9 1 201 17 21 *0·7 †0·7 54	8 0 0 0 7 9 1 209 21 26 *0·5 †0·5 55	3 0 0 0 0 0 0 0 2 15 13 2 204 18 23 *0.7 †0.6 52

^{*} Per 1,000 live births

CLAIMS TO SICKNESS BENEFIT UNDER THE NATIONAL INSURANCE ACTS

The number of new claims to Sickness Benefit under the National Insurance Acts made at National Insurance Offices of the Ministry of Pensions and National Insurance in Scotland during the 13 weeks ended 30th September, 1958, was 167,151. The number of such claims made at the 17 principal towns is shown below.

	Sickness Benefi eks ended 30th S		New Sickness Benefit Claims in the Town 13 weeks ended 30th September, 1958
1. Glasgow	***	47,488	10. Dunfermline 2,523
2. Edinburgh		. 12,816	11. Clydebank 3,632
3. Aberdeen		. 6,126	12. Ayr 2,668
4. Dundee		6,514	13. Kilmarnock 2,370
5. Paisley	***	. 4,406	14. Perth 1,630
6. Greenock	•••	. 4,446	15. Hamilton 5,213
7. Motherwell	and		16. Falkirk 2,272
Wishaw	*** . **	. 5,971	17. Airdrie 2,266
8. Kirkcaldy		. 2,606	
9. Coatbridge		. 3,674	116,621

These figures represent the number of new claims made at Ministry of Pensions and National Insurance Offices in the towns named, and include a number of claims made by insured persons resident in the landward area served by these offices.

[†] Per 1,000 live and stillbirths

METEOROLOGICAL NOTES

Supplied by the Meteorological Office, Edinburgh

JULY, 1958

Apart from a few days of fine, warm weather near the beginning of the month, weather was generally unsettled and from the 13th onwards rather cool.

Sunshine records were generally above average except locally in the East where in one or two places it was up to 20 hours deficient. In a number of places it was the sunniest July since 1955 and in Benbecula was the sunniest since 1951. The excess occurred mainly between the 2nd and the 8th when daily values of 15 to 16 hours' sunshine were recorded.

Mean temperatures were mainly slightly below average, but were above average in one or two places, mainly districts around Glasgow. From the 2nd to the 8th day temperatures were often between 75°F. and 85°F., the highest being 85°F. at Paisley on the 4th and 5th and 84°F. at Kinlochewe on the 4th. The coolest days occurred around the 13th and in the last week when day maxima in a number of places were in the lower 50's. The lowest minimum temperatures occurred mainly around the 23rd to 25th with 29°F. at Dalwhinnie, Kincraig, Grantown-on-Spey and Glenlivet on the 25th. Ground frost was fairly widespread on the 25th and also occurred in places on one or two other days. On the 25th thermometers exposed on the grass recorded 20°F at Dalwhinnie.

Rainfall was below average west of a line from Nairn to Kintyre and above average to the east. Double the average was recorded in parts of the Moray Firth area, and of the Midlothian and Borders areas, but over the Western Isles and the North West seaboard there was less than half the average. In the first 10 days there were mainly scattered light showers only. During the remainder of the month, apart from occasional dry days, there was persistent heavy rain, especially on the 25th, when many places had more than half the July total. On the 28th there was more than two inches in many places, 3·13 inches at Cabrach Manse, 3·12 at Drummuir Castle, 3·08 at Keith, 3·01 at Muiryfold Grange and 2·95 at Dufftown. At Drummuir Castle and at Keith rainfall on the 20th, 22nd and 28th totalled about $5\frac{1}{2}$ inches. Edinburgh had its wettest July with one exception (1940) since 1836 and Arbroath the wettest July with one exception (1940) since 1888.

Fog occurred at one place or other on 16 days, which is above average for July. It was most frequent in places near the East coast and on extreme South West coasts.

The number of thunderstorms and gales was about average.

Meteorological Notes-continued

AUGUST, 1958

Very unsettled weather continued throughout the month and over the greater part of the country sunshine records were rather low and rainfall was above average.

There was a marked deficiency of sunshine in most places. At Helensburgh it was the dullest August for 10 years. In a few places, e.g., Tiree and Marchmont (Berwickshire) there was a slight excess. The sunniest places were Tiree (174 hours), Sourhope, Cheviot Hills (166), Dunbar (157), Marchmont (148), North Berwick (147).

Mean temperatures for the month were near to average for the country as a whole. The warmest days were on the 10th and 12th and from the 27th to the 31st. The highest temperatures recorded were 77°F. at Findhorn and Kelso, 76 at Ruthwell and Penicuik and 74 at Kinlochewe, Forres, Selkirk and Haddington. All of these occurred on the 10th when there was a Southerly airstream over the country. The coolest days occurred mainly between the 1st and 9th, and between the 19th and 26th when many day maxima were below 60°F. The lowest night temperatures were 32°F. (Fyvie Castle) and 34 (Glenlivet) on the 9th. There was a slight ground frost locally in the Highlands on one or two nights. At Balcladaich (Cannich) on the 26th the temperature recorded by a thermometer exposed on the grass was 22°F.

Over the greater part of the country, there was measurable rain (more than ·005 inch) on between 18 and 27 days. There were some dry days between the 5th and 8th (except in the North) and in the last week; otherwise rain was rather persistent and often heavy. There were many heavy falls of over one inch in 24 hours recorded, often associated with thunderstorms. Among the heaviest were 2·75 inches at Connel, Argyll, on the 20th, 2·50 inches at Kype reservoir in Lanarkshire on the 22nd, and 2·81 inches at Craigcleuch, Dumfriesshire, on the 22nd. Parts of Lanarkshire, Perthshire and Kincardineshire had more than 1½ times the August average, and Glasgow (Springburn) had the wettest August for 10 years. Rainfall was below average, however, in some areas in South Scotland and the Borders and locally near the East coast, and also for the third successive month over the North West sea board and some outer islands of Argyll. At Achnashellach (Ross-shire) it was the driest August with one exception (1955) for 10 years.

Thunderstorms were reported at one place or other on 16 days, a high frequency for August, and fog on 16 days, also above the August average. Fog was most widespread around the 20th to 23rd.

The number of gales (5th, 6th, 29th) was slightly below average.

Meteorological Notes—continued

SEPTEMBER, 1958

It was a mild September with settled spells at the beginning of the month and again during the second week.

Sunshine was near to average in most places. Locally in the East and in the extreme North there was a slight deficit, but in the West it tended to be mainly above the average. The sunniest places were Dunbar, 162 hours, and Sourhope (Cheviot Hills) 159 hours.

Mean temperatures were generally 3°F. to 4°F. above the September average with mean day maxima being generally between 60°F. and 65°F. and mean night minima between 45°F. and 50°F.

The warmest days were in the first half of the month up to the 16th when many stations had maxima of 70°F, or over on one or more days. Among the highest temperatures recorded were 78°F, at Largs and 76°F, at Fort William, Ruthwell and Palnure all on the 2nd. The coolest days (day maxima 56°F to 60°F.) occurred during the last week. Among the lowest night minima were 27°F, at Grantown-on-Spey and 29°F, at Kincraig on the 27th and 31°F, at Glenlivet and Glenshee on the 23rd.

Ground frosts were fairly frequent being most widespread on the 22nd, 23rd, 26th and 27th. A temperature of 22°F, recorded by a thermometer exposed on the ground at Garve on the 27th was among the lowest.

Although rainfall was below average over the greater part of the country, South West of a line from Kelso to Glasgow and over a large area of Central Scotland between Stirling and Inverness there was a moderate excess. North of a line from Dornoch to Loch Maree and including Orkney there was less than half the average rainfall for September.

At Ruthwell, Dumfriesshire, it was the wettest September since records began in 1911 with the exception of 1950, at Achnashellach it was the driest since 1941. Apart from the 5th to the 8th and round about the 13th it was mainly dry until the 17th. From the 18th onward rain was rather persistent though from the 25th to 27th it was dry in most places. There were many heavy falls of over one inch in 24 hours and serious flooding occurred in some places especially on the 6th. Among the heaviest recorded falls were 2.30 inches (Kilmarnock) and 2.19 inches (Kaim Dam) on the 6th and 2.26 inches at Strathyre on the 28th.

Thunderstorms were reported at one place or other on 12 days, a high frequency for September. The number of gales was slightly below average.

Fog was reported at one place or other on 17 days, a high frequency for September. It was most widespread on the 2nd, 6th and 11th.

TABLE 1.—BIRTHS, STILLBIRTHS, DEATHS AND MARRIAGES IN THE COUNTIES OF CITIES, LARGE BURGHS AND COUNTIES OF SCOTLAND, WITH THEIR EQUIVALENT RATES PER 1,000 OF POPULATION—QUARTER ENDED 30TH SEPTEMBER, 1958

Stillbirths per 1,000 Total	= 1	525 23 23	22	19 15	23	32	10 20 19	20	1	21	23	19
Infant Mor-	1,0	75 26 28 28	22	18 13	20	14	15	25	1	22	24	19
Illegiti- mate	Δ	4.0 4.7 3.1	3.7	4.5	3.8 6.9 4.6	5.1	2.9	5.1	1.3	8.7	4.6	4.3
lation	Principal Epidemic Diseases	0.00 0.00 0.01	0.01	90.0	1111	ı	1 1		1	1		
of Popu	Deaths	9.0	8.6	9.7	9.5	13.9	9.7 111.2 9.9	9.2	13.6	18.3	8.8	9.3
Rates per 1,000 of Population	Marriages	9.6 111-1 10-8	6.2	12.0	9.5 10.2 7.8	5.7	9.5	9.1	4.0	4.8	7.5	4.6
Rates	Births	18·1 18·2 19·1	17.6		18·1 14·4 14·4	15.0	18.5 21.9 18.8	15.6	13.1	1111	19.3	0.7
	Children aged under 1 year	578 226 118	234	22 14 8	22 16 6	8	48 3 8 37	70	1	-	8	4
Deaths	*Principal Epidemic Diseases	13 3 3	∞	2 2							1	1
	Total	12,664 4,770 1,997	5,897	787 454 333	684 431 47 206	198	846 107 126 613	46	81	92	28	93
,	mar- riages	12,454 5,364 2,347	4,743	823 565 258	634 431 51 152	82	748 123 106 519	115	24	20	49	79
	Still- births	530 196 100	234	24 15 9	25 19 24	7	22 22 23	4		T	8	4
Births g children)	Illegiti- mate	934 412 129	393	77 35 42	49 31 5 13	11	55 57 4 43	10	-	4	10	6
Births (living children)	Total	23,535 8,768 4,162	10,605	1,384 775 609	1,172 819 72 281	214	1,617 205 245 1,167	198	78	46	127	208
	Estimated Population 31.12.57	5,159,500 1,912,500 863,000	2,384,000	326,700 186,500 140,200	276,600 179,500 19,800 77,300	56,600	334,900 43,800 44,400 246,600	50,400	23,700	16,500	26,100	39,800
		SCOTLAND Ecounties of Cities Large Burghs Counties (ex Counties)	of Cities and Large Burghs)	Aberdeen County Aberdeen Co. of City† Remainder of County	Angus County Dundee Co. of City Arbroath Burgh Remainder of County	Argyll County	Ayr County Ayr Burgh Kilmarnock Burgh Remainder of County	Banff County	Berwick County	Bute County	Caithness County	Clackmannan Co

						_					
31 16	38 6 23	13	22 22 22	126	37	1	6	23 20 20 20 20 20	21 8 26	20	16
33	25 24 19	14	16 12 24	37	1	1	70	30 62 63 63	31 8 24	19	21
6.5	3.9 1.8 1.9	2.3	1.6 2.5 3.1	3.7	2.1	1	6.1	1:12	2.5 3.0 3.0	2.8	3.7
90.0	1111	1	0.08	0.07		amazana	Management	00.00	90.0	0.01	1
7:1	6.9 8.7 9.6	8.3	8.0 8.7 9.4	9.0	4.6	6.1	11.5	9.6	9.0 9.7 9.1	10.6	9.1
14.4	7.7 9.0 7.7	8.4	9.5	20.5	7.2	9.9	8.1	10.7 13.0 10.8 12.7	10.5 13.9 8.7	12.3	0.6
17.7	18.1 25.4 18.9	17.0	15.7 18.6 18.0	19.1	15.4	11:1	15.0	19.3 21.6 22.0 19.8	17.9 19.3 19.7	16.4	19.3
r 4 w	18 6 9	က	30 33 24	∞ ∞	- Acceptance	Property of the Control of the Contr	00	240 159 11 7 13	10 1 39	44 37 7	ro
- -		ı	w -01	- -	9		1	7-1-1	-11		1
193 49 144	384 87 58 239	108	733 94 1114 525	220 64 156	99	11	80	3,910 2,642 64 127 108	162 60 747	1,243	115
270 100 170	345 93 60 192	110	678 108 128 442	183 146 37	49	12	62	4,285 2,919 107 143 132	190 86 708	1,719 1,449 270	113
00 44	21 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8	34 4 7 23 23 23 23 23 23 23 23 23 23 23 23 23	∞ – ∞	4	-	==	189 123 3 6	7	52 39 13	4
19 8 11	210000000000000000000000000000000000000	r0	9 6 31	20 5 15	9	Acceptance	7	341 263 2 6 9	8008	98 83 15	6
369 123 246	868 229 169 470	221	1,439 184 244 1,011	355 136 219	105	20	115	7,970 5,247 178 290 205	324 119 1,607	2,455 1,927 528	243
89,000 27,500 61,500	175,000 50,100 26,300 98,500	51,700	321,100 46,400 52,000	83,000 28,200 54,800	27,000	7,200	30,400	1,626,400 1,079,800 32,700 52,300 41,100	71,700 24,500 324,200	574,400 466,600 107,800	50,100
Dumfries County Dumfries Burgh Remainder of County	Dunbarton County Clydebank Burgh Dumbarton Burgh Remainder of County	East Lothian County	Fife County Dunfermline Burgh Kirkcaldy Burgh Remainder of County	Inverness County Inverness Burgh Remainder of County	Kincardine County‡	Kinross County	Kirkcudbright Co	City Bh	Motherwell and Wishaw Burgh Rutherglen Burgh Remainder of County	Midlothian County Edinburgh Co. of City Remainder of County	Moray County

* Typhoid fever, scarlet fever, diphtheria, whooping cough, meningococal infections, measles and influenza. I fincluding for this purpose the entire Burgh of Aberdeen, part of which is in Kinacadine County.

* Excluding for this purpose the portion of Aberdeen Burgh in Kinacadine County.

TABLE 1.—BIRTHS, STILLBIRTHS, DEATHS AND MARRIAGES IN THE COUNTIES OF CITIES, LARGE BURGHS AND COUNTIES OF SCOTLAND WITH THEIR EQUIVALENT RATES PER 1,000 OF POPULATION—QUARTER ENDED 30TH SEPTEMBER, 1958—continued

		Births (living children)	hs nildren)				Deaths		Rate	Rates per 1,000 of Population	of Popul	lation	Illegiti- mate	Infant Mor-	Stillbirths per 1,000
	Estimated Population 31.12.57	Total		Still- births	Mar- riages	Total	*Principal Epidemic Diseases	Children aged under	Births	Marriages	Deaths	Principal Epidemic Diseases	14	tality rate per 1,000 Live Births	Births (including Still- births)
Nairn County	8,300	37		-	18	28	I	-	17.8	9.8	13.4	I	1	27	26
Orkney County	19,800	73	-	1	54	19	1	2	14.7	10.8	12.2	1	1.4	27	14
Peebles County	14,200	99	-	4	30	53	1	1	15-7	8.4	14.8		1.8	18	29
Perth County Perth Burgh Remainder of County	126,800 40,800 86,000	507 162 345	25 7 18	1010	268 143 125	347 115 232	111	100	15.8	13.9	11.2		5.2	62	12
Renfrew County Greenock Burgh Paisley Burgh Port Glasgow Burgh Remainder of County	333,200 77,900 96,000 23,300 136,000	1,580 388 485 112 595	6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	37 19 5 6	746 168 245 58 275	808 190 235 39 344	- -	4 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	19.8 20.0 19.1 17.4	10:1 0:0 8:0	9.7 9.7 6.6 10.0	0.03	1.5 1.5 1.7 1.7	34 35 18 24	18 38 43 10
Ross and Cromarty County	59,400	244	13	7	51	183	- Indiana	8	16.3	3.4	12.2		5.3	12	28
Roxburgh County	45,000	156	9	60	72	109	1	77	13.8	6.3	9.6	1	3.8	13	19
Selkirk County	21,000	87	7	-	46	26	-	2	16.5	8.7	10.6	1	2.3	23	11
Strling County Falkirk Burgh Strling Burgh Remainder of County	191,900 37,100 27,000 127,800	848 158 134 556	24 3 5 16	32 88 88 88 88	413 93 67 253	416 85 66 265		19 4 15	16.9 19.7 17.3	9.6	9.7	0.11	1.9	25	19 43 40
Sutherland County	13,200	74	7	7	19	47	1	60	22.3	5.7	14.2	1	2.7	41	26
West Lothian County	92,100	448	10	12	240	188	_	00	19.3	10.3	8.1	0.04	2.2	18	56
Wigtown County	29,900	162	10	4	63	81	1	60	21.5	8.4	10.7	1	6.2	19	24
Zetland County	18,500	59	2	3	34	59	!	2	12.7	7.3	12.7	1	8.5	34	48

* Typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections. measles and influenza.

						THOLO I	. 500.	LLAND,	1040	10 190		
			N	umbers						ates		
	Live I	Births	, 02		Dea	aths	Per 1,0	00 of Est opulation	timated	rths	lor- te Live	otal cl.
	Total	Illegiti- mate	Still- births	Marri- ages	All Ages	Under One Year	Births (living child-ren)	Marri- ages	Deaths	Illegit. Births per 100 Live Births	Infant Mortality rate per 1,000 Live Births	Stillbirths per 1000 total Births incl. Stillbirths
1st Quarter 1948 . 2nd ,, ,,	25,324 26,561 24,389 24,070	1,417 1,642 1,392 1,325	760 775 711 720	9,959 10,490 13,509 9,760	16,825 14,698 13,652 15,804	1,303 1,144 972 1,067	20·0 21·0 19·0 18·8	7·9 8·3 10·5 7·6	13·3 11·6 10·7 12·3	5·6 6·2 5·7 5·5	51 43 40 44	29 28 28
Year 1948 .	100,344	5,776	2,966	43,718	60,979	4,486	19.7	8.6	12.0	5.8	45	29
1st Quarter 1949 .	24,230	1,381	707	10.638		1,225	19.2	8.4	15.3	5.7	51	28
2nd ,, ,, . 3rd ,, ,, . 4th ,, ,, .	25,424 23,324 22,696	1,442 1,274 1,126	710 642 607	9,209 12,786 9,075	19,222 15,274 13,119 15,873	913 823 1,000	20·0 18·1 17·6	7·2 9·9 7·0	12·0 10·2 12·3	5·7 5·5 5·0	36 35 44	27 27 26
Year 1949 .	95,674	5,223	2,666	41,708	63,488	3,961	18.7	8.2	12.4	5.5	41	27
1st Quarter 1950 . 2nd , , , . 3rd , , . 4th , , , .	23,542 24,646 22,498 21,844	1,185 1,359 1,195 1,098	673 659 627 598	11,111 8,680 11,847 8,821	18,647 14,986 13,341 17,022	1,080 841 737 911	18·6 19·3 17·4 16·9	8·8 6·8 9·2 6·8	14.8 11.7 10.3 13.2	5·0 5·5 5·3 5·0	46 34 33 42	28 26 27 27
Year 1950 .	92,530	4,837	2,557	40,459	63,996	3,569	18.0	7.9	12.5	5.2	39	27
1st Quarter 1951 . 2nd , , . 3rd , , . 4th , , , .	23,625 24,310 21,932 20,772	1,195 1,289 1,126 982	657 658 575 589	11,560 8,958 12,048 8,795	22,428 15,442 13,104 14,804	1,088 850 698 755	18·7 19·1 17·0 16·1	9·2 7·0 9·3 6·8	17·8 12·1 10·2 11·5	5·1 5·3 5·1 4·7	46 35 32 36	27 26 26 28
Year 1951 .	90,639	4,592	2,479	41,361	65,778	3,391	17.7	8.1	12.9	5.1	37	27
1st Quarter 1952 . 2nd , , , . 3rd , , , . 4th , , , ,	22,892 23,531 22,161 21,838	1,069 1,126 1,126 985	677 598 541 614	12,420 8,156 11,894 8,684	18,394 14,270 12,813 16,033	872 801 663 845	18·0 18·5 17·2 17·0	9·8 6·4 9·3 6·8	14·5 11·2 10·0 12:5	4·7 4·8 5·1 4·5	38 34 30 39	29 25 24 27
Year 1952 .	90,422	4,306	2,430	41,154	61,510	3,181	17.7	8.0	12.0	4.8	35	26
1st Quarter 1953 . 2nd , , , . 3rd , , , . 4th , , , .	22,860 23,791 22,166 22,096	1,030 1,175 1,022 1,004	602 586 561 559	12,085 8,212 12,069 8,536	17,264 14,345 12,722 14,547	776 696 614 714	18·1 18·6 17·2 17·1	9·6 6·4 9·4 6·6	13·7 11·2 9·9 11·3	4.5 4.9 4.6 4.5	34 29 28 32	26 24 25 25
Year 1953 .	90,913	4,231	2,308	40,902	58,878	2,800	17.8	8.0	11.5	4.7	31	25
1st Quarter 1954 . 2nd , , , . 3rd , , , . 4th , , , .	23,456 24,097 22,823 21,939	1,049 1,086 1,077 965	612 628 601 560	12,371 8,553 12,489 8,561	18,003 14,638 13,327 15,412	892 728 555 686	18·6 18·9 17·7 17·0	9·8 6·7 9·7 6·6	14·3 11·5 10·3 11·9	4·5 4·5 4·7 4·4	38 30 24 31	25 25 26 25
Year 1954 .	92,315	4,177	2,401	41,974	61,380	2,861	18.0	8.2	12.0	4.5	31	25
1st Quarter 1955 . 2nd , , , . 3rd , , , . 4th , , , .	23,111 23,942 22,734 22,752	988 1,046 1,037 920	598 566 597 569	12,420 8,662 12,966 9,151	19,078 14,998 12,733 14,836	829 692 588 702	18·3 18·7 17·6 17·6	9·8 6·8 10·0 7·1	15·1 11·7 9·8 11·5	4·3 4·4 4·6 4·0	36 29 26 31	25 23 26 24
Year 1955 .	92,539	3,991	2,330	43,199	61,645	2,811	18.0	8.4	12.0	4.3	30	25
1st Quarter 1956 . 2nd , , . 3rd , , . 4th , , .	24,594 24,889 22,654 23,176	1,007 1,099 1,068 895	617 613 536 563	11,742 9,843 12,958 9,420	19,156 14,562 13,088 14,986	764 656 602 705	19·2 19·5 17·5 17·9	9·2 7·7 10·0 7·3	15·0 11·4 10·1 11·6	4·1 4·4 4·7 3·9	31 26 27 30	24 24 23 24
Year 1956	95,313	4,069	2,329	43,963	61,792	2,727	18.5	8.5	12.0	4.3	29	24
2nd ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	24,759 24,974 24,100 24,144	948 1,049 1,047 973	635 602 569 572	11,281 9,091 12,976 9,328	16,175 14,427 13,537 17,004	782 668 653 699	19·5 19·5 18·6 18·6	8·9 7·1 10·0 7·2	12.7 11.2 10.4 13.1	3·8 4·2 4·3 4·0	32 27 27 29	25 24 23 23
Year 1957	97,977	4,017	2,378	42,676	61,143	2,802	19.0	8.3	11.9	4.1	29	24
1st Quarter 1958 . 2nd , , , . 3rd , , , . 4th ,, ,, .	25,101 25,588 23,535	1,032 1,093 934	614 568 530	10,877 8,381 12,454	18,621 15,186 12,664	794 692 578	19·7 19·9 18·1	8·5 6·5 9·6	14·6 11·8 9·7	4·1 4·3 4·0	32 27 25	24 22 22
Year 1958 .												

Table III.—Causes of Death in Scolland in Age-Groups-Quarter ended 30th September, 1958

	Not stated	111	
	+58	1,156 439 717	*
	75-	3,474 1,544 1,930	ου
	65-	3,332 1,741 1,591	464 64 62 14 14 14 14 14 14 14 1
	55-	2,093 1,247 846	55 0 to 1
Age	45-	1,060 657 403	23,2
A	35-	446 254 192	21 19 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	25-	214 126 88	155 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	15-	129 85 44	4ε -
	10-	53 37 16	
	, ro	55 38 17	
	1-	74 444 30	
	-	578 322 256	ar r
	Fe- males	6,130	88 8 1 1 8 9 1 1 1 4 1 1 8 1 1 1 1 1 1 1 1 1 1 1 1 1
All Ages	Males	6,534	200 1 11 8 7 1 2 4
4	Both	12,664 6,534 6,130	1124 1124 8 22 1 1 2 2 2 2 1 1 2 2 2 2 1 1 2 2 2 2
	CAUSES OF DEATH	ALL CAUSES—Both Sexes Males Females	All Tuberculosis (oor-org) Total Respiratory system Meninges and central nervous system Intestines, peritoneum and mesenteric glands Bones and joints All other forms Syphilis (ozo-ozg) Congenital syphilis Early syphilis Tabes dorsalis General paralysis of insane All other syphilis Tybhoid fever Paratyphoid fever and other Salmonella infections Cholera Brucellosis (undulant fever) Dysentery, all forms Scarlet fever Streptococcal sore throat Erysipelas Streptococcal sore throat Brysipelas Whooping cough Meningococcal infections Plague Leprosy Leprosy
		Inter- medi- ate List "A"	22 5 7 5 9 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
	International Classification	Detailed List	001-008 010 011 012, 013 014-019 021 021 022 023-023, 024 024 025 020-029 030-035 043 040 040 040 040 040 050 050 055 055 056 057

111 1			1			1 1	1	
111 1			67	20 4 7 7 7 8 9 1	00 1-00	15	1 -	
1111	-	1.	-	531 15 114 114 83 83 83 5	52 26 5 7 7 111	16	0 0	0 11
			61	787 21 19 126 77 51	181 55 9 40 6	147	& C	4
-			61	635 111 122 228 88 88 25 4	192 41 10 15 6	3	14	5 10
111 -			-	366 6 52 28 16 6	8 22 25 25 25 25 25 25 2	63	r 0	2 61
-			prod	128 3 1 12 12	217	23 23	භ ⊀	4
67	-	11	1	4	40101-	6	4 1	, 2
- -		11	1	1 1	- -	- 9	4 6	
	11111	11	1	0	11111	-	-	1
	-		1	~		4	n	1
27			-	~	11111	9	-	-
-			1	I		-		
- 21	1-10		64	1,195 199 38 196 158 58 58	96 201 47 57 57 16	251	20	2 11
ro	%	troopen de	∞	1,420 37 40 213 130 81	466 2 91 15	15	34	6
w 03 w	- -		10	2,615 56 78 409 288 139 24	562 203 47 57 91	26	54	20
Acute poliomyelitis Acute infectious encephalitis Late effects of acute poliomyelitis and acute infectious encephalitis	r		All other diseases classified as infective and parasitic (438-442)	t Neoplasms (140-205); wity and pharynx us except rectum	Trachea, bronchus and lung, not specified as secondary Breast Cervix uteri Other and unspecified parts of uterus Skin	Bone and connective tissue All other and unspecified sites	Leukæmia and aleukæmia Lymphosarcoma and other neo- plasms of lymphatic and hæma-	topoietic system Benign neoplasms and neoplasms of unspecified nature
27 29 30	32 33 34 35 35	37	43	44 45 47 48 49 49	50 52 53 54 55	56	58	09
062 080 082 081, 083	085 091 092 094	110-117)54, 059, 063-)74, 086-090,)93, 095, 096, 120-138	140-148 150 151 152, 153 154 161	162, 163 170 171 172-174 177 190, 191	196, 197 155-160, 164, 165, 175, 176, 178-181, 192-	195, 198, 199 J 204 200-203, 205	210-239

Note.—Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

- 4
٠,
hand
1
1
hand
1
H
H
H
1
H
H
III
III
H
III
LETII
LETII
LETII
LETII
III
LETII
ABLETIIL
ABLETIIL
CABLETIIL
ABLETIIL

							1 7001	u çu	urver									-
	Yot betate	1	11	1	11		-	11	1	11	1	-			1		a.	11
	85+	1	-	1	40	5	9	11	218	59	116	42			2	9	-	509
	75-	1	41	7	19	13	-1	-	276	267	399	108	- 6	ر ا	20	6.		$\begin{vmatrix} r,363\\16\end{vmatrix}$
	65-		51	4	7.3	22	9	01	596	16 255	290	35	10	-	15	17	1	1,214
	55-	1	15		1200	13	8	8	270	140	109	7	- ∞	-	4	=	1	703
96	45-	_	0.0		-	12	2	-	102	61	16	4	10	0	61	9		282
Age	35-	-	100		67	6			23	21	2	1	4	0	1	4	-	95
	25-	1	1 00	1	11	- 10	-		7	40	1	-	4	4	-	4	1	23
	15-	1	-	1	- -	4	-	-	0		1			4	1	· · ·		∞ 4
	10-	1		1		73	1	11	I	-					1	_	-	
	ro	1		1		7	-	-	I	-	1	1		2	1	1	-	-
	1	1	11			-	1		1	11	1	1	11	-	1	4		
	-1.	1		1		23	1	11	1	11	1		6	-	1	2		
	Fe- males		75	4	25	55	17	60 63	1,166	44	549	109	7	15	30	39		2,036
All Ages	Males	1	45	8	77	35	∞	33	830	335	383	87	17	7	13	28	7	2,163
A	Both	1	120	7	32	06	25	98	1,996	69 2	932	196	34	22	43	67	က	4,199
	CAUSES OF DEATH	Non-toxic goitre Thurstoxicosis with or without	goitre Diabetes mellitus		Pernicious and other hypercuronic anæmias Other anæmias	Allergic disorders; all other endo- crine, metabolic and blood diseases	: -	rsychoneuroses and disorders of personality	1/4			Other vascular lesions affecting central nervous system	Non-meningococcal meningitis Multiple sclerosis	Epilepsy Otitis media and mastoiditis	Paralysis agitans All other diseases of the nervo	system and sense of A75 A76)	ever	Heavt Diseases (410-443) Total Chronic rheumatic heart disease
	Inter- medi- ate List "A"	61	63	64	659	99	67	69		70a 70b	700	70 <i>d</i>	71 72	73	78a 78b		79	80
International Classification	Detailed List	250, 251	260	280-286	290	240-245, 253, 254, 270-277, 287-289, 294-	300-309	325		330	332	333, 334	340 345	353 391-393	350 341-344, 351.)	352, 354-390, \\ 394-398	400-402	410-416

										·							
-	11		months	1			111			1	1	1			11		111
85	01	238	1	23	21	83	e -	-	25	1	17	9	9	1 -			2
530	19	428	8	55	357	115	∞ c	4	86 12 66	00	42	29	16		110	-	13
730	22	140	4	48	86	39	6		69 51	9	76	47	27	27.7	13	1	111 16
518	00 67	30	8	30	21	10	19	4	29 10 17	22	57	36	19	-	12	-	7 4 1
218	9	o 00	61	ro.	6 41	; 	=	1	22 6 14	7	18	00	6		- 8		r.∞]
58	- processing	1-	(7)	7	1 2	1 10	4	1	9 9	1	2	67	ymd		10	1	4.9
9	-	.	_	2	1 2	-	-	1	2 2	1	0	. 1	2	1	67	1	
		11	67	-	1 2	-	-	1	I 1	1				-	-	1	1
1		1.1	1	7		1 1			1 1	1	distriction of the state of the	1	1				-
1	11		1	-					I	1		1	1	1 1 1	-	1	-
			1	1			2 -	→	50 0	1	0.01		1	111			
1				_			-	1	26	က	מיטי						
793	31	540	8 00	92	134	132	30	4.	122 15 101	9	30	25	22	40	17	Popular	20 10 1
1,353	27	305	10	81	109	110	52	21	146 23 108	15	175	103	70 80	1	31 25	I	24 49
2,146	58	845	18	173	243	242	2000	9	268 38 209	21	227	128	08	וטע	31		44 59 3
	as rheumatic	Myocardial degeneration with arteriosclerosis	Acute non-rheumatic heart	unspecified	Hypertensive heart disease	Other hypertensive disease General arteriosclerosis	Other diseases of circulatory system Acute upper respiratory infections	Influenza	Pneumonia (490-493) Total Lobar pneumonia Isronchopneumonia	Primary atypical, other and unspecified pneumonia	Bronchitis (500-502) Acute bronchitis Chronic and unqualified	h heart d	Chronic and unqualified bron- chitis otherwise defined	ophy of tonsils and a and abscess of li	Pheumoconiosis All other respiratory diseases	Diseases of teeth and supporting	Ulcer of stomach Ulcer of duodenum Gastritis and duodenitis
814	816	814	82a	826	83	85a 85a	86	88	68	91	92 93 <i>a</i>		936	95		98	100
420	421	422.1	422.2	433, 434	440-443	444-447 450 451.456	460-468	480-483	490	492, 493	500 501 <i>b</i> , 502 <i>b</i>	a a	501a, 502a	518, 521 518, 521	523, 524 511-517, 520, \	530-535	540 541 543

Note.—Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

	6.3
N	
ì	-1
ì	-1
ļ	3
ì	=
	=
	=
	=
1	7
1	3 11.
-	E 11.
1	E 11.
-	E 11.
-	LE 11.
-	LE II.
-	3LE 11.
-	BLE 11.
-	BLE II.
-	BLE
-	ABLE II.
1	ABLE
-	BLE
	ABLE
1	ABLE

	Not stated				11111	1	1 1	
	85+	1= 1	0	67	1 12 1	67		
	75-	27	12 8 8 9	8	16 8 1 1 1	ro	1 1	111
	65-	32	26 26	7	15 17 17 23 23	12	1 1	111
	55-	80 ·	1 16 15 1 15 1 15 1 15 1 15 1 15 1 15 1	4	15 7 7 1 1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1		1 1	
	45-	61.00	1 2000	e 61	252	6		
Age	35-	1 2 -	1831	භ 61	98	61	67	
	25_		- -	# #	100		4 -	
	15-	64	6 6		w		-	
	10-	'	- -		e			
	2	-	- -	-				
	1		-	-		-	1 1	1:1 1
	T	10 10	1 1	67				
	Fe- males	50 5	26 4 6 6 6	φ 61	272	18	v 60	-0 0
All Ages	Males	12 40 6	11 21 23 6	19	45 4 79 79 8	6		1.1 1
[A]	Both	117	11 37 47 64 12	27	77 4 4 1 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	27	v &	7 7 7 T
	CAUSES OF DEATH	Appendicitis Gastro-enteritis, ages between 4 weeks and 2 years Gastro-enteritis, ages 2 years and		Other diseases of c	Chronic, other and nephritis	Other diseases of genito-urina system	Toxamias of pregnancy, connection, the puerperium puerperium Hæmorrhage of pregnancy	childbirth Postpartum hæmo: Abortion without or toxæmia
	Inter- medi- ate List "A"	$\frac{102}{103}$ $\frac{103}{104a}$	104 <i>c</i> 105 106 107 <i>a</i>	1076	109 111 1112 1113 1113	1146	116	1176
International Classification	Detailed List	550-553 560, 561, 570 571.0 571.1	572 581 584, 585 580, 582, 583, 586	$\begin{bmatrix} 536-539, 542, \\ 544, 545, 573- \\ 578, 587 \\ 590 \end{bmatrix}$	591-594 602, 604 610 620, 621 605, 606	$\begin{cases} 301, 603, 607 \\ 309, 611-617, \\ 622-637 \\ 340, 641, 681 \end{cases}$	$\begin{cases} 542, 681, 682, 684 \\ 682, 652, 685, 686, 686 \\ 686 \end{cases}$	671, 672 650

						 	- 100	, u \	200											,
1		1		1	1	-	11	1	-		-	-				1	1	I	1	
	4	Ţ	1	1	2			1		1	į	}	1] [1	09	S	
1	3	1	-	1	1				Ī	1	-	1					1	49	9	
1 1	15	-	1	1	က		0		-	}	T	1						4	19	
	ro	1	1	1	က					-	1	1		1		I		1	16	
1	100		1	-			4	_	8		1	1					ı	1	10	
- 1	-	1	1		-		0	[1				1				1		<i>с</i>	
67	-	1		-	1		11		Augustin		-]		1	1	1	1	
1		1	1	1	1		12	0		-	1	1					1		-	
1 1	1 1	1	1		-		ω ₁	7	1		1	1				1	i	1	_	
1	11	1		1	1		0	-	1	1	1	1				1	1	1		
1				1	ĺ		~ -	4	8	1		1					1	1	က	
1 1		-	1	1	[464	. 37	56	55	124	12	<u> </u>	10	10	0 1	112	1	10	
1 2	22 82		1	1	7		22	21	40	16	51	က -	_	10	1	,	53	72	28	
1	£ =	·	-	I	4	 	272	28	27	 68	73	6	10	4 ro	-	11	59	41	47	
1 2	30.5	22	1	1	111		491 41	49	67	55	124	12	- c	10	91	01	112	113	75	
Abortion with sepsis Other complications of pregnancy, childbirth, and the puerperium. Delivery without mention of complication	in and subc	Muscular rheumatism and rheuma-	periostitis quired muscul	skeletal deformities	SKIII 1 ···	Congenital malformations and certain diseases of early infancy (750-776)	Spina bifida and meningocele	culatory system	ugemitai	Birth injuries Post-natal asphyxia and atelec-			Diarrhoea of newborn	Hæmolytic diseas	All other defined diseases of early	and .	early infancy, and immaturity unqualified	chosis	Ill-defined and unknown causes	
119	121	123	124	100			127	199	271	130		132a	190-	133	134	135	100	130	137	
651 345-648, 660; 373-680, 683, 687-689	690-698	726, 727	737, 745-749	C 187 217 007	736, 738-744		751	C 27 257 057	755-759	760, 761 762		763	705 760	770	769, 771, 772	773-776	200	194	780-793, 795	

	1	
	I,	
	1.	
ı	4	
5		
	-	
200.00		
-	-:11	
	=	
-	-:117	
-	=	
	=	
	=	
	-111	
The same day	=	
	-111	
	-111	
	-111	
and the same	-111	
	-111	
	LE III.	
Table of the case	-111	
	LE III.	
	BLE III.	
-	LE III.	
-	ABLE III	
-	BLE III.	

	Not stated		
	+ 58	46 33 34 4 4 4 4 4 4 4	ı
	75-	6 2 1 16 16 16 16 16 16	
	65-	25 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	
	55-	8833 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	45-	86 17 17 17 18 19 10 10 10 10 10 10 10 10 10 10 10 10 10	
Age	35-	16 1 1 1 1 1 1 1 1 1	
	25-	4222	
	15-	70000 0 0 4 1 1 1 1	Ī
	10-	£4-1 14 2 8 2	
	5-	201 1 1 1 1 1 1 1 1 1	
	1-	8 8 4	
	-1	3 23 1 1 1 23	
	Fe- males	250 443 443 440 6 85 111 116 116	ĺ
All Causes	Males r	169 119 119 119 110 110 110	
All	Both	702 173 11 16 151 151 151 172 18 19 19 19 19	
	CAUSES OF DEATH	Accidents, Poisonings, and Violence (External Cause) (E800-E999) Motor vehicle accidents 1396 Other transport accidents 141 Accidental poisoning Accident caused by machinery 142 Accident caused by fire and explosion of combustible material 143 Accident caused by fire and explosion of combustible material 144 Accident caused by fire and explosion of combustible material 145 Accident caused by fire and explosion of combustible material 146 Accident caused by firearm and radiation 147 Accident caused by firearm 148 Accidental drowning and submersion accidental mechanical suffocation accidental mechanical suffocation inflicted by other persons (not in war) 150 Injury resulting from operations of war 150 Injury resulting from operations of war	
	Inter- medi- ate List "A"	138 1396 1396 140 141 142 143 144 145 147a 147a 147a 147b	
International Classification	Detailed List	E810-E835 E840-E845 E800-E802, E850-E866 E870-E895 E900-E904 E912 E912 E913 E913-E915, E914, E922, E924, E922, E924, E922, E921, E922, E920, E911, E910, E911, E962, E964, E964, E965, E964, E966,	

TABLE IV

1958—Third Quarter
Table IV.—Deaths in the Counties of Cities, Large Burghs A

		TABLE IV.—DEATHS IN THE COUNTIE	S OF CIT	IES, LA	RGE D	ORGIN
International	Vos		SCOTLAND	u,	Aberdeen County of City	r of
INTERNATIONAL	103.		A.	Aberdeen County	Aberdeen unty of C	Remainder County
	Abbre-			rd	erd y c	uin
	viated	Causes of Death	5	De Co	lbe nt	CB
Detailed List	List		Ö	V	A E	Se.
	"B"		v2		ŭ	Щ
001-008	1	Tuberculosis of respiratory system	113	2	1	1
010-019	$\hat{2}$	Tuberculosis, other forms	11			
020-029	3	Syphilis and its sequelæ	12	1	1	
045-048	6	Dysentery, all forms				_
056	9	Whooping cough	1	1	Transie I	1
057	10	Meningococcal infections	4	_		
080	12	Acute poliomyelitis	5 1			
085	14	Measles	^			
030-044, 049-055	17	Other infective and parasitic diseases			,	
058-074, 081-084,		(B4, 5, 7, 8, 11, 13, 15, 16)*	34	4	1	3
140-205	18	Malignant neoplasms Total	2,615	156	92	64
160-165	_	Malignant neoplasms of resp. system	599	33	25	8
200-205		Malignant neoplasms of lymphatic				
		and hæmatopoietic tissues	112	5	2	3
140-159, 170-199	-	Other malignant neoplasms	1,904	118	65	53
210-239	19	Benign and unspecified neoplasms	20	10		
260	20	Diabetes mellitus	120	12	7 2	5 1
290-293	21	Anæmias	46	3	2	1
240-254, 270-289,	46.0	Other general diseases	104	7	4	3
294-299		Wasselaniana offort' goon nerv system	1,996	133	71	62
330-334 340	22 23	Vascular lesions affect'g cen. nerv. system Non-meningococcal meningitis	1,990			
	46.1	Other diseases of nervous system	201	13	6	7
300-326, 341-398 400-402	24	Rheumatic fever	3	_	_	
410-416	25	Chronic rheumatic heart disease	146	5	4	1
420-422	26	Arterioscl. and degen. heart disease	3,619	242	141	101
430-434	27	Other diseases of heart	191	8	4	4
440-443	28	Hypertensive heart disease	243	21	12	9
444-447	29	Other hypertensive disease	110	7	5	2
450-468	46.2	Other circulatory disease	356	25	12	13
480-483	30	Influenza	6	10	12	
490-493	31	Pneumonia (except of newborn)	268 227	18 14	9	6 5
500-502	32	Bronchitis	88	1	1	
470-475, 510-527	46.3	Other respiratory diseases	103	5	î	4
540, 541 550-553	33 34	Ulcer of stomach and duodenum Appendicitis	17	1	î	
560, 561, 570	35	Intestinal obstruction and hernia	90	6	3	3
543	36.0	Gastritis and duodenitis	3			
571, 572	36.1	Diarrhoea (except of newborn)	59	2	2	
581	37	Cirrhosis of liver	47		_	
580, 582-586	46.4	Other diseases of liver	76	3	3	
530-539, 542, 544,)	46.5	Other digestive diseases	27			
545, 573-578, 587				=	1	1
590-594	38	Nephritis and nephrosis	82 79	5	4 3	1 3
610	39	Hyperplasia of prostate Other diseases of genito-urinary system	76	5	3	$\frac{3}{2}$
600-609, 611-637	46.6	Puerperal sepsis including abortion	70	0		-
640, 641, 651, 681, 682, 684	40.0	with sepsis	6	_		
642-650, 652-680,	40 4	· · · · · · · · · · · · · · · · · · ·				
683, 685-689	40.1	Other puerperal causes	10			
690-749	46.7	Diseases of skin and organs of locom'n	57	1		1
750-759	41	Congenital malformations	157	9	5	4
760-762	42	B. injur's, post-natal asph'a & atelectasis	179	7	5	2
763	43.0	Pneumonia of newborn	12	1	1	
764	43.1	Diarrhoea of newborn	1 2			
765-768	43.2	Other diseases peculiar to early infancy	2			
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	140	7	5	2
794	45.0	Senility without mention of psychosis	113	3	1	$\frac{2}{2}$
780-793, 795	45.0	Ill-defined and unknown causes	75	3	2	1
E963, E970-E979	E49	Suicide and self-inflicted injury	90	6	5	î
E810-E835	E47	Motor vehicle accidents	173	13	7	6
E840-E845	E48.0		11	_	-	
E870-E936 (part)	E48.1	Accidents in the home	218	16	11	5
E961(pt),E962(pt)					7	8
Rem. of E800-E999	E48.2	Other violence (BE50)	210	15		
		All causes	12,664	787	454	333
		1111 00/00000 111 111 111			L	

TN	IES OF	SCOTLAI	rQ—dn	JARTER	ENDED	30 тн S:	ЕРТЕМВ	ER, 195	8					
Numbers	Angus County	Dundee County of City	Arbroath Burgh	Remainder of County	Argyll County	Ayr County	Ayr Burgh	Kilmarnock Burgh	Remainder of County	Banff County	Berwick County	Bute	Caithness County	Clackmannan
1 2 3 4 5 6 7 8	5 1 1 — —	1 1		4 1	1 - 1	1 - - - 1 -			1					
9	162 32	108 24	16 2	38 6	1 36 12	2 163 36	23 7	19 3	2 121 26	3 21 5	15 1	17 1	4	1 20 4
12345 6 78 90 123456 78 90 123456 7 8 90 1	3 127 - 6 4 4 111 - 115 192 4 18 5 17 - 17 8 3 10 2 2 - 1 1 3 3 4 10 7	2 82 -3 3 2 71 -5 -9 120 3 10 -1 13 6 3 8 -1 -1 -1 2 1	14 	1 31 3 3 3 6 6 5 60 1 4 2 2 2 1 1 3 1 2 2 2 1 2 2 1 2 2 1 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 2 1 2 2 2 2 1 2 2 2 2 1 2 2 2 2 1 2 2 2 2 1 2 2 2 2 1 2 2 2 2 1 2 2 2 2 1 2 2 2 2 1 2 2 2 2 1 2 2 2 2 2 1 2 2 2 2 2 1 2 2 2 2 2 2 1 2	1 23	6 121 1 4 2 8 129 1 10 1 13 275 16 17 12 18 23 8 4 6 3 3 2 3 6 5	1 15 — 1 20 — 1 32 — 5 2 4 4 — 1 2 2 1 — 1 — 1 — 1 — 2	2 14 —	3 92 1 4 2 5 89 — 6 1 1 1 202 14 10 8 8 11 — 19 4 2 4 — 3 — 2 — 3 2 2 1 6 6 3	1 15 — 1 12 1 4 — 2 29 2 4 4 — — — — — — — — — — — — — — — — —	1 13 -1 1 13 -2 	2 14 ———————————————————————————————————	1 10 1 1 1 2 1 3 1 1 2 1 1 1 1 1 1 1 1 1 1 1	16 1 2 1 1 13 1 - 2 26 1 1 1 5 - 1 1 1
2 3 4 5 6 7 8 9	1 3 5 4 1 —	1 2 2 3 1 —		1 3 1 —		- 2 7 12 - 1			2 6 9				1 - 1 - 1 -	1
0 I 2 3 4 5 6	6 3 -4 10 -	4 - 2 4 - 11	1 - 1 -	2 2 - 2 5 -	1 4 6 1 3 —	16 9 8 7 12 —		2 3 1 4 2 — 3	14 6 6 3 9 — 8	1 -3 1 1 -	- 2 1 - 1 -	1 2 - - 2	1 7 2 - - - 2	3 2 1 - 2
7	6	5		1	4	15	2	1	12	1	_	2	3	1
	684	431	47	206	198	846	107	126	613	97	81	76	58	93

12 14 17 18 — — 19 20 21 46.0 22 23 46.1 24 25 26 27 28 29 46.2 30 31 32 46.3 33 34	Tuberculosis of respiratory system Tuberculosis, other forms	Onmutries 1 39 5 1 39 4 1 49 3 2 1 7 7 3 1	1	Nemainder Remainder Rema	1 1 2 County On the County O
2 3 6 9 9 10 112 114 117 18 — 19 20 21 46.0 22 23 46.1 24 25 26 27 28 29 46.2 30 31 32 46.3 33 34	Tuberculosis, other forms Syphilis and its sequelæ Dysentery, all forms Mhooping cough Meningococcal infections Acute poliomyelitis Measles Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)* Malignant neoplasms Malignant neoplasms of resp. system Malignant neoplasms of lymphatic and hæmatopoietic tissues Other malignant neoplasms Benign and unspecified neoplasms Diabetes mellitus Anæmias Other general diseases Vascular lesions affect'g cen. nerv. system Non-meningococcal meningitis Other diseases of nervous system Rheumatic fever Chronic rheumatic heart disease Arterioscl. and degen. heart disease Other diseases of heart Hypertensive heart disease Other circulatory disease Influenza Pneumonia (except of newborn) Bronchitis Other respiratory diseases	1 - - - - - - - - -	10 1 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 — — — — — — — — — — — — — — — — — — —	2 — — — — — — — — — — — — — — — — — — —
3 6 9 110 112 114 117 18 — 19 20 21 46.0 22 23 46.1 24 25 26 27 28 29 46.2 30 31 32 46.3 33 34	Syphilis and its sequelæ Dysentery, all forms Whooping cough Meningococcal infections Acute poliomyelitis Measles Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)* Malignant neoplasms Total Malignant neoplasms of resp. system Malignant neoplasms of lymphatic and hæmatopoietic tissues Other malignant neoplasms Benign and unspecified neoplasms Diabetes mellitus Anæmias Other general diseases Vascular lesions affect'g cen. nerv. system Non-meningococcal meningitis Other diseases of nervous system Rheumatic fever Chronic rheumatic heart disease Arterioscl. and degen. heart disease Other diseases of heart Hypertensive heart disease Other circulatory disease Influenza Pneumonia (except of newborn) Bronchitis Other respiratory diseases	1 - 39 5 1 33 2 - 1 49 3 3 2 1 7 7	10 1 8 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		2 — — — — — — — — — — — — — — — — — — —
6 9 10 112 14 17 18 — 19 20 21 46.0 22 346.1 24 25 26 27 28 29 46.2 30 31 32 46.3 33 34	Dysentery, all forms Whooping cough Meningococcal infections Acute poliomyelitis Measles Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)* Malignant neoplasms Malignant neoplasms of resp. system Malignant neoplasms of lymphatic and hæmatopoietic tissues Other malignant neoplasms Benign and unspecified neoplasms Diabetes mellitus Anæmias Other general diseases Vascular lesions affect'g cen. nerv. system Non-meningococcal meningitis Other diseases of nervous system Rheumatic fever Chronic rheumatic heart disease Arterioscl, and degen, heart disease Other diseases of heart Hypertensive heart disease Other circulatory disease Influenza Pneumonia (except of newborn) Bronchitis Other respiratory diseases	39 5 1 33 2 2 1 39 4 4 9 3 2 1 7 7 3	10 1 1 8 1 1 2 1 11 11 11 11		
9 10 12 14 17 18 — 19 20 21 46.0 22 23 46.1 24 25 26 27 28 29 46.2 30 31 32 46.3 33 34	Whooping cough Meningococcal infections Acute poliomyelitis Measles Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)* Malignant neoplasms Malignant neoplasms of resp. system Malignant neoplasms of lymphatic and hæmatopoietic tissues Other malignant neoplasms Benign and unspecified neoplasms Diabetes mellitus Anæmias Other general diseases Vascular lesions affect'g cen. nerv. system Non-meningococcal meningitis Other diseases of nervous system Rheumatic fever Chronic rheumatic heart disease Arterioscl. and degen. heart disease Other diseases of heart Hypertensive heart disease Other circulatory disease Influenza Pneumonia (except of newborn) Bronchitis Other respiratory diseases	39 5 1 33 2 2 1 39 4 4 9 3 2 1 7 7 3	10 1 1 8 1 1 2 1 11 11 11 11		69 17 7 45 3 1 8 65 2 8 8 1 15 18 7 8 8 19 9 ——————————————————————————————
10 12 14 17 18 —————————————————————————————————	Meningococcal infections Acute poliomyelitis	39 5 1 33 2 2 1 39 4 4 9 3 2 1 7 7 3	10 1 1 8 1 1 2 1 11 11 11 11		69 17 7 45 3 1 8 65 2 8 8 1 15 18 7 8 8 19 9
12 14 17 18 — — 19 20 21 46.0 22 23 46.1 24 25 26 27 28 29 46.2 30 31 32 46.3 33 34	Acute poliomyelitis Measles Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)* Malignant neoplasms Total Malignant neoplasms of resp. system Malignant neoplasms of lymphatic and hæmatopoietic tissues Other malignant neoplasms Benign and unspecified neoplasms Diabetes mellitus Anæmias Other general diseases Vascular lesions affect'g cen. nerv. system Non-meningococcal meningitis Other diseases of nervous system Rheumatic fever Chronic rheumatic heart disease Arterioscl. and degen. heart disease Other diseases of heart Hypertensive heart disease Other circulatory disease Influenza Pneumonia (except of newborn) Bronchitis Other respiratory diseases	39 5 1 33 2 2 1 39 4 4 9 3 2 1 7 7 3	1		69 17 7 45
14 17 18 — 19 20 21 46.0 22 23 46.1 24 25 26 27 28 29 46.2 30 31 32 46.3 33 34	Measles Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)* Malignant neoplasms Total Malignant neoplasms of resp. system Malignant neoplasms of lymphatic and hæmatopoietic tissues Other malignant neoplasms Benign and unspecified neoplasms Benign and unspecified neoplasms Other general diseases Vascular lesions affect'g cen. nerv. system Non-meningococcal meningitis Other diseases of nervous system Rheumatic fever Chronic rheumatic heart disease Arterioscl. and degen. heart disease Other diseases of heart Hypertensive heart disease Other hypertensive disease Other circulatory disease Influenza Pneumonia (except of newborn) Bronchitis Other respiratory diseases Other respiratory diseases	5 1 33 2 - 1 39 4 - 1 49 3 2 1 7 - 7 3	1	4 — 25 — 1 — 1 27 — 3 — 1 38 — 3 2 1 7 — 5	69 17 7 45
18 — 19 20 21 46.0 22 23 46.1 24 25 26 27 28 29 46.2 30 31 32 46.3 33 34	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)* Malignant neoplasms Total Malignant neoplasms of resp. system Malignant neoplasms of lymphatic and hæmatopoietic tissues Other malignant neoplasms Benign and unspecified neoplasms Diabetes mellitus Anæmias Other general diseases Vascular lesions affect'g cen, nerv. system Non-meningococcal meningitis Other diseases of nervous system Rheumatic fever Chronic rheumatic heart disease Arterioscl. and degen, heart disease Other diseases of heart Hypertensive heart disease Other circulatory disease Influenza Pneumonia (except of newborn) Bronchitis Other respiratory diseases	5 1 33 2 - 1 39 4 - 1 49 3 2 1 7 - 7 3	1	4 — 25 — 1 — 1 27 — 3 — 1 38 — 3 2 1 7 — 5	69 17 7 45 3 1 8 65 2 2 8 1 1 5 1 18 7 7 8 8 1 1 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
18 — 19 20 21 46.0 22 23 46.1 24 25 26 27 28 29 46.2 30 31 32 46.3 33 34	(B4, 5, 7, 8, 11, 13, 15, 16)* Malignant neoplasms Total Malignant neoplasms of resp. system Malignant neoplasms of lymphatic and hæmatopoietic tissues Other malignant neoplasms Benign and unspecified neoplasms Diabetes mellitus Anæmias Other general diseases Vascular lesions affect 'g cen. nerv. system Non-meningococcal meningitis Other diseases of nervous system Rheumatic fever Chronic rheumatic heart disease Arterioscl. and degen. heart disease Other diseases of heart Hypertensive heart disease Other circulatory disease Influenza Pneumonia (except of newborn) Bronchitis Other respiratory diseases Other respiratory diseases	5 1 33 2 - 1 39 4 - 1 49 3 2 1 7 - 7 3	1	4 — 25 — 1 — 1 27 — 3 — 1 38 — 3 2 1 7 — 5	69 17 7 45 3 1 8 65 2 8 1 1 5 1 18 7 7 8 8 1 1 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
	Malignant neoplasms Total Malignant neoplasms of resp. system Malignant neoplasms of lymphatic and hæmatopoietic tissues Other malignant neoplasms Benign and unspecified neoplasms Diabetes mellitus Anæmias Other general diseases Vascular lesions affect'g cen, nerv. system Non-meningococcal meningitis Other diseases of nervous system Rheumatic fever Chronic rheumatic heart disease Arterioscl. and degen, heart disease Other diseases of heart Hypertensive heart disease Other hypertensive disease Other circulatory disease Influenza Pneumonia (except of newborn) Bronchitis Other respiratory diseases	5 1 33 2 - 1 39 4 - 1 49 3 2 1 7 - 7 3	1	4 — 25 — 1 — 1 27 — 3 — 1 38 — 3 2 1 7 — 5	69 17 7 45 3 1 8 65 2 8 1 1 5 1 18 7 7 8 8 1 1 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
	Malignant neoplasms of resp. system Malignant neoplasms of lymphatic and hæmatopoietic tissues Other malignant neoplasms Benign and unspecified neoplasms Diabetes mellitus Anæmias Other general diseases Vascular lesions affect'g cen. nerv. system Non-meningococcal meningitis Other diseases of nervous system Rheumatic fever Chronic rheumatic heart disease Arterioscl. and degen. heart disease Other diseases of heart Hypertensive heart disease Other hypertensive disease Other circulatory disease Influenza Pneumonia (except of newborn) Bronchitis Other respiratory diseases	5 1 33 2 - 1 39 4 - 1 49 3 2 1 7 - 7 3	1	4 — 25 — 1 — 1 27 — 3 — 1 38 — 3 2 1 7 — 5	17 745 45 31 11 88 655 22 88 11 55 1188 7 8 9 55 44 44
20 21 46.0 22 23 46.1 24 25 26 27 28 29 46.2 30 31 32 46.3 33 34	Malignant neoplasms of lymphatic and haematopoietic tissues Other malignant neoplasms Benign and unspecified neoplasms Diabetes mellitus Anæmias Other general diseases Vascular lesions affect'g cen. nerv. system Non-meningococcal meningitis Other diseases of nervous system Rheumatic fever Chronic rheumatic heart disease Arterioscl. and degen. heart disease Other diseases of heart Hypertensive heart disease Other hypertensive disease Other circulatory disease Influenza Pneumonia (except of newborn) Bronchitis Other respiratory diseases Other respiratory diseases	1 33 2 - 1 39 4 - 1 49 3 2 2 1 7 - 7 3	1 8 1 1	25 1 1 27 3 1 38 3 2 1 7 5	77 45 31 11 88 65 22 88 11 1188 77 88 11 99
20 21 46.0 22 23 46.1 24 25 26 27 28 29 46.2 30 31 32 46.3 33 34	and hæmatopoietic tissues Other malignant neoplasms Benign and unspecified neoplasms Diabetes mellitus Anæmias Other general diseases Vascular lesions affect'g cen. nerv. system Non-meningococcal meningitis Other diseases of nervous system Rheumatic fever Chronic rheumatic heart disease Arterioscl. and degen. heart disease Other diseases of heart Hypertensive heart disease Other circulatory disease Influenza Pneumonia (except of newborn) Bronchitis Other respiratory diseases	33 2 	8 1 	1 — 1 27 — 3 — 1 38 3 2 1 7 — 5	455 311 88 655 22 88 11 55 1188 77 81 19 9
20 21 46.0 22 23 46.1 24 25 26 27 28 29 46.2 30 31 32 46.3 33 34	Other malignant neoplasms Benign and unspecified neoplasms Diabetes mellitus Anæmias Other general diseases Vascular lesions affect'g cen. nerv. system Non-meningococcal meningitis Other diseases of nervous system Rheumatic fever Chronic rheumatic heart disease Arterioscl. and degen. heart disease Other diseases of heart Hypertensive heart disease Other hypertensive disease Other circulatory disease Influenza Pneumonia (except of newborn) Bronchitis Other respiratory diseases	33 2 	8 1 	1 — 1 27 — 3 — 1 38 3 2 1 7 — 5	3 1 8 65 2 8 1 1 18 7 8 1 9
20 21 46.0 22 23 46.1 24 25 26 27 28 29 46.2 30 31 32 46.3 33 34	Benign and unspecified neoplasms Diabetes mellitus Anæmias Other general diseases Vascular lesions affect'g cen. nerv. system Non-meningococcal meningitis Other diseases of nervous system Rheumatic fever Chronic rheumatic heart disease Arterioscl. and degen. heart disease Other diseases of heart Hypertensive heart disease Other hypertensive disease Other circulatory disease Influenza Pneumonia (except of newborn) Bronchitis Other respiratory diseases	1 39 4 1 49 3 2 2 1 7 7	12 1 1 11 	1 27 3 -1 38 3 2 1 7	1 8 65 2 8 1 1 1 8 7 8 1 9 9 4 4 4
21 46.0 22 23 46.1 24 25 26 27 28 29 46.2 30 31 32 46.3 33 34	Diabetes mellitus	1 39 4 -1 149 3 2 1 7 -7 3	11	27 	1 8 65 2 8 8 1 1 1 8 7 8 1 9 9 9 4 4 4
46.0 22 23 46.1 24 25 26 27 28 29 46.2 30 31 32 46.3 33 34	Other general diseases Vascular lesions affect'g cen, nerv. system Non-meningococcal meningitis Other diseases of nervous system Rheumatic fever Chronic rheumatic heart disease Other diseases of heart Hypertensive heart disease Other hypertensive disease Other circulatory disease Influenza Pneumonia (except of newborn) Bronchitis Other respiratory diseases	39 -4 -1 49 3 2 1 7 -7 3	11	27 	65 22 88 11 5 118 7 8 1 9
22 23 46.1 24 25 26 27 28 29 46.2 30 31 32 46.3 33 34	Vascular lesions affect'g cen. nerv. system Non-meningococcal meningitis Other diseases of nervous system Rheumatic fever Chronic rheumatic heart disease Arterioscl. and degen. heart disease Other diseases of heart Hypertensive heart disease Other hypertensive disease Other circulatory disease Influenza Pneumonia (except of newborn) Bronchitis Other respiratory diseases	39 -4 -1 49 3 2 1 7 -7 3	11	27 	65 2 8 1 1 5 1 18 7 8 1 9
22 23 46.1 24 25 26 27 28 29 46.2 30 31 32 46.3 33 34	Vascular lesions affect'g cen. nerv. system Non-meningococcal meningitis Other diseases of nervous system Rheumatic fever Chronic rheumatic heart disease Arterioscl. and degen. heart disease Other diseases of heart Hypertensive heart disease Other hypertensive disease Other circulatory disease Influenza Pneumonia (except of newborn) Bronchitis Other respiratory diseases	39 -4 -1 49 3 2 1 7 -7 3	11	27 	28 8 11 5 118 7 8 1 9
23 46.1 24 25 26 27 28 29 46.2 30 31 32 46.3 33 34	Non-meningococcal meningitis Other diseases of nervous system Rheumatic fever Chronic rheumatic heart disease Arterioscl. and degen. heart disease Other diseases of heart Hypertensive heart disease Other hypertensive disease Other circulatory disease Influenza Pneumonia (except of newborn) Bronchitis Other respiratory diseases	4 -1 149 3 2 1 7 -7 3	11	3 	28 8 11 5 118 7 8 1 9
46.1 24 25 26 27 28 29 46.2 30 31 32 46.3 33 34	Other diseases of nervous system Rheumatic fever Chronic rheumatic heart disease Arterioscl. and degen. heart disease Other diseases of heart Hypertensive heart disease Other hypertensive disease Other circulatory disease Influenza Pneumonia (except of newborn) Bronchitis Other respiratory diseases	4 	11	1 38 3 2 1 7 -5	8 11 5 118 7 8 1 9
24 25 26 27 28 29 46.2 30 31 32 46.3 33 34	Rheumatic fever Chronic rheumatic heart disease Arterioscl. and degen. heart disease Other diseases of heart Hypertensive heart disease Other hypertensive disease Other circulatory disease Influenza Pneumonia (except of newborn) Bronchitis Other respiratory diseases	1 49 3 2 1 7 -7 3	11	1 38 3 2 1 7 -5	118 118 7 8 1 9
25 26 27 28 29 46.2 30 31 32 46.3 33 34	Chronic rheumatic heart disease Arterioscl. and degen. heart disease Other diseases of heart Hypertensive heart disease Other hypertensive disease Other circulatory disease Influenza Pneumonia (except of newborn) Bronchitis Other respiratory diseases	49 3 2 1 7 -7 3	11 - - 2 1	38 3 2 1 7 -	118 2 8 1 9
27 28 29 46.2 30 31 32 46.3 33 34	Arterioscl. and degen. heart disease Other diseases of heart Hypertensive heart disease Other hypertensive disease Other circulatory disease Influenza Pneumonia (except of newborn) Bronchitis Other respiratory diseases	3 2 1 7 7 3		3 2 1 7 — 5	544
28 29 46.2 30 31 32 46.3 33 34	Other diseases of heart Hypertensive heart disease Other hypertensive disease Other circulatory disease Influenza Pneumonia (except of newborn) Bronchitis Other respiratory diseases	2 1 7 - 7 3		2 1 7 — 5	5
29 46.2 30 31 32 46.3 33 34	Other hypertensive disease Other circulatory disease Influenza Pneumonia (except of newborn) Bronchitis Other respiratory diseases	1 7 - 7 3		1 7 — 5	1 9 5 4 4
46.2 30 31 32 46.3 33 34	Other circulatory disease Influenza Pneumonia (except of newborn) Bronchitis Other respiratory diseases	7 7 3		7 - 5	5 4 4
30 31 32 46.3 33 34	Influenza Pneumonia (except of newborn) Bronchitis Other respiratory diseases	7 3	1	5	5 4
31 32 46.3 33 34	Pneumonia (except of newborn) Bronchitis Other respiratory diseases	3	1		4
32 46.3 33 34	Bronchitis Other respiratory diseases	3	1		4
46.3 33 34	Other respiratory diseases	1	1		
34					
	Cicci di scomucii una daddonami				3
	Appendicitis		_	_	-
35	Intestinal obstruction and hernia	2		2	2
36.0	Gastritis and duodenitis	1	_	1	1
36.1	Diarrhoea (except of newborn) Cirrhosis of liver	1			
46.4	Other diseases of liver				4
46.5	Other digestive diseases	T			1
38	Nephritis and nephrosis	1		1	1
39	Nephritis and nephrosis Hyperplasia of prostate	1	1	_	5
46.6	Other diseases of genito-urinary system	3	1	2	2
40.0	Puerperal sepsis including abortion				2
	with sepsis				_ 1
40.1	Other puerperal causes		_		
46.7	Diseases of skin and organs of locom'n	2		2	-
41	Congenital malformations	4	3	1	
	B. injur's, post-natal asph'a & atelectasis	1	Samuel Co.	1	4
		_	_		1
	0.7 . 6 .: 6.17 7	_			
77		1		1	Ę
45.0		3		3	
45.1	Ill-defined and unknown causes				1
E49	Suicide and self-inflicted injury	1	1	-	
E47	Motor vehicle accidents	4	1	3	
E48.0	Other road vehicle accidents			-	-
		4	2	2	Į į
E48.1	Accidents in the home	- 4		2	
E48.1 E48.2		2		1 2	
	41 42 43.0 43.1 43.2 44 45.0 45.1 E49 E47	46.7 Diseases of skin and organs of locom'n 41 Congenital malformations 42 B. injur's, post-natal asph'a & atelectasis 43.0 Pneumonia of newborn 43.1 Diarrhoea of newborn 44.2 Other infections of the newborn 45.1 Other diseases peculiar to early infancy and immaturity unqualified 45.1 Ill-defined and unknown causes 45.1 Suicide and self-inflicted injury 45.1 Motor vehicle accidents 47 Motor vehicle accidents 68 Other road vehicle accidents	46.7 Diseases of skin and organs of locom'n 2 41 Congenital malformations 4 42 B. injur's, post-natal asph'a & atelectasis 1 43.0 Pneumonia of newborn 43.1 Diarrhoea of newborn 43.2 Other infections of the newborn 44 Other diseases peculiar to early infancy and immaturity unqualified 45.0 Senility without mention of psychosis 3 45.1 Ill-defined and unknown causes 5uicide and self-inflicted injury E47 Motor vehicle accidents 648.0 Other road vehicle accidents	46.7 Diseases of skin and organs of locom'n 2 — 41 Congenital malformations 4 3 42 B. injur's, post-natal asph'a & atelectasis 1 — 43.0 Pneumonia of newborn — — 43.1 Diarrhoea of newborn — — 43.2 Other infections of the newborn — — 44 Other diseases peculiar to early infancy and immaturity unqualified — — 45.0 Senility without mention of psychosis. 3 — — 45.1 Ill-defined and unknown causes — — E49 Suicide and self-inflicted injury 1 1 E47 Motor vehicle accidents 4 1 E48.0 Other road vehicle accidents — — E48.1 Accidents in the home 4 2	46.7 Diseases of skin and organs of locom'n 2 — 2 41 Congenital malformations 4 3 1 42 B. injur's, post-natal asph'a & atelectasis 1 — 1 43.0 Pneumonia of newborn — — 43.1 Diarrhoea of newborn — — 43.2 Other infections of the newborn — — 44 Other diseases peculiar to early infancy and immaturity unqualified 1 — 1 45.0 Senility without mention of psychosis 3 — 3 45.1 Ill-defined and unknown causes — — E49 Suicide and self-inflicted injury 1 1 — E47 Motor vehicle accidents 4 1 3 E48.0 Other road vehicle accidents — — — E48.1 Accidents in the home 4 2 2

* Including paratyphoid fever, erysipelas, septicæmia, and lethargic encephalitis.

Note:—Numbers in brackets after the titles indicate headings in International Abbreviated List which are merged under the respective Scottish headings. Those indicated by numbers (0, 1, 2, 3, etc.) apply to the Scottish List only.

					ABLE 1	v .—con	ıınuea						
Clydebank Burgh	Dumbarton Burgh	Remainder of County	East Lothian County	Fife County	Dunfermline Burgh	Kirkcaldy Burgh	Remainder of County	Inverness County	Inverness Burgh	Remainder of County	Kincardine County	Kinross County	Kirkcudbr't County
1			1 -	4 1 1		1 1 1	3	5 1 2	3	2 1 2		_	
_						married a						_	
				<u></u>		_	1						
1 13 6													_
13	1 7	49	1 27	1 140 24	13	27	1 100 14	1 40 3	16 1	1 24	15	5	20 1
	2	9	5			7			1	2	1		
1 6	5	6 34	2 20 —	107	8	19	6 80	34	15	19	12 12	5	1 18 1 14 1 24
=	<u></u>	3	_	4 2	22 	1	1 2	- 6	2	4		Ξ	personal e-extens
3	2	3	1	2		1	1	2		2	_		1
18	10	37	20 1 -1 25 1 2	111	22	15	74	30	13 2 - 12	17 - 5	11 -1	1	14
3	1	4	1	8		1	7	7					
27	1 - 19 2 1 1 1 3	1 3 72	25	7 222 17 24	23	1 39 1	5 160 13 18 5 23	1 53 3 2 1		1 41 3	23	2	24
1	1	3 6	2	24	1	5	18	2	2	-	_		2
	3	6	9	31	3	5		6	3	3	1		1
		5 4 2 2	2 2 1 2	6 31 2 9 14 8 7	2 3	5 1 3 2 2	1 4 9 6 7	6 1 2 3 3	1 1	1 2 3 1	2 1		1
2 1		2 2	1 2	8 7	2 3 - 4 - 1	2	6 7	3		3	1	2 1	1 2 1 3 3 - 1 1
1	_	1		7	4		3	2	2		1	_	3
_		1 1 2		5 2 5	1		3 2 4	1		1			1
27 27 2 1 ———————————————————————————————————	1	2		5			4	2 1 1	2 1 3 -1 1 1 2 1	_	_		
1 _	1	_	_ _ _ 1	4	<u>-</u>		4	1	_	1	_	1	1 1
<u>1</u>	_	4 2	1	4 8 5	1	2	4 7 3	2	1	1		_	
_		2	_				_			_	1	_	_
			1	1 4	1		3	-				_	-
3 1	1 1	2 2	2	10 7	1 1 1	1	8 6	1 2	garranto manazio	1 2			3
	1				_			_		_	_		
				7	1		6	4		4		_	
1 1	1 2	3 2 1		3 3	1 2		2	8	1	7 6	_		4
<u>-</u>	1	1 5		9 8	2 2	1 1	6 5	2 5	_	5	1	-	1
_	_		5	1 11	2		1 9	3	1	2	1		1
1 2	1	3 3	-	11	_	1	10	12	2	10	2		2
87	58	239	108	733	94	114	525	220	64	156	66	11	88

International	Nos.		MA	w City	9 7	ndex
Detailed List	Abbre- viated List "B"	CAUSES OF DEATH	Lanark	Glasgow County of Ci	Airdrie Burgh	Marginal Index
001-008	1	Tuberculosis of respiratory system	61	44		I
010-019	2	Tuberculosis, other forms	4	3	1	2
020-029 045-048	3 6	Syphilis and its sequelæ	2	1		3
056	9	Dysentery, all forms Whooping cough				4 5 6
057	10	Meningococcal infections	1			
080	12	Acute poliomyelitis	2	2		7 8
085 30-044, 049-055, \	14	Measles				٥
58-074, 081-084,	17	Other infective and parasitic diseases	0	3	1	
086-138		(B4, 5, 7, 8, 11, 13, 15, 16)*	8			9
140-205	18	Malignant neoplasms Total	825	594 184	8	-
160-165 200-205		Malignant neoplasms of resp. system Malignant neoplasms of lymphatic	228	104	1	10
200-200		and hæmatopoietic tissues	30	19	1	II
140-159, 170-199	_	Other malignant neoplasms	567	391	6	12
210-239	19	Benign and unspecified neoplasms	4	4 18	1	13
260 290-293	20 21	Diabetes mellitus Anæmias	36 13	5		I 4 I 5
40-254, 270-289,			30	22	1	
294-299	46.0	Other general diseases				16
330-334	22	Vascular lesions affect. cen. nerv. system	580	381	7	17
340 300-326, 341-398	23 46.1	Non-meningococcal meningitis Other diseases of nervous system	53	40	1	18 19
400-402	24	Rheumatic fever	1	1		20
410-416	25	Chronic rheumatic heart disease	51	38		21
420-422	26	Arterioscl. and degen. heart disease	1,051	693	20	22
430-434 440-443	27 28	Other diseases of heart	61 58	39	3	23
444-447	29	Other hypertensive disease	38	22	1	25
450-468	46.2	Other circulatory disease	91	64	2	26
480-483	30	Influenza	82	66	1	27
490-493 500-502	$\begin{bmatrix} 31 \\ 32 \end{bmatrix}$	Pneumonia (except of newborn) Bronchitis	109	79		29
470-475, 510-527	46.3	Other respiratory diseases	38	14		30
540, 541	33	Ulcer of stomach and duodenum	35	22	-	31
550-553	34	Appendicitis	7 28	5 22	1	32
560, 561, 570 543	35 36.0	Intestinal obstruction and hernia Gastritis and duodenitis	20	1		33
571, 572	36.1	Diarrhoea (except of newborn)	26	19	1	35
581	37	Cirrhosis of liver	23	16	1	36
580, 582-586	46.4	Other diseases of liver	26	17		37
530-539, 542, 544, \ 545, 573-578, 587 \	46.5	Other digestive diseases	10	7		38
590-594	38	Nephritis and nephrosis Hyperplasia of prostate	31	20		39
610	39		15	10		40
600-609, 611-637	46.6	Other diseases of genito-urinary system	16	7	1	41
640, 641, 651, 681, 681, 682, 684	40.0	Puerperal sepsis including abortion		1		١
642-650, 652-680,	40.1	with sepsis Other puerperal causes	3 5	$\frac{1}{2}$	1	42
883, 685-689			1			
690-749 750-759	46.7	Diseases of skin and organs of locomn. Congenital malformations	20 59	12 40	3	44
760-762	42	B. injur's, postnatal asph'a. & atelectasis		59	4	46
763	43.0	Pneumonia of newborn	3	1		47
764	43.1	Diarrhoea of newborn	1	-		48
765-768 769-776	43.2	Other infections of the newborn Other diseases peculiar to early infancy	1		-	49
703-770	77	and immaturity unqualified	43	33		50
794	45.0	Senility without mention of psychosis	24	19	-	5-
780-793, 795	45.1	Ill-defined and unknown causes	24	15	1	5
E963, E970-E979 E810-E835	E49 E47	Suicide and self-inflicted injury Motor vehicle accidents	23 58	14 36	1	5.
E840-E845	E48.0		6	3	1	5.
E870-E936 (part)	E48 1		61	43	1_	5
E961(pt), E962(pt)			67	49	1	ì
Rem. of E800-E99	1240.2	Cher violence (BE50)	0/	13	1	5
		All causes	3.910	2,642	64	1

^{*} Including paratyphoid fever, erysipelas, septicæmia, and lethargic encephalitis.

				1	ABLE I	v.—con	tinued					
Numbers	Coatbridge Burgh	Hamilton Burgh	Motherwell and Wishaw Burgh	Rutherglen Burgh	Remainder of County	Midlothian County	Edinburgh County of City	Remainder of County	Moray County	Nairn County	Orkney County	Peebles County
1 2 3 4 5 6 7 8	3 1 - - -	1	4 - - 1 -		9	10 1 2 - 1	8 1 2 — 1	2				
9	23 6	19 5	1 27 3	1 10 3	2 144 26	6 340 88	300 80	2 40 8	3 24 3	 7 1	- 8 -	7
11 12 13 14 15	$\frac{1}{16}$ $\frac{3}{3}$	14 — —	$\frac{4}{20}$ $\frac{4}{4}$ 1	7 - 1	5 113 - 9 7	13 239 6 15 7	11 209 4 12 3	2 30 2 3 4	21 2 1	6	1 7 —	1 5 - - - 1
16 17 18 19 20	19 1 1	2 21 — —	$\begin{array}{c c} - \\ 28 \\ \hline - \\ 2 \\ \hline - \end{array}$	14 1 - 19	5 110 2 8 —	16 226 —————————————————————————————————	13 196 ———————————————————————————————————	$\begin{array}{c c} 3 \\ 30 \\ \hline 2 \\ \hline - 3 \end{array}$	10 3	3 - - 1	1 8 - 2	
21 22 23 24 25 26	2 43 1 1 1 3	1 32 1 1 1	$ \begin{array}{c c} 2 \\ -1 \\ 44 \\ 6 \\ 2 \\ 1 \\ 2 \end{array} $	$\frac{1}{1}$	9 200 19 11 12 17	13 433 19 23 6 54	10 348 18 19 6 49	3 85 1 4 — 5	1 39 3 1 3 2	11 1 - 1	1 15 - 2 1 2	20 2
27 28 29 30 31 32 33	1 4 4 1 -	2 4 - 1 1	2 5 2 2 - 2		10 16 18 9 	37 23 8 12 2 10	6 49 27 20 7 11 2 10	10 3 1 1 —	3 1 — 1 — 1		1 - 1	10
34 35 36 37 38	1 -		1 1 1		1 4 6 6 2	7 6 5 5	7 5 5 5	1 -	-		1	
39 40 41	$\frac{1}{1}$	1	2 2 1	1 -	7 2 6	9 7 8	7 4 7	2 3 1		# 1 A A A A A A A A A A A A A A A A A A	3 1 1	_
42 43 44 45 46 47 48 49	1 3 -	2 4 1	31 -		1 3 7 9 16 1	1 9 15 10 2 —	77 13 9 2	1 2 2 1 —	1 1 1	1	- 1 1 - -	1
50 51 52 53 54 55	1 1 - 2 -	1 4	1 1 1 1 1 -		2 3 8 4 14 3	12 4 1 18 17 1	10 4 1 17 12	2 — 1 5 1	3 1 -		4 2 - 1 1	2 1 1 4 -
56 57	3	2	3 3	2 1	13	37 18	30	7 7	5 5	1	1	
	127	108	162	60	747	1,480	1,243	237	115	28	61	53

		TABLE IV.—continued				
INTERNATIONAL]	Nos.		- A		r of y	W.
Detailed List	Abbreviated List "B"	Causes of Death	Perth County	Perth Burgh	Remainder County	Renfrew County
001-008	1	Tuberculosis of respiratory system	5	4	1	12
010-019	2	Tuberculosis, other forms	-		-	_
020-029	3	Syphilis and its sequalæ	1	1		
045-048 056	6 9	Dysentery, all forms Whooping cough	0000000			
057	10	Meningococcal infections	-	1		
080	12	Acute poliomyelitis	*******			
085	14	Measles				
30-044, 049-055 58-074, 081-084,	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	1	1		1
086-138 140-205	18	Malignant neoplasms Total	72	24	48	172
160-165	10	Malignant neoplasms of resp. system	10	5	5	46
200-205	_	Malignant neoplasms of lymphatic				
140 150 170 100		and hæmatopoietic tissues	60	19	2 41	8 118
140-159, 170-199 210-239	19	Other malignant neoplasms Benign and unspecified neoplasms		_		2
260	20	Diabetes mellitus	5		5	6
290-293	21	Anæmias	2	1	1	3
240-254, 270-289,	46.0	Other general diseases	3	1	2	5
294-299 <i>S</i> 330-334	22	Vascular lesions affect. cen. nerv. system	49	17	32	131
340	23	Non-meningococcal meningitis			-	
300-326, 341-398	46.1	Other diseases of nervous system	5	2	3	15
400-402	24	Rheumatic fever		_	-	
410-416	25	Chronic rheumatic heart disease	5	1 26	4	3
420-422 430-434	26 27	Arterioscl. and degen, heart disease Other diseases of heart	113	36	77	223 15
440-443	28	Hypertensive heart disease	5	1	4	28
444-447	29	Other hypertensive disease	4	1	3	11
450-468	46.2	Other circulatory disease	7	1	6	14
480-483	30	Influenza	-	2		1 15
490-493 500-502	31 32	Bronchitis	6		4	13
470-475, 510-527	46.3	Other respiratory diseases				7
540, 541	33	Ulcer of stomach and duodenum	1		1	6
550-553	34	Appendicitis			_	2
560, 561, 570	35	Intestinal obstruction and hernia	4	2	2	4
543 571, 572	36.0 36.1	Gastritis and duodenitis Diarrhoea (except of newborn)	3	2	1	2
581	37	Cirrhosis of liver	2	1	î	6
580, 582-586	46.4	Other diseases of liver	4		4	3
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases				1
590-594	38	Nephritis and nephrosis	_			3
610	39	Hyperplasia of prostate	1	1		6
600-609, 611-637 640, 641, 651, \	46.6	Other diseases of genito-urinary system	4		4	2
681, 682, 684	40.0	Puerperal sepsis including abortion				
342-650, 652-680,	40.1	with sepsis				1
383, 685-689		Other puerperal causes				
690-749	46.7	Diseases of skin and organs of locomn.	1		1	6
750-759 760-762	41 42	Congenital malformations B. injur's, postnatal asph'a. & atelectasis	5 4	3 4	2	13 21
763	43.0	Pneumonia of newborn	American .			3
764	43.1	Diarrhoea of newborn	- 1			
765-768	43.2	Other infections of the newborn		_	_	
769-776	44	Other diseases peculiar to early infancy	1 4	2	- 4	9
794	45.0	and immaturity unqualified Senility without mention of psychosis	6 4		4	3
780-79 3, 7 95	45.1	Ill-defined and unknown causes	2		2	3
E963, E970-E979	E49	Suicide and self-inflicted injury	2	2	_	6
E810-E835	E47	Motor vehicle accidents	7	-	7	9
E840-E845	E48.0	Other road vehicle accidents	1	_	. 1	1
E870-E936 (part) { E961(pt),E962(pt)	E48.1	Accidents in the home	6	4	2	10
				1	1 0	1 40
Rem. of E800-E999	E48.2	Other violence (BE50)	4	1	3	10

^{*} Including paratyphoid fever, erysipelas, septicæmia, and lethargic encephalitis.

Marginal inue	Greenock Burgh	Paisley Burgh	Port Glasgow Burgh	Remainder of County	Ross and Cromarty Co.	Roxburgh County	Selkirk County	Stirling County	Falkirk Burgh	Stirling Burgh	Remainder of County	Sutherland County	West Lothian County	Wigtown	Zetland County
I	4	3	2	. 3			-	. 1			1	3		-	
2 3	_	_		1:	_	_			distance.				1	_	
4 5 6	_		_			_							_	_	
6	_			- Carrieron		_			-				<u>-</u>		
7 8	Probability				-	_	_		_				1		-
9		1						_							_
_	33	51	6	82 22	31	18	12	86	19	13	54	8	36	12	8
10	9	12	3		10		1	14	4	2	8	1	9	3	
II I2	3 21	2 37	3	3 5 7	2 19	1 14	11	66	15	3 8	3 43	1 6	2 25	9	1 6
13	1	3	1	3	1 2	_	1 2	5	1		4	2	3	1 2	
14 15	_	1		2	1	2						1		-	_
16	1	2		2 49	31	20	15	1 74	17	1 12	45	6	31	1 16	1 10
17 18	30	49	3				_		$\frac{17}{2}$	1	$\frac{43}{10}$	-	1	- 2	
19 20	5	3	2	5	3	4	_	13		_		_		_	_
2I 22	50	58	12	3 103	62	1 42	1 13	6 114	2 25	1 17	3 72	11	3 45	15	1 23 2 1 1 1 1 - - 1 - 1
23 24	3	4	2	8 7 6	3 11	2	_	4 3	1	1	72 3 2	-	3 3 2 13	3	1
25 26	3 13 2 5	6 2 3	1	6 6	3	1 4	1 1	4 11		5	6	3	13	3	1 1
20 27 28	3	-	_	1		1	1	1 12	.1 3 1	3	6	3	7		
28 29	4	6	_	6 8	1	1	1	5	1	_	4	-	4		1
29 30 31	1 1	2 2	1 1	1 2	3	_	_	3		2	1 1		2	1 2 1	
32 33		2	1	3	2	_		1 2		1	1		_		1
34 35 36	_	_	1	2	_		_	1 1	- 1	_	1		3		
36	2 2		1	2 3 1		1	1	1 4	1	1	3	_	4	1	1
37 38			1		_	_	-	1	1			-	_	-	-
39 40		2 2 2	-	1 2	3	1	1	4 4	1	1 1	3 2	-	2	3 2 1	1 1 1 1
40 41		2	_	_	î	2	1	1	_	-	1	1 1	4	1	1
42	1		_	_	-		_		_				_		
43	-	_	-	_	-	_		-	1	1			1		
44 45	2 2 8	5	1 1	3 5 6	2 2 1	1	_	2 5 4	2		3 3		4 3	2	
45 46 47	8	6 2	1	6			2 -	4		age quality	-	-	-		-
47 48	-	_		_	_	_		_	=	production	-	-			
49 50	3	3	_	3	1 5	1 - 1 2 1	- 1	9	1		8 8	- 1 1	1 1 1	- 1 1 1	1
51	3 1 3	1		3 1	5	2	1	9	_	1		1	1	1	2
52 53	-	3		3 4	-			9 9 - 2 4	-	1 2	1. 2	_	1 2	1	
54 55	3	-	-	1	4	_	-			calanes		-	-	400,000	1 2 -
56	2	5	-	3		2	-	7	4	1	7	4	2 2	2	
57	3	2		5	3	2	3	8				47	188	81	59
_	190	235	39	344	183	109	56	416	85	66	265	4/	100	1 01	1 071

Table V.—Ages at Death in the Counties of Cities. Large Burghs and Counties of Scotland—Ovarter ended 30th September, 1958,

				All	Under					AGES		AT DEATH				85 and	Not
				Ages	1	1	59	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	over	stated
SCOTLAND	:	:	:	12,664	578	74	155	53	129	214	446	1,060	2,093	3,332	3,474	1,156	1
Aberdeen County Aberdeen County of City Remainder of County	:::		:::	787 454 333	27 14 8	410	4 4	10-4	4-0		17	68 49 19	122 79 43	202 126 76	222 109 113	105 51 54	111
Angus County Dundee County of City Arbroath Burgh Remainder of County				684 431 47 206	27 19 19 19	4-1-	-1-1	4-1-	P0 4	ון מימו	51 4 11 4	64 11 16	101 68 28 28	198 116 19 63	202 128 16 58	35 25 55 55 55	1111
Argyll County	:	:	:	861	60	1	=	-	63	4	4	90	36	59	54	24	1
Ayr County Ayr Burgh Kilmarnock Burgh Remainder of County	::::		:::::	846 107 126 613	35 € ∞ €	4001	4 4	4 4	2 010	71 42	6 ∞ ∞ 62	66 3 50 50	135 16 19 100	199 26 30 143	246 41 34 171	78 112 60 60	
Banff County	:		:	26	NO.	1	1	1	1	-	7	69	19	22	32	11	i
Berwick County		:	:	81	1	1	1	1	1	=	-	63	14	29	30	63	1
Bute County	:	:	:	76	-	1	1	1	1	2	63	9	10	23	22	90	1
Calthness County	:	:	:	28	69	1	1	-	1	-	2	4	9	13	20	00	1
Clackmannan County	:			93	4	1	7	-	7	ND.	7	00	14	26	24	9	1
Dumfries County Dumfries Burgh Remainder of County	:::		:::	193 49 144	1-40	-1-	-1-	111	111	0 0	9.410	13	33	52 16 36	56 10 46	18 5 13	111
Clydebank Burgh Dumbarton Burgh Remainder of County				384 87 58 239	00 c 4 c	11	4 -0	w w	101 m	r-10	13	34 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	58 111 10 37	108 42 22 23	20 0 80 20 0 80	40 8 8 8 8 7	
East Lothian County	:	:	:	108	69	1	1	1	-	1	63	6	12	34	37	6	1
Fife County Dunfermline Burgh Kirkcaldy Burgh Remainder of County				733 94 114 525	0€ € € 5 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	∞ οι υ	70 co	4 4	70 4	13 10	11255	56 6 7 43	135 18 24 93	192 23 35 134	201 27 34 140	66 9 4 5 53 4 9	H
Inverness County Inverness Burgh Remainder of County			:::	220 64 156	∞ ∞	111	- -	-1-	0000	₩-0	60 00 10	16	600	200	18	29	11:

_																		
1	I	1	11111111	111	1	1	1	1		11111	1	-	1	1111	1	ı	1	1
6	1	13	255 457 11 12 22 25 25 25 25	147 127 20	14	7	7	6	55 13 42	75 13 26 26 67 67 68 68 68 68 68 68 68 68 68 68 68 68 68	27	11	4	32 20 20	9	14	-	11
25	χÇ	25	964 640 111 38 15 37 26 197	448 372 76	35	6	21	16	96 28 68	200 43 60 60 91	20	43	14	116 27 20 20 69	15	53	24	17
=	7	17	998 670 18 35 36 44 14 181	409 352 57	29	00	14	12	89 32 57	230 58 57 112 1103	49	22	23	109 20 19 70	00	54	20	14
6	4	14	718 512 10 18 18 31 31	240 202 38	00	69	00	9	30 00 30 00	142 34 39 66 63	25	19	00	3 9 37	70	31	15	9
9	1	9	381 259 4 4 113 113 6 79	90 20 20	13	7	10	9	24 5 19	57 13 21 4 19	13	9	7	40 42 42	63	14	00	9
40	1	63	160 106 106 8 8 8 36	339	63	7	7	1	9 .00	120202	7	10	=	10 11 11 11 11 11 11 11 11 11 11 11 11 1	7	10	3	7
60	1	1	20 33 21 20	17	60	1	1	-	8	13	100	61	7	00 m m 00	7	7	1000	-
1	I	7	4 88	1 6	-	1	1	-	4 4	100000	IQ.	1	1	0	=	1	ì	
I	1	I	47 -0 0	400	2	I	1	I	- -	1000 01	-	1	1	9011	-	1	tonous	1
1	1	1	35	400	1	1	7	-	= -	ro l or - or	J	ı	1		-	=	1	1
1	1	1	988	P 70 01	7	=	1	1	-1-	401	1	1	1	1111	Ī	-]]
1	I	90	240 159 11 11 10 10 39	37	10	-	7	-	15 10 5	45 17 17 17 14	60	7	7	15	60	00	10	7
99	11	80	3,910 2,642 2,642 64 127 108 162 60 747	1,480 1,243 237	115	28	19	53	347 115 232	808 190 235 39 344	183	109	99	416 85 85 66 265	47	188	81	59
:	:	:	1:::::::	111	;	;	:	:	:::	:::::	:	:	:	::::	:	:	:	:
;	:	:	1111111	:::	}	į	į	:	:::	:::::	:	:	:	::::	:	:	:	:
:	• ‡	:	:::::::	:::	:	:	:	÷	:::	:::::	:	:	:	::::	:	:	:	:
:	:	;	Burgh	:::	:	:	:	:	:::	:::::	:: A	:	:	::::	:	:	:	:
:	:	:. A	Glasgow County Glasgow County of City Ariorie Burgh Coatbridge Burgh Hamilton Burgh Motherwell and Wishaw Motherwell and Wishaw Remainder of County	Iothian County Edinburgh County of City Remainder of County	÷	:	:	:	 nty	 gh 	Ross and Cromarty County	;	:	 .nty	:	: x	:	:
nty	:	Coun	Glasgow County Glasgow County of Cit Airdrie Burgh Costbridge Burgh Hamilton Burgh Motherwell and Wisha Rutherglen Burgh Remainder of County	lothian County Edinburgh County of Remainder of County	:	:	:	:	Perth Burgh Remainder of County	Greenock Burgh Paisley Burgh Port Glasgow Burgh Remainder of County	narty	aty	:	gh of Cou	unty	West Lothian County	ty	A
Con	unty	ight	unty w Cou Burg dge I on Bu well a	rgh C	inty	aty	unty	unty	aurgh der e	ck Burglasgo	Crom	Com	unty	burt Bur Bur Bur ader	d Co	ian (Coun	ount
rdine	ss Co	ndbr	Glasgow County Glasgow Count Airdrie Burgh Coatbridge Bu Hamilton Burg Motherwell an Rutherglen Bu	thian dinbu emair	y Cou	Cou	ey Co	es Co	Cour erth I	frew County Greenock Burgh Paisley Burgh Port Glasgow Bu Remainder of Co	and	urgh	rk Cc	ng Calkirl tirlin temai	Sutherland County	Loth	Wigtown County	O pu
Kincardine County	Kinross County	Kirkcudbright County	Lanark County Glasgow County of City Airdrie Burgh Coatbridge Burgh Machigue Burgh Motherwell and Wishaw Rutherglen Burgh Remainder of County	Midlothian County Edinburgh Count Remainder of Co	Moray County	Nairn County	Orkney County	Peebles County	Perth County Perth Burg Remainder	Renfrew County Greenock But Paisley Burgl Port Glasgow Remainder of	Ross	Roxburgh County	Selkirk County	Stirling County Falkirk Burgh Stirling Burgh Remainder of County	Suth	West	Wigt	Zetland County

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Viade a Eleven of the Principal Towns during the Quarter ended 30th September, 1958

														, , , , , ,				
17				AII	R TEM	PERA	ATURE	3 7	1		ROME G.M.				OTHER PRE-	BRIGHT		
11	TOWNS		n of		ш	A	bsolute M and Min			М	lean o	f	CI	PITAT	Hours per day			
			Minimum (B)	Mean Temp.	Difference from Average	Maximum	Day of Month	Minimum	Day of Month	Dry Bulb	Vapour Pressure	Humidity	Number of Days	Total Fall	Difference from Average	Daily Mean	Difference from Average	
		°F.	°F.	°F.	°F.	°F.		°F.		°F.	mb.	%		Inch	Inch			
	GLASGOW	66.7	52.3	59.5	+0.7	82	4	39	25	59-4	13.9	80	18	4.77	+1.67	6.09	+1.24	
	Edinburgh Aberdeen	63·5 62·4	51·8 49·7	57·7 56·1	-0.8 -0.5	76 80	4 8	45 37	24 25	57·1 56·7	13·3 13·2	84 84	20 19	6·47 5·89	$+3.44 \\ +2.59$	5·11 5·04	0·09 0·00	
58	DUNDEE	66-4	52.1	59-3	+0.3	79	8	42	24	60.4	14.1	79	18	4.06	+0.86	4.33	0.64	
JULY, 1958	Paisley Greenock Kirkcaldy	68·7 66·2 65·1	52·9 52·8 50·5	60·8 59·5 57·8	$+0.8 \\ +0.5 \\ -1.4$	85 82 77	4, 5 4 4	43 44 39	25 24 25	60·9 58·7 59·3	14·8 13·7 13·8	82 82 81	19 21 18	4·89 6·30 5·84	+1.63 +2.23 +2.72	5.91	+1:14	
Ju	Kilmarnock	66.5		nereno.		79	2		gravest.	59.5	13.3	77	18	4.95	_	6.35	+1.62	
	Prestwick Inverness	63·6 64·4	53·7 50·9	58·7 57·7	+0.3	77 73	2 8, 9	45 38	25 23	58·6 58·1	14·0 14·9	84 90	19 11	4·67 2·44	+1.71 -0.50		=	
	PERTH	66-9	51.6	59.3	-0.4	82	4	40	25	59.3	13.9	81	18	5.45	+2.27	5.56	+0.38	
	Means	65.5	51.8	58-6	-0.1		- Constitution			58.9	13.9	82	18	5.07	+1.86	5.54	+0.52	
AUGUST, 1958	GLASGOW EDINBURGH ABERDEEN DUNDEE PAISLEY GREENOCK KIRKCALDY KILMARNOCK PRESTWICK INVERNESS	64·8 63·7 62·1 64·7 66·3 63·8 63·8 65·5 63·5 64·3	52·7 52·5 50·3 51·4 53·8 53·3 50·2 52·5 54·3 52·5	58·7 58·1 56·2 58·1 60·1 58·5 57·0 59·0 58·9 58·4	+0·7 +0·5 +0·2 +0·2 +1·0 +0·2 -1·1 +0·4	70 70 70 73 71 69 71 71 69 72	29 10 12 12, 23 7 11, 30 11, 12 10, 11, 29	42 47 40 45 45 47 43 45 46 45	26 3 9 6, 17 24 24 3, 17 24 24 9	58·8 57·9 56·9 58·8 60·0 57·9 59·0 58·7 58·4 58·9	14·2 13·3 13·1 14·6 14·2 13·9 13·9 14·2 13·8 15·1	84 81 83 87 81 85 82 85 84 89	20 18 21 21 21 21 21 19 19	3·63 3·11 2·75 2·92 4·06 5·07 3·48 4·26 4·00 4·04	+0·30 -0·04 -0·23 -0·40 +0·48 +0·44 +0·21 -0.94	3·94 3·78 3·62 4·08 4·05 4·20 4·34	0·19 0·68 1·10 0·93 0·39 0·17	
	PERTH	64.0	51.0	57•5	0.6	70	14, 29	44	17,22,26	58-1	13.8	84	21	4.18	+1.21	3.56	1.00	
*****	Means	64.2	52-2	58.2	+0.2	though	_		_	58-5	14.0	84	20	3.77	+0.32	3.96	-0.64	
	GLASGOW EDINBURGH	65•5 63·4	51·7 51·9	58·6 57·7	+4·6 +3·6	76 72	2 2	37 44	26 26	57·1 56·7	13·9 13·2	87 84	15 15	3·17 2·29	-0·40 -0·26		+0·14 0·23	
3ER, 1958	ABERDEEN DUNDEE PAISLEY GREENOCK	61·0 63·3 65·8 64·2	50·5 51·3 52·7 53·3	55·7 57·3 59·3 58·7	+3·1 +3·3 +4·4 +4·0	67 70 75 73	7, 14 4 2 2	42 43 42 44	22 22 27 27	56·6 57·6 58·2 57·4	13·6 14·6 14·1 13·8	87 90 85 86	13 15 16 15	2·44 2·55 3·89 5·41	$ \begin{array}{r} -0.61 \\ -0.15 \\ +0.04 \\ +0.06 \end{array} $	3·78 4·01	0·01 0·28 +0·22	
SEPTEMBER,	Kirkcaldy Kilmarnock	62•4 65·6	50·9 52·0	56·7 58·8	+2·3 +4·2	69 75	10, 14	40 40	27 26	58·2 58·9	13·7 13·8	83 82	14 13	2·37 4·90	0·42 	4·02 4·66	+0.81	
SEP	PRESTWICK INVERNESS PERTH	64·3 63·7	52·9 50·2 50·3	57·3 57·0	+2.8	75 71	2 11	41 37 37	26 27 23	58·3 57·3 55·9	13·5 14·2 13·6	82 89 89	11 6 13	3·38 2·45 2·75	+0·07 +0·10	4·43 4·64 3·36		
	Maono	63.0	51.6	57.7	+3.6					57.5	13.9	86	13	3.24	-0.17	4.06	-0.01	

POSITION AND ELEVATION OF STATIONS

	North Lat.	West Long.	Elev. (Feet)		North Lat.	West Long.	Elev. (Feet)	-2 t	North Lat.	West Long.	Elev. (Feet)
(Renfrew) Edinburgh Dundee	55° 52′ 55° 55′ 56° 28′ 57° 11′	3° 11′ 2° 56′	147	Greenock Kirkcaldy	55° 51′ 55° 56′ 56° 08′ 55° 36′	4° 46′ 3° 10′	199	Prestwick Inverness Perth	57° 29′	4° 13′	108

QUARTERLY RETURN OF THE REGISTRAR-GENERAL Scotland

BIRTHS, DEATHS AND MARRIAGES

Registered in the Quarter ended 31st December, 1958

Preliminary Return for the Year 1958

No. 416



Crown copyright 1959

EDINBURGH
HER MAJESTY'S STATIONERY OFFICE

1959

PRICE 2s. 6d. NET

Annual Subscription 10s. 6d. including postage

Note.—In addition to the usual quarterly return of births, deaths and marriages, which begins on page 10, this Report provides on pages 2 to 9 a short preliminary return of the main population and vital statistics for the year 1958. The full statistics will, in due course, be given in the Registrar General's Annual Report. The figures now given are provisional but may be taken as fairly accurate.

Preliminary Return for the year 1958

The main population and vital statistics for the year 1958 are given in Tables IA and IIA on pages 4 to 9 of this Report. The main features of the tables are briefly indicated below.

Population.—The population resident in Scotland at 30th June, 1958, is estimated to have been 5,169,000.

The natural increase of the population in 1958 (excess of births over deaths) was 37,000. The net estimated migration to other countries was 16,800, 18,700 less than in 1957. 8,600 of the loss was to other parts of the United Kingdom and the remainder to countries overseas, mainly Australia, Canada, New Zealand and the United States of America.

Births.—99,480 live births were registered in 1958, a rate* of 19·2 per thousand. This was 0·2 above 1957 and 1·0 above the average†. 1,053 boys were born for every 1,000 girls.

Stillbirths numbered 2,324 as compared with 2,378 in 1957, representing a rate of 23 stillbirths per 1,000 of all births (live and still). This is the lowest stillbirth-rate yet recorded in Scotland.

Marriages.—Marriages registered during the year numbered 41,186. This represents a rate of 8·0 and is 0·3 below that for 1957, and also 0·3 below the average. The pre-war (1934-1938) average rate was 7·6. 33,673 of the marriages were solemnised by ministers of religion, 33,553 having been preceded by proclamation of banns or by publication of notice and 120 authorised by Sheriff's licence in accordance with the provisions of the Marriage (Scotland) Act, 1939. 7,510 marriages were contracted in the offices of Authorised Registrars and 3 were registered on the authority of the Court of Session. Civil marriages comprise 18·2 per cent. of the total marriages.

Deaths.—Deaths from all causes numbered 62,065 and equalled a death-rate of $12\cdot0$ per thousand. This rate is $0\cdot1$ above that for 1957 and also $0\cdot1$ above the average. The average rate in the five years before the war (1934-1938) was $13\cdot2$.

Deaths of children under one year numbered 2,758, giving an infant mortality rate of 28 per thousand living births, 1 below that for 1957, and the lowest rate yet recorded in Scotland. It is about one-third of the average of 77 in the five years before the war. The neo-natal rate (deaths of infants under 28 days) was 19 per thousand living births, which is also the lowest recorded in this age-group. Legitimate children had an infant mortality rate of 27, and illegitimate children of 36.

Table IIA shows the total number of deaths registered in Scotland during the year, classified by sex and cause, and also the number by age and cause.

EXPLANATORY NOTES

In this Preliminary Return-

^{*} birth, death and marriage rates are calculated on the estimated population of Scotland as at 30th June, 1958; † references to an average or average rate are to the average annual rate over the five years 1953-1957.

A comparison of deaths by age-groups in 1958 and 1957 shows decreases in seven of the nine age-groups under 65. The greatest decreases were in age-groups 5-9 and 10-14. There were increases of 2, 4 and 3 per cent. respectively in age-groups 65-74, 75-84 and 85 and over.

The death-rate at ages under 45 was $2\cdot0$ per thousand, and at ages 45 and over $31\cdot2$. In 1957 the corresponding rates were $2\cdot0$ and $30\cdot8$.

Causes of Death.—The number of deaths from the principal epidemic diseases was 177, 563 less than in 1957. The death-rate was 3 per 100,000. As in 1957, no deaths were recorded from diphtheria. There were no deaths from scarlet fever (including streptococcal sore throat) against 2 in 1957. Typhoid fever caused 1 death (none in 1957). There were 25 deaths from meningococcal infections (4 in 1957), 4 from whooping cough (21), 4 from measles (16) and 143 from influenza (680—it will be recalled that there was an epidemic of influenza in the autumn of 1957). There were 16 deaths from acute poliomyelitis, 5 more than in 1957.

Deaths from tuberculosis (all forms) numbered 687, 36 fewer than in 1957. The death-rate was 13 per 100,000, 6 below the average. 638 of the deaths were from respiratory tuberculosis, 26 fewer than in the previous year, and the rate of 12 per 100,000 was 5 below the average. Deaths from non-respiratory tuberculosis at 49 were 10 fewer than in 1957 and the rate of 1 per 100,000 was 1 below the average.

Deaths from cancer numbered 10,831 and were 84 more than in 1957 and 288 above the average number of 10,543 for the years 1953-1957. Deaths from cancer of the respiratory system accounted for 2,373 compared with 2,220 in 1957 and the average number of 2,038 for the years 1953-1957.

Deaths from heart disease numbered 21,348 and were 783 more than in 1957. They account for 34 per cent. of all deaths.

From vascular lesions affecting the central nervous system deaths numbered 9,982 against 9,566 in 1957, from nephritis and nephrosis 417 against 511, and from senility 558 against 580.

Deaths from diseases of the respiratory system (not tubercular, malignant or influenzal) numbered 5,011 which were 417 more than in 1957. They included 2,106 from pneumonia (except of newborn) and 2,294 from bronchitis, the rates per 100,000 being 41 and 44 respectively. Compared with 1957 the number from pneumonia was 64 more and from bronchitis 281 more.

Deaths from diseases and accidents of pregnancy and childbirth numbered 52 as against 46 in 1957. This represents a maternal mortality rate of 0.5 per thousand births (live and still). This rate is the same as that for 1957 and is 0.1 below the average.

Deaths from congenital malformations and diseases of early infancy numbered 2,159 and were 87 less than in 1957.

Deaths attributed to violence (i.e., deaths not due to natural causes) numbered 2,848 and are 47 more than in 1957. Of these 435 were ascribed to suicide, 629 to road transport accidents, 1,109 to accidents in the home and 675 to other forms of violence; the numbers from these causes in 1957 were 420, 585, 1,060 and 736 respectively.

In Table IA will be found the main figures and rates for Scotland, cities, large burghs and remainder of counties, with individual figures for each area.

‡ See note on page 6

TABLE IA.—MAIN STATISTICS FOR 1958

000 (tps:	tillbii	ths l	Stillbir Births (i	23 23 25 25 25	22	16	24 17 14	29	2272	27	10	15	25	31
sate irths	lity E	lorta forta	Infanth 00,1 19q	28 30 29 29	25	18 19	20 15 22	20	23 28 28	35	7	31	31	22
s per	Birth Birth	nate Live	nitigallI 100 i	4.9 3.6	3.6	5.4	5.3	5.2	4.0	4.9	3.8	4.2	5.7	4.2
		Tuberculosis	Respira- tory	0.12 0.18 0.13	0.08	0.00	0.10 0.05 0.17	0.11	0.09	80.0	1	0.13	0.04	0.10
lation	hs		Total	0·13 0·19 0·15	80.0	0.07	0.05	0.11	0.00	80.0	1	0.20	80.0	0.10
,000 Popu	Deaths	Princi- pal	Epi- demic Diseases	0.03 0.04 0.02	0.04	0.03	0.03	0.14	0.02	0.10	I	demonstrati	0.16	0.03
Rates per 1,000 Population			Total	12.0 12.4 11.3	11.9	11.3	12·1 11·8 12·7	17.2	13·1 11·2 11·3	12.0	14.3	18.0	12.4	10.8
R		Marri-	ages	80 0.00 0.00	9.9	9.9	9.7.8	5.5	10.1	9.9	4.0	5.9	7.5	7.8
.19		Births		19.2 19.6 20.7	18.5	17.4	19.8 16.9 15.4	15.0	19.2 22.7 19.2	18.1	12.4	12.8	22.6	19.8
	ī	ulosis	Respira-	638 336 116	186	12 12 1	32 18 1 13	9	16	4	1	7	-	4
1111		Tuberculosis	Total	687 360 126	201	14 13 1	35 20 1	9	74-121	4	1	60	7	4
i	Deaths			2,758 1,122 520	1,116	105 57 48	103 72 5 5 26	17	184 19 30 135	31	7	9	18	18
		Princi-	Epi- demic Diseases	177 68 16	93	974	69 8	00	21 7	NO	1	1	4	-
bers			Total	62,065 23,769 9,807	28,489	3,691 2,112 1,579	3,401 2,181 236 984	971	3,899 577 507 2,815	290	336	269	315	439
Numbers		Marriage	niairia po	41,186 17,673 7,786	15,727	2,754 1,841 913	2,261 1,584 150 527	311	2,576 443 412 1,721	326	94	88	191	316
		Chill	births	2,324 889 456	626	92 52 40	109 86 6 17	25	155 19 29 107	25	8	60	15	26
	irths	Moniti	mate	4,072 1,820 649	1,603	280 145 135	247 189 14 44	44	244 34 41 169	44	11	00	33	34
	Live Births	Total	Total	99,480 37,435 17,929	44,116	5,726 3,243 2,483	5,091 3,568 337 1,186	843	6,666 843 1,026 4,797	890	291	191	574	805
	Estimated	Population at	30th June, 1958	5,169,000 1,912,900 867,800	2,388,300	325,900 186,400 139,600	277,300 180,200 19,900 77,200	56,400	338,400 44,000 45,100 249,400	49,000	23,500	15,000	25,400	40,600
				SCOTLAND Counties of Cities Large Burghs	of Cities and Large Burghs)	Aberdeen County Aberdeen Co. of City† Remainder of County	Angus County Dundee Co. of City Arbroath Burgh Remainder of County	Argyll County	Ayr County Ayr Burgh Kilmarnock Burgh Remainder of County	Banff County	Berwick County	Bute County	Caithness County	Clackmannan Co

27 29	222 12	13	25 33 18	16	23	6	13	32398	17 18 22	19 26	16	7
22 29	2388	23	31 20 26 26	18 23	23	19	31	182 49 84 48 48	25 30	25	21	22
6.6	3.1	3.4	14.3	4.3	3.5	3.8	4.0	9.4.0 9.0.0 8.0.0 8.0.0	20.0	14.7	4.0	4.3
0.04	0.09 0.09	80.0	0.04	0.09	0.07	0.28	0.10	0.26 0.26 0.26 0.22	0.14 0.12 0.16	0.00	0.04	0.13
0.04	0.20	80.0	0.08	0.18	20.0	0.28	0.10	0.03 0.09 0.26 0.24	0.18 0.12 0.18	0.07	0.04	0.12
0.05	0.04	0.04	0.00	0.07	1	1		0.04	0.03	0.03	0.10	1
11.7	9.5	111-7	10.6	11.0	12.4	13.8	12.8	12.5 10.9 10.6 12.0	10.7 12.5 11.1	12.9	10.9	15·1
12.3	6.8	6.4	8.55	16.3	5.9	8.5	6.9	9.2 10.1 7.9 10.3	8.6 10.6 6.9	9.2	7.5	6.2
18·1 16·9	22.7 24.8 18.5	18.2	18·3 19·5 19·4	19.6 15.9	16.0	14.8	17.9	21.6 25.9 21.6 21.6	21.2 18.3 20.7	16.8	20.4	16.8
4-8	210000	4	81 2 2 4	10	7	7	60	368 277 2 14 9	10	37 8 8	7	1
ν = 4:	22 10 80 90	4	20 4 41	111 5 6	7	7	69	392 292 3 14 10	13	8.8 8.8 8.8	7	1
41 111 30	104 33 25 46	22	161 26 20 20 115	30 10 20	10	2	17	1,164 800 35 32 42	43 11 201	253 193 60	21	8
- -	0 0	7	200	10	1	1	I	25. 44	10	17 16 1	ro	1
1,035 324 711	1,945 484 271 1,190	605	3,617 490 524 2,603	1,030 312 718	333	66	390	19,569 13,453 356 563 497	772 306 3,622	7,187 6,023 1,164	535	125
920 339 581	1,152 343 187 622	333	2,322 393 426 1,503	643 462 181	159	61	210	14,265 9,965 330 419 424	622 258 2,247	5,068 4,283 785	367	51
45 14 31	83 29 39	12	137 222 35 80	23	10	-	7	864 596 21 23 28	27 8 151	214 155 59	16	1
76 33 43	105 36 17 52	32	223 36 33 154	69 32 37	15	41	22	1,450 1,118 1,118 19 40 30	36 14 193	436 368 68	40	9
1,545 500 1,045	3,657 1,150 663 1,844	946	6,211 847 1,017 4,347	1,425 555 870	431	106	544	34,428 22,760 709 1,372 866	1,532 446 6,743	10,078 7,864 2,214	1,004	139
89,400 27,600 61,800	177,400 50,700 26,700 99,900	51,800	322,200 46,200 52,100 223,900	82,900 28,300 54,600	26,900	7,200	30,400	1,628,000 1,079,000 32,800 52,900 41,300	72,200 24,400 325,400	575,100 467,400 107,700	49,200	8,300
Dumfries County Dumfries Burgh Remainder of County	Dunbarton County Clydebank Burgh Dumbarton Burgh Remainder of County	East Lothian Co	Fife County Dunfermline Burgh Kirkcaldy Burgh Remainder of County	Inverness County Inverness Burgh Remainder of County	Kincardine County‡	Kinross County	Kirkcudbright Co	Glasgow Co. of City Airdrie Burgh Coatbridge Burgh Hamilton Burgh Hamilton Burgh	Motherwell and Wishaw Burgh Rutherglen Burgh Remainder of County	Midlothian County Edinburgh Co. of City Remainder of County	Moray County	Nairn County

TABLE IA.-MAIN STATISTICS FOR 1958-continued

rtps	idlitic	inc.	Births (116	107=000		2	_	1800	10	-	69	10
000), i 190	i sqı.	Stillbir	33	33	15	33 18	24	26	30	308	25	21	33	35
ets A		Mort	tastal	21	29	16	18888	15	6	12	141 26 26	26	25	25	29
Illegitimate Births per 100 Live Births				5.1	3.9	5.3	14.62	4.4	3.6	2.7	2.1 2.6 2.6	5.5	2.7	9.8	4.4
	Tuberculosis al Respira-		1		0.12	0.21 0.16 0.17 0.07	0.07	0.05	0.05	0.16 0.15 0.08	0.31	0.04	0.03	0.05	
ation	ths	Tube	Total		1	0.12	$\begin{array}{c} \\ 0.21 \\ 0.16 \\ 0.21 \\ 0.09 \end{array}$	0.07	0.03	0.05	0.16 0.18 0.08	0.31	0.05	0.07	0.05
Rates per 1,000 Population	Deaths	Princi- pal	Epi- demic Diseases	0.05		0.02	0.01	0.07	1	1	0.03	1	0.04	0.03	0.05
es per 1,0			Total	15.1	15-1	12.9	11.3 12.3 9.0 12.2	13.3	13.2	14.9	12.4 11.6 10.3	15.2	6.6	12.9	15.0
Rat		Marri-	ages	6.9	6.9	10.5	7.6 8.5 6.1	3.3	8.9	0.2	9.52	6.4	7.2	8.9	4.7
		Births		14.9	14.5	17.5 16.6	20.5 21.1 22.4 18.3	16.2	14.8	15.6	18.0 18.9 18.7	18.0	50.6	20.1	14.9
	ı	Tuberculosis	Respira	1	1	00 to to	44 15 15 4 6	4	1	1	20 6 4 10	4	4	1	1
		Tuber	Total	-		ထေးက	48 16 15 12	4	1	1	21 6 5 10	4	rO	7	1
	Deaths	Child-	ren under 1	9	9	47 24 23	203 57 60 16 70	15	9	4	82 14 7 61	9	48	15	00
		Princi-	Èpi- demic Diseases	-	1	6 - 6	6 1 1 7 7	4	I	Accessed	7	1	4	1	1
Numbers			Total	294	214	1,645 528 1,117	3,947 880 1,187 211 1,669	797	290	312	2,103 464 318 1,321	198	922	387	275
		Marriages	•	135	86	896 430 466	2,422 590 792 202 838	198	304	147	1,470 343 221 906	83	674	204	87
		Still-		10	7	41 111 30	166 53 50 118 45	24	18	10	103 15 14 74	9	42	21	10
	irths		Illegiti- mate	15	00	109 34 75	213 67 76 18 52	43	24	6	100 14 25 61	13	51	52	12
	Live Bir		Total	292	206	2,146 718 1,428	6,678 1,601 2,034 527 2,516	972	662	328	3,578 670 516 2,392	235	1,913	909	273
Estimated Population at at 1958		19,500	14,200	127,000 41,000 86,000	335,200 78,000 96,500 23,500 137,200	59,800	44,800	21,000	192,800 37,300 27,300 128,200	13,100	93,000	30,100	18,400		
				Orkney County	Peebles County	Perth County Perth Burgh Remainder of County	Renfrew County Greenock Burgh Paisley Burgh Port Glasgow Burgh Remainder of County	Ross and Cromarty County	Roxburgh County	Selkirk County	Stirling County Falkirk Burgh Stirling Burgh Remainder of County	Sutherland County	West Lothian Co	Wigtown County	Zetland County

* Typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.
† Including for this purpose the entire Burgh of Aberdeen, part of which is in Kincardine County.

‡ Excluding for this purpose the portion of Aberdeen Burgh in Kincardine County.

TABLE IIA

TABLE IIA.—DEATHS IN SCOTLAND—YEAR 1958

	Not sta- ted	
		3 11 1,171 1,177 1,
	75-	39 22 25 25 255 255 255 257 277 297 297 297 297 297 358 358
	65-	120 23 23 23 14 14 14 150 2,325 2,325 2,325 190 106 106 106 108 108 108 108 108 108 108 108
	55-	155 8 21 1 1 1 1 1 1 1 1 1 1 1 1 1
	45-	119 9 9 9 6 6 1,495 1,025 1,025 6 6 6 6 6 6 6 6 6 6 6 6 6
	35-	108 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
Age	25-	81 3 3 154 154 154 154 154 154 154 154 154 154
	15-	04 0 C 0 00 00 00 00
	10-	1036 211337 1 20 1 11111121
	5-	4
	1	25 to 3
	-1	-01 10 10 10 10 10 10 10 10 10 10 10 10 1
	ĮŦ.	207 18 18 12 3 11 12 38 4,373 373 373 373 373 4,275 8,767 8,767 8,767 8,767 100 578 100 578 100 578 100 578 100 578 100 578 100 578 100 578 100 578 100 578 100 578 100 578 100 578 100 578 578 578 578 578 578 578 578
All Ages	M.	431 40 40 40 13 13 13 13 13 13 13 13 13 13
	Total	638 49 49 16 16 16 16 16 16 16 16 16 16
CAUSES OF DEATH		Tuberculosis of respiratory system Tuberculosis, other forms Syphilis and its sequelæ Dysentery, all forms Whooping cough Meningococcal infections Acute poliomyelitis Measles Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)* Malignant neoplasms of respiratory system Malignant neoplasms of respiratory system Malignant neoplasms of lymphatic and hæmatopoietic tissues Other malignant neoplasms Diabetes mellitus Anæmias Other general diseases Vascular lesions affecting central nervous system Nonmeningococcal meningitis Other diseases of nervous system Rheumatic fever Chronic rheumatic heart disease Arteriosclerotic and degenerative Chronic rheumatic heart disease Arteriosclerotic and degenerative Other diseases of heart Hypertensive heart disease Other diseases of heart Hypertensive heart disease Other disease of heart Hypertensive heart disease
AL	Abbre- viated List	10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
INTERNATIONAL	Detailed List v	001-008 010-019 020-029 045-048 056 057 080 080 085-074, 049-055, 058-074, 049-055, 160-165 140-205 140-165 140-165 200-205 200-203 200-203 240-23 240-23 330-334 330-334 340-434 440-443 440-443 440-443 450-468

					1000											9
1111111	1 1	1 1	1	1 1	1	1	1 1	1	}	1	1	1 1	1	1	ł	
238 122 151 151 151 151	110	25	27	4 1	28	1	1 1	1	1	108	00	9	1	180	17	6,035
688 688 688 688	32	185	83	1	91	-17	1 1	6	1	930	44	48	00	319	83	17,911 6,035
242 742 165 165 16 97 97	39	83	111	7.	88	o		1	1	76	09	09	7	164	26	16,205
212 597 141 122 17 47 47 63	34	18	74	1 1	52	20	1 1	ě	1	1	49	68	3	104	87	0,183
209 209 46 59 11 24 24 22	19	61	29	161	19	21	1 1	1	1	1	24	126	7	99	95	4,997 10,183
39 27 27 27 27 10 10 10	(C 00	30	21	13.05	7	10	11	1	ŧ	1	=	707	3	45	86	862 1,910
8000 847 170	10 4	32	11	19	00	13	1 1	T	1	į.	8	57	4	23	92	862 1
4-4001100	1001	26	-	0110	9	133	1 1	T	1	8	14	106	4	13	70	518
0		91		1 1	4	14	1 1	1	1	1) —	14	61	00	35	158
@ww 400	101	9 1	4	1 1	_	15	1 1	1	1	1	-	45	,	7	26	190
200 124-4	5	1 1	-	1 1	-	20	1 1	1	1	proof	9	39	1	24	23	338
271 34 10 10 1 24 26 59	13	co 1	6	1 6	67	496	808 100	10	17	575	44	100	1	156	6	2,758
1,011 683 139 145 145 181 162 162	184	195	209	13	212	338	297	91		218	106	152	13	671	133	30,300
1,095 1,611 472 389 48 172 172 1112	200	381	163	1	95	310	511	4	01	358	150	283	21	438	542	31,765
2,106 2,294 611 534 85 85 353 10 10 274	268	417	372	13	307	648	808	10	17	576	256	595	34	1,109	675	62,065
Pneumonia (except of newborn) Bronchitis Other respiratory diseases Ulcer of stomach and duodenum Appendicitis Intestinal obstruction and hernia Gastritis and duodenitis Oirnhost of invertor invertory of newborn) Circhost of invertory		Nephritis and nephrosis Hyperplasia of prostate	sis 1		Diseases of skin and organs of locomotion	Congenital malformations Birth injuries, post-natal asphyxia	and atelectasis	Diarrhœa of newborn	Other infections of the newborn Other diseases peculiar to early in-	fancy and immaturity und'lifted	Ill-defined and unknown causes	,,,,,	Other road vehicle accidents	Accidents in the home	Other violence (BE 50)	All Causes
31 46.3 33 34 36.0 36.1	46.4	38	40.0	40.1	46.7	47	43.0	43.1	43.2	45.0	45.1	E47	E48.0	E48.1	E48.2	
490-493 500-502 470-475, 510-527 540, 541 550-553 560, 561, 570 543 571, 572	580, 582-586 530-539, 542, 544, 545, 573-578, 587	590-594	640 641 651	681, 682, 684) 642-650, 652-680, 683 685-689		750-759	763	764	769-776	794	780-793, 795	E810-E835	E840-E845	E961 (part), F962 (part)	Rem. of E800-E999	

* Including typhoid fever, scarlet fever and strepto cocal sore throat, diphtheria and acute infectious encephalitis.

Quarterly Return of the

Births, Deaths and Marriages registered in Scotland for the Quarter ended 31st December, 1958

REPORT

Summary.—There were 25,257 births in the quarter or 19.3 per thousand of the population. This rate* is 0.7 higher than for the fourth quarter of 1957 and 1.7 above the averaget.

The marriage-rate was 7.2 per thousand of the population, the same as that in the fourth quarter of 1957 and 0.2 above the average.

There were 15,587 deaths in the quarter or 11.9 per thousand of the population. This compares with a rate of 13.1 in the fourth quarter of 1957, and an average of 11.9.

There were 709 deaths in the quarter due to causes other than natural causes. 276 of these deaths were due to accidents in the home, as detailed in the table on page 13. 204 were due to transport accidents, of which 173 were road transport accidents.

Deaths from tuberculosis (all forms) were 194, or 15 per 100,000 of the population. The rate is 2 per 100,000 lower than in the fourth quarter of 1957 and 4 per 100,000 below the average.

There were 8 maternal deaths or 3 for every 10,000 live births. This was 4 per 10,000 less than in the fourth quarter of 1957 and 3 below the average.

Live Births.—The 25,257 births in the quarter under review are 1,113 more than in the corresponding quarter of 1957. The rate per thousand population is 19.3, being 0.7 higher than the rate for the corresponding quarter of 1957 and 1.7 above the average. The birth-rate in the cities is 19.8 and in the large burghs 20.9. These compare with 18.4 for the rest of Scotland. In individual areas the rate ranged in the cities and large burghs from 26.7 in Coatbridge, 24·4 in Kilmarnock and 23·4 in Clydebank to 16·9 in Edinburgh and Rutherglen, 16.0 in Dumfries and 15.8 in Falkirk. In counties exclusive of cities and large burghs it ranged from 21.2 in Caithness, 21.1 in Clackmannan, and 20.8 in West Lothian to 12.8 in Zetland, 11.5 in Peebles and 8.8 in Berwick.

The proportion of illegitimate births, 4.0 per cent, is the same as that for the fourth quarter of 1957 and 0.2 below the average.

Of the 25,257 births registered, 12,787 were of male children and 12,470 of female children, being 1,025 male births per thousand females. Births registered in October numbered 8,940, in November 7,761, and in December 8,556, the equivalent birth-rates being 20·3, 18·2 and 19·4 respectively.

Stillbirths.—The number of stillbirths registered during the quarter was 612 and is equivalent to a rate of 24 per thousand total births (including stillbirths) which compares with 23 per thousand in the fourth quarter of 1957.

Marriages.—The number of marriages registered, 9,462, is 138 more than for the fourth quarter of 1957. The rate per 1,000 population was 7.2. It is

EXPLANATORY NOTES

In the Quarterly Return-

birth, death and marriage rates are calculated on the estimated population at 31st December, 1958;
 references to an average or average rate are to the average annual rate for the corresponding quarters of the five years 1953-1957; and births, stillbirths and deaths are, where necessary, corrected by transfer to usual place of residence, if in Scotland

the same as that for the corresponding quarter of 1957, but 0·2 above the average. The rate in the cities is 8·3 and in the large burghs 8·3. These compare with 6·0 for the rest of Scotland. In individual areas the rate in the cities and large burghs ranged from 15·9 in Inverness, 11·4 in Dumfries and 11·0 in Rutherglen to 6·5 in Coatbridge, 6·2 in Dumbarton and 5·7 in Stirling. In counties exclusive of cities and large burghs it ranged from 9·4 in Sutherland, 9·3 in Bute and 9·2 in Dumfries, to 3·9 in Zetland, 3·7 in Ross and Cromarty and 3·2 in Berwick.

Of the 9,462 marriages registered, 1,854 were civil marriages contracted in registrars' offices, and one was an irregular marriage registered on the authority of the Court of Session. The remainder, 7,607, were solemnised by a minister of religion. In the corresponding quarter of 1957 civil marriages numbered 1,836, those with a religious ceremony numbered 7,486 and there were also two irregular marriages.

Marriages registered in October numbered 3,709, in November 2,230 and in December, 3,523, the equivalent marriage-rates being 8.4, 5.2 and 8.0 respectively.

Deaths.—Deaths registered during the quarter numbered 15,587, and equalled a death-rate of 11·9 per thousand population. They are 1,418 fewer than were registered in the corresponding quarter of 1957. The rate is 1·2 lower than in that quarter, but is the same as the average. The death-rate in the cities is 12·6 and in the large burghs 11·0. These compare with 11·8 in the rest of Scotland. The rate in individual cities and large burghs ranged from 13·7 in Ayr, 13·4 in Falkirk and 13·3 in Dumfries to 9·9 in Dunfermline and Port Glasgow, 9·5 in Coatbridge and 9·0 in Kirkcaldy. In counties exclusive of cities and large burghs it ranged from 17·7 in Kinross, 17·5 in Argyll and 16·3 in Nairn to 10·7 in Midlothian, 10·2 in Clackmannan and 9·9 in West Lothian.

Deaths registered in October numbered 4,621, in November 4,661 and in December 6,305, the equivalent death-rates being 10·5, 10·9 and 14·3 respectively.

Infant Mortality.—Deaths of children aged under one year numbered 694 and are equivalent to an infant mortality rate of 27 per thousand registered live births. This rate is 2 lower than that for the corresponding quarter of 1957 and 4 below the average. Among legitimate children the mortality was 27 per thousand births and among illegitimate children 33.

The infant mortality in the cities is 31, in the large burghs 28 and in the rest of Scotland 24. In the cities and large burghs individually it ranged from 62 in Airdrie, 41 in Dumbarton and 39 in Kilmarnock to 14 in Aberdeen and Inverness, 11 in Arbroath and 8 in Stirling.

In counties exclusive of large burghs it ranged from 43 in Caithness, 41 in Clackmannan and Kirkcudbright and 38 in Midlothian to 13 in Perth, 10 in Selkirk and 6 in Roxburgh. No deaths of children aged less than one year occurred in the Counties of Kinross, Orkney, Peebles and Sutherland.

The neo-natal rate (deaths of infants under 28 days) was 19 per thousand live births and is 1 below that for the corresponding quarter of 1957.

Causes of Death.—Principal Epidemic Diseases.—There were 32 deaths registered during the quarter which were attributed to the principal epidemic diseases, being 518 fewer than in the fourth quarter of 1957, when an epidemic of influenza caused 539 deaths. The death-rate for this group is 2 per 100,000 of population, and the average rate is 12. These deaths include 8 from menin-

gococcal infections, 2 from measles and 22 from influenza. There were no deaths from typhoid fever, scarlet fever, diphtheria or whooping cough. In the cities and large burghs 19 areas had no deaths from the principal epidemic diseases and in the rest of Scotland 24 counties had no such deaths.

In addition to the deaths mentioned above, 9 deaths were registered from acute poliomyelitis. There were 5 deaths from this cause in the previous quarter and 3 in the corresponding quarter of 1957.

Tuberculosis.—The 194 deaths from all forms of tuberculosis are 32 fewer than in the fourth quarter of 1957. 182 were ascribed to tuberculosis of the respiratory system and 12 to tuberculosis of other organs. The death-rate from all forms of tuberculosis is 15 per 100,000, that from respiratory tuberculosis being 14. Both rates are 2 below that for the corresponding quarter of 1957. The rates from all forms and from the respiratory form are respectively 4 and 3 below the average.

Cancer.—Deaths from this cause numbered 2,823 and equal a rate of 216 per 100,000. These deaths are 95 more than in the fourth quarter of 1957, and the rate is 6 higher than in that quarter.

Respiratory Diseases.—Deaths from bronchitis numbered 619 and from pneumonia (excluding pneumonia of the newborn) 482. The corresponding death-rates per 100,000 population are 47 and 37, which are appreciably above the average rate of 38 in each case.

Maternal Mortality.—Deaths of mothers from diseases and accidents of pregnancy and childbirth numbered 8, and are equal to a rate of 0.3 per thousand live births. This rate is 0.4 below that for the corresponding quarter of 1957 and 0.3 below the average. Including stillbirths the maternal death-rate is 0.3 per thousand.

Violence.—Deaths from violence (i.e., deaths not due to natural causes) numbered 709, and are equivalent to a death-rate of 54 per 100,000 of the population. In the corresponding quarter of 1957 the number was 737 and the rate 57.

276 of the deaths were from accidents in the home, and 173 were attributed to road transport accidents. The numbers are subdivided by causes, broadly grouped and by sex and age, in the following table.

Deaths from Accidents in the Home by sex and age—quarter ended 31st December, 1958—Scotland

International Detailed List Nos.	Cause of Death	All	Under	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
E.870-E.888	Poisoning by solid and f M.	7		1			1		1	3	1	_		
E.890a	liquid substance \ F. Poisoning by utility (illu-	11		1				_		4	4	1	1	
	minating) gas, stated M. to be accidental F.	17						1	2	2	1 2	3	-6	1 2
E.890b	Poisoning by utility (illu-	17							4	4	4	3	0	2
	minating) gas, un- specified as to whether f м.	17			_		1	_	2	2	6	4	2	
	accidental or suicidal \ f.	16			-		-	1	1	3	_	5	3	3
E.891-E.895	Poisoning by other gases M. and vapours F.			_		_	-	_	-		-		_	
E.900-E.904	72-11- [M.	52			1	2	_		1	_	7	7	23	11
	Falls $\binom{M}{F}$	87	_	-	_			-	1	1	3	15	46	21
E.916-E.918	Fire, explosion, hot sub- \(\infty \text{M}. \)	3	-		1	_			-		1		1	
E.921, E.922, \	stance, radiation, etc. F.	15 23	20	1	2	1	1			_	1	2	5	2
E.924, E.925	Mechanical suffocation $\begin{cases} M \\ F \end{cases}$	18	15	2					1		_		1	
Remainder	Other and unspecified M.	2					1			1		-		
	accidents \f.	2	-	1		_			1	-		-	-	-
E.870-E.936, \	Total Accidents in the f M.	110	20	2	2	2	3	1	4	6	16	15	27	12
E.961, E.962	home \f.	166	16	4	2	1	1	1	6	10	10	26	61	28

Deaths from transport accidents in the fourth quarter of 1958 are analysed in the following table according to the type of accident and the sex and age of the deceased. 173 of the total of 204 transport accidents were road accidents.

Deaths from Transport Accidents by sex and age—quarter ended 31st December, 1958—Scotland

International Detailed List Nos.	CAUSE OF DEATH	Ali	Under	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
E.812 E.813 E.814,E.815, E.821 Remainder of E.810-E.825 E.830-E.835		38 32 3 -29 - 42 15 5	1 =	2 4 - - 1	6 2 2	1 2 - 1	1 7 — 11 — 9 5 2	2 1 - 4 - 5 1 1	4 2 3 4 - 5 3 -	4 5 - 5 - 13 1 1	6 2 - 1 - 3 2	6 3 - 2 - 2 2 1	5 4 — 1 — 2 —	1
E.840-E.842. } E.844 E.843 E.845 E810-E.845	Other road vehicle accidents involving injury to:— Pedestrian \{ \begin{align*}{M} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	3 4 2 - - 122 51 27			- - - - 8 2	- 1 - 3 2	1 - - 23 13	12 2	1 - - 17 5	23 7	1 1 - - - 11 5	1 1 - - 12 6	9 4	1
E.850-E.866 } E.800-E.866	port accidents \ F. Total transport accidents \ \begin{array}{c} M. F. \end{array}	149 55	1	2 5	8 2	3 2	28 13	18 2	22 5	25 8	18 8	14	9 4	1

The death-rates from the main causes of death in the fourth quarter of 1958 are indicated in the following table. The comparable rates in the fourth quarter of 1957 and the average rates for the fourth quarters of the years 1953-1957 inclusive are also given.

Fourth Quarter		Death-ra	tes per 100,000 Po	pulation
Principal Epidemic Diseases 2 42 12 Typhoid Fever - 0 0 Scarlet Fever - 0 0 Diphtheria - - - Whooping cough - 0 0 Meningococcal Infections 1 1 1 1 Measles 0 - 0 0 Influenza 2 41 10 10 All Tuberculosis 15 17 19 19 Respiratory 14 16 17 19 1 2 20 20 20 20 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 4 6 1 3 3 3 4 6 1 3 3 3 3 4 6 1 3 3 3 4 6 1 3 3 3	Cause of Death			Average rates for Fourth Quarters 1953-1957
Typhoid Fever	ALL CAUSES	1,193	1,308	1,186
All Violent Deaths 54 57 53	Typhoid Fever Scarlet Fever	1 0 2 15 14 1 216 47 37 *0·3	$ \begin{array}{c} - \\ 0 \\ - \\ 0 \\ 1 \\ - \\ 41 \\ 17 \\ 16 \\ 1 \\ 210 \\ 53 \\ 61 \\ *0.7 \end{array} $	0 0 1 0 10 10 19 17 2 206 38 *0.6

^{*} Per 1,000 live births

CLAIMS TO SICKNESS BENEFIT UNDER THE NATIONAL INSURANCE ACTS

The number of new claims to Sickness Benefit under the National Insurance Acts made at National Insurance Offices of the Ministry of Pensions and National Insurance in Scotland during the 13 weeks ended 30th December, 1958, was 246,427. The number of such claims made at the 17 principal towns is shown below.

		ew Sickness E weeks ended :						,	laims in the ember, 1958
1.	Glasgow		• • •	69,661	10.	Dunfermline	·		3,935
2.	Edinburgh	•••		19,637	11.	Clydebank			5,416
3.	Aberdeen	•••		8,874	12.	Ayr		•••	4,469
4.	Dundee			9,723	13.	Kilmarnock	• • •		3,489
5.	Paisley	•••		6,877	14.	Perth			2,770
6.	Greenock	•••	• • •	6,60 2	15.	Hamilton	• • •		7,598
	Motherwell	l and			16.	Falkirk			3,650
	Wishaw			8,789	. 17.	Airdrie			2,997
8.	Kirkcaldy	**,*		3,990					
9.	Coatbridge			4,701				1	73,178

These figures represent the number of new claims made at Ministry of Pensions and National Insurance Offices in the towns named, and include a number of claims made by insured persons resident in the landward area served by these offices.

[†] Per 1,000 live and stillbirths

METEOROLOGICAL NOTES

Supplied by the Meteorological Office, Edinburgh

OCTOBER, 1958

October continued mild with periods of rain alternating with periods of sunshine, but with a more settled period from the 21st to the 27th when a large anticyclone moved slowly east across the Southern half of the British Isles.

Recorded temperatures were above average everywhere by from 1° to 3°F, with day maxima around the middle fifties and minima from 40° to 45°F. The mildest days were at the beginning of the month, around the 8th and from the 20th to 24th. Among the highest temperatures recorded were 68°F, at Balmoral on the 23rd, 66°F, at Gordon Castle on the 8th, and 65°F, at Lossiemouth (8th), Kinlochewe (2nd and 4th) and Craibstone (23rd). The coldest days occurred between the 10th and 19th mainly around the 16th and on the 31st with the maximum temperature in some places only 45°F. Among the lowest night minima recorded were 22°F, at Garve, Ross-shire, 25°F, at Carnwath and Castle Douglas, and 26°F, at West Linton all on the night of 17th/18th. There was ground frost at one place or other on 26 days, being most widespread on the 6th, 12th, 18th and 31st. A thermometer exposed on the ground recorded 18°F, at Achaglachgach, Argyll, on the 18th.

Sunshine was above average in most Eastern districts with large excesses in Fife and Angus where the total duration of bright sunshine was about $1\frac{1}{2}$ times the October average. In the West and South sunshine aggregates were generally below average, except at Stornoway where there was a slight excess. The sunniest places were Dunbar (155 hours), Leuchars (143), Arbroath (141).

Rainfall was below average everywhere South of the Great Glen and also at Stornoway and Cape Wrath. In some places near the East coast as far North as the Moray Firth, there was less than half the average October rainfall and in Midlothian and Eastlothian there was just under one-third of the October average. At North Berwick, with a monthly total of 0.86 inches, there have been only two drier Octobers since records began in 1922, 1946 (.68 inches) and 1951 (.24 inches). Elsewhere in Inverness-shire and Northwards including Orkney, there was a slight to moderate excess with up to 40 per cent more than the average rainfall for October. Rainfall was most persistent in the first half of the month and persistent rainfall continued in the second half of the month in the North and Northwest except for the 25th to 27th which were mainly dry. In the East and South it was mainly dry in the second half of the month except for the 18th to 20th and the 28th to 31st. Among the heaviest falls recorded were 2.63 inches at Onich, 2.57 inches at Kingairloch and 2.33 inches at Fort William, all on the 9th.

Thunderstorms were reported at one place or other on 10 days, a high frequency for October, and the frequency of gales (17 days) was also above average.

Fog was reported at one place or other on 12 days which was near to average for October.

Meteorological Notes—continued

NOVEMBER, 1958

Though unsettled at times in the first half of the month, anticyclonic conditions predominated in the second half. Over the country as a whole the month was dry and rather mild, but with the foggy cloudy conditions which persisted over much of the country in the second half of the month, rather dull.

Day maximum temperatures were generally between 45° and 50°F. and night minima between 35° and 40°F. Temperatures were higher generally in the West than in the East, especially in coastal districts. The highest day temperatures occurred in the first few days and between the 15th and 17th, 61°F. being recorded on the 15th at Balmoral and Faskally, Pitlochry, and also at Gordon Castle on the 15th and 17th. The coldest days were from the 9th to the 13th and the last few days the maximum day temperature at Braemar being only 29°F. on the 27th. Among the lowest night minima recorded were 15°F. at Kincraig, 17°F. at Glenlivet and 19°F. at Dalwhinnie and Grantown-on-Spey, all on the 13th. Ground frost occurred at one place or other on all days of the month, and notably low temperatures recorded by thermometers exposed on the ground were Glenlivet (7°F.) and Dalwhinnie (9°F.), again on the 13th.

Rainfall in most areas was less than 50 per cent. of the average for November; in some Western coastal districts however, there was up to 60 per cent of average and at Benbecula 66 per cent. In Kincardineshire and South Aberdeenshire less than 20 per cent. of the average for the month was recorded.

Most of the rainfall occurred in the first half of the month, though there were some dry days as on the 3rd and 10th which were dry in most areas. The heaviest rain occurred on the 1st, 4th and 11th; many heavy falls of over one inch in 24 hours were recorded on the 1st and a few more isolated falls of this kind on the 4th and 11th, all in West and Southwestern districts. The heaviest fall reported was 1.50 inches at Rhum on the 1st.

Sleet and snow was recorded in some areas mainly between the 8th and 13th. From about the middle of the month onwards it was almost completely dry in most areas. At Braemar it was the driest November since 1867 and at Balmoral the driest since records began there in 1882.

Over the greater part of the country sunshine totals were below average, but in the Moray Firth area, and North of the Great Glen many places had a large excess. Among the sunniest places were Forres (79 hours), Nairn (75 hours), Elgin (73 hours), Fortrose (73 hours) and Wick (70 hours).

Fog occurred at one place or other everyday except the 2nd and 3rd, the highest frequency for at least 25 years.

There was a very low frequency of gales which occurred only in the West and North and there were no reports of thunderstorms.

Meteorological Notes—continued

DECEMBER, 1958

A mild, calm, foggy spell in the first few days gave way to generally unsettled weather, rather variable as regards sunshine and rainfall with both fogs and gales above average. Mainly rather cold with moderate snow falls in some areas.

In most places temperatures were one to two degrees below the December average. The mildest days were from the 1st to the 4th, 20th to 23rd, and in the South the 27th and 28th. The highest temperature recorded was 54°F, at Glenbranter on the 20th and at Largs and Colmonell on the 28th. The coldest days were mainly between the 10th and 14th. The maximum temperature recorded at Dalwhinnie on the 10th was 27°F, and at several places maxima on that day were around freezing. The coldest nights occurred on the 6th, 7th and between the 10th and 14th. Among the lowest night minima were 8°F, at Kincraig and 11°F, at Glenlivet and Balmoral all on the 14th. Thermometers exposed on the ground recorded 5°F, at Dalwhinnie and 7°F, at Cannich also on the 14th.

Sunshine was rather variable with a tendency for inland areas to have less than the December average while in other areas mainly around the coasts, there was a moderate excess. Among the highest totals recorded were Leuchars with 55 hours, Sourhope (Cheviot Hills) with 54 hours, and Arbroath, Dundee and Dunbar with 53 hours.

In the Eastern half of the country, and in the lower Clyde valley, Southwest Argyll and Wigtown rainfall was above average with a large excess in Eastern coastal districts. Around the Tay Estuary and in South Berwickshire there was more than twice the December average. Rainfall was up to 30 per cent. less than the December average in the North west, and in the West from the area round the Beauly Firth to most of Argyll and also in a large area of South west Scotland. In the East the wet periods were the second and last weeks, rainfall being more scattered and intermittent in the first week and from the 17th to 24th. In the West there was heavy rain in the period 10th to 12th, and from the 18th to 31st rainfall was again persistent and heavy at times, on the other days of the month rainfall was lighter and intermittent. Much of the excess rainfall in the East was caused by the heavy falls on the 14th. Among the heaviest were 3.51 inches (Strathyre), 2.38 inches (Kippen), 2.35 inches (Milnathort) all on the 14th. Many heavy falls of over 1 inch occurred in the West on the 12th. At Perth and Loch Leven Sluice it was the wettest December since 1915. There were moderate falls of snow in the second week with snow lying several inches deep in hilly inland districts. There were also some lighter falls in the last week.

Fog occurred at one place or other every day except the 11th, the highest frequency for at least 25 years. It was most widespread in the first and last weeks, especially the 24th and 25th. The number of gales and thunderstorms was also above average.

Table 1.—Births, Stillbirths, Deaths and Marriages in the Counties of Cities, Large Burghs and Counties of Scotland, WITH THEIR EQUIVALENT RATES PER 1,000 OF POPULATION—OUARTER ENDED 31ST DECEMBER, 1958

	Births ive (Including Still- births)	24 22 30	22	12 11 11 11 11 11 11 11 11 11 11 11 11 1	21 33 11	34	37 31 19	34	Monthle	and the second	42	52
Infant Mor-	H	27 31 28	24	14 17	15 11 22 22	30	39.21	22	19	20	43	41
Illegiti- mate	births per 100 Live Births	4.0 5.1 3.5	3.3	5.0	2.2	5.0	7.6	5.2	7.7	2.0	2.2	2.8
ation	Principal Epidemic Diseases	0.00 0.03 0.00	0.03	0.05	0.07	1	0.03		1	-	0.15	1
of Population	Deaths	11.9 12.6 11.0	11.8	10.7	12.4 10.3 11.5	17.5	13.7 10.0 11.2	12.3	11.7	11.7	12.2	10.2
per 1,000	Marriages	8.3.3	0.9	9.3	8.6 8.7 7.1	6.2	9.3	0.9	3.2	9.3	6.9	7.1
Rates	Births	19.3 19.8 20.9	18.4	17.0 18.5	20·1 17·7 14·2	14.1	21.2 24.4 19.4	18.5	80.00	13.5	21.2	21.1
	Children aged under 1 year	694 297 128	569	22	21 14 1 6	9	52 6 111 35	70	1	-	9	6
Deaths	*Principal Epidemic Diseases	32 15 1	16		10 00 00	1	9 9		1		1	İ
	Total	15,587 6,062 2,411	7,114	903 502 401	841 566 52 223	249	976 153 114 709	152	69	44	7.9	105
	mar- riages	9,462 4,023 1,814	3,625	657 435 222	575 392 44 139	88	620 104 106 410	74	19	35	45	73
	Still- births	612 218 140	254	21 10 11	20 20 30 30 30 30	7	42 9 9 9 42	00		1	9	12
ths hildren)	Illegiti- mate	1,013 486 162	365	68 40 28	61 51 4 6	10	72 18 12 42	12	4	_	3	9
Births (living children)	Total	25,257 9,546 4,582	11,129	1,447 797 650	1,281 915 89 277	201	1,744 236 279 1,229	229	52	51	138	217
	Estimated Population 31.12.58	5,183,300 1,915,400 871,500	2,396,400	325,700 186,500 139,200	277,900 180,700 20,000 77,200	56,500	341,300 44,300 45,400 251,600	49,200	23,400	14,900	25,800	40,900
		es	Burghs)	Aberdeen County Aberdeen Co. of City† Remainder of County	Angus County Dundee Co. of City Arbroath Burgh Remainder of County	Argyll County	Ayr County Ayr Burgh Kilmarnock Burgh Remainder of County	Banff County	Berwick County	Bute County	Caithness County	Clackmannan Co

18 36	26 26 14	16	28 52 21	211	19	1	24	25 49 40 37	15 37 20	119	12
188	24 24 24	33	24 18 27	14 24	20	1	41	37 62 25 38	38 38 24	27	29
3.4	0.7 2.8 2.8	3.3	7.5 2.9 3.8	5.0	3.0	1	4.1	2.5 1.4	1.9	5.2	9.2
	1111	1	0.04	0.15	1	1	1	0.03	0.04	0.02	0.16
13.3	10.0	12.5	9.0	10-7 12-0	11.9	17.7	13.7	112.9 11.5 9.5 10.8	10.9	12.6 10.7	11:1
11.4	7.1	5.9	8.1 6.7 6.0	15.9	5.0	8.8	8.9	1.80.00	8.7 11.0 5.9	7.8	5.5
16.0	23.4 21.7 19.5	18.7		19·6 15·3	14.9	14.4	16.0	21.4 23.2 26.7 20.2	21.8 16.9 20.6	16.9	20.5
00 K3 000	25 7 6 12	00	40 5 30	P 63 to	2	I	20	306 218 12 9 8	15 4 40	75 54 21	NO.
111		1	8 8	6 61	ı	1	1	26	1 6	∞ 01 =	7
286 93 193	502 129 71 302	164	876 116 119 641	240 76 164	81	32	105	5,021 3,502 96 128 113	199 67 916	1,784 1,492 292	138
224 80 144	277 91 442 144	77	521 95 88 338	178 1113 65	34	16	52	3,230 2,270 79 88 81	159 68 485	1,071 926 145	89
10 10	19 8 4 7	4	45 15 24	10 co 01	2	1	3	227 149 10 15 8	94 8	57 39 18	3
17 8 9	19 2 2 4 1	00	65 15 8 42	14	3		ro	352 290 5 9	38 20 01	121 105 16	10
378 112 266	941 301 147 493	245	1,597 209 275 1,113	350 140 210	101	26	122	8,793 5,827 193 359 211	399 104 1,700	2,563 2,007 556	254
89,700 27,700 62,000	178,500 51,100 26,900 100,500	51,900	323,700 46,400 52,400 225,000	82,600 28,300 54,300	26,900	7,200	30,300	ty 1,078,400 33,000 53,300 41,500	72,500 24,500 327,100	577,800 469,800 108,000	49,300
Dumfries County Dumfries Burgh Remainder of County	Dunbarton County Clydebank Burgh Dumbarton Burgh Remainder of County	East Lothian County	Fife County Dunfermline Burgh Kirkcaldy Burgh Remainder of County	Inverness County Inverness Burgh Remainder of County	Kincardine County‡	Kinross County	Kirkcudbright Co	Lanark County Glasgow Co. of City Airdrie Burgh Coatbridge Burgh Hamilton Burgh Motherwell and	Wishaw Burgh Rutherglen Burgh Remainder of County	Midlothian County Edinburgh Co. of City Remainder of County	Moray County

* Typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.
† Including for this purpose the entire Burgh of Aberdeen, part of which is in Kincardine County.

‡ Excluding for this purpose the portion of Aberdeen Burgh in Kincardine County.

TABLE 1.—BIRTHS, STILLBIRTHS, DEATHS AND MARRIAGES IN THE COUNTIES OF CITIES, LARGE BURGHS AND COUNTIES OF SCOTLAND WITH THEIR EQUIVALENT RATES PER 1,000 OF POPULATION-QUARTER ENDED 31ST DECEMBER, 1958-continued

	Totion to	Births (living children)			;		Deaths		Rates	Rates per 1,000 of Population	of Popul	ation	Illegiti- mate	Infant Mor-	Stillbirths per 1,000 Total
	Population 31.12.58	Total	Illegiti- mate	Still- births	Mar- riages	Total	*Principal Epidemic Diseases	Children aged under 1 year	Births	Marriages	Deaths	Principal Epidemic Diseases	· ·	0	Births (including Still- births)
Nairn County	8,300	35	-	I	11	34	-	1	16.8	5.3	16.3	1	2.9	29	
Orkney County	19,500	62	9	2	33	61	1		1.91	2.9	12.4	1	9.2	1	25
Peebles County	14,100	41	1	-	24	52	1	1	11.5	2.9	14.6	1	2.4	1	24
Perth County Perth Burgh	127,500 41,100 86,400	567 187 380	29 111 18	10	232 97 135	375 122 253		55	18.1	9.4	11.8	0.10	5.9	27 13	23.2
Renfrew County Greenock Burgh Paisley Burgh Port Glasgow Burgh Remainder of County	336,200 78,200 96,900 23,600 137,500	1,700 415 516 136 633	57 23 14 3 17	48 17 8 8 17	524 130 172 62 160	996 233 268 59 436		42 112 13 16	21·1 21·1 22·9 18·3	6.6 7.0 10.4 4.6	11:8 11:0 9:9 12:6		25.5	25 22 25 25	39 15 42 26
Ross and Cromarty County	59,800	241	9	rU	56	198		7	16.0	3.7	13·1	1	2.5	17	20
Roxburgh County	44,800	177	ο en	e 0	79	145	1 1		15.7	7.0	12.8		3.0	6 10	17
uno		841 149 125 567	25 2 2 2 5 15	25 3 19	318 76 39 203	558 126 77 355		17 3 13	15.8 18.3 17.4	8·1 5·7 6·2	13.4 11.3 10.9		1.3	20 8 23	20 32 32
Sutherland County West Lothian County	13,100	55	3	1 7	31	39	-	∞	16.7	9.4	9.9	0.04	5.5	16	18
Wigtown County			11	7		105	l	4	18.9	4.5	13.9	1	7.7	28	47
Zetland County	18,300	59	2	2	18	3		2	12.8	3.9	13.0	1	3.4	34	33

				mbers		TAGES I						
			Nu	inders			Per 1.00	00 of Est	Ra imated		ا ف ا	
	Live B	irths Illegiti-	Still- births	Marri- ages	Dea	Under	Births (living	opulation Marri-		git. Births oer 100 ve Births	Infant Mor- tality rate per 1,000 Live Births	Stillbirths per 1000 total Births incl. Stillbirths
. 0		mate		0.050	Ages	One Year	child- ren)	ages		Illegit.		
st Quarter 1948 . nd ,, ,,	25,324 26,561 24,389 24,070	1,417 1,642 1,392 1,325	760 775 711 720	9,959 10,490 13,509 9,760	16,825 14,698 13,652 15,804	1,303 1,144 972 1,067	20·0 21·0 19·0 18·8	7·9 8·3 10·5 7·6	13·3 11·6 10·7 12·3	5·6 6·2 5·7 5·5	51 43 40 44	29 28 28 29
Year 1948 .	100,344	5,776	2,966	43,718	60,979	4,486	19.7	8.6	12.0	5.8	45	29
st Quarter 1949. nd ,, ,, . rd ,, ,, . th ,, ,, .	24,230 25,424 23,324 22,696	1,381 1,442 1,274 1,126	707 710 642 607	10,638 9,209 12,786 9,075	19,222 15,274 13,119 15,873	1,225 913 823 1,000	19·2 20·0 18·1 17·6	8·4 7·2 9·9 7·0	15·3 12·0 10·2 12·3	5·7 5·7 5·5 5·0	51 36 35 44	28 27 27 26
Year 1949 .	95,674	5,223	2,666	41,708	63,488	3,961	18.7	8.2	12.4	5.5	41	27
st Quarter 1950. Ind ,, ,, . Ird ,, ,, . Ith ,, ,, .	23,542 24,646 22,498 21,844	1,185 1,359 1,195 1,098	673 659 627 598	11,111 8,680 11,847 8,821	18,647 14,986 13,341 17,022	1,080 841 737 911	18·6 19·3 17·4 16·9	8·8 6·8 9·2 6·8	14·8 11·7 10·3 13·2	5·0 5·5 5·3 5·0	46 34 33 42	28 26 27 27
Year 1950 .	92,530	4,837	2,557	40,459	63,996	3,569	18.0	7.9	12.5	5.2	39	27
st Quarter 1951 . 2nd ,, ,, . 3rd ,, ,, . 1th ,, ,, .	23,625 24,310 21,932 20,772	1,195 1,289 1,126 982	657 658 575 589	11,560 8,958 12,048 8,795	22,428 15,442 13,104 14,804	1,088 850 698 755	18·7 19·1 17·0 16·1	9·2 7·0 9·3 6·8	17·8 12·1 10·2 11·5	5·1 5·3 5·1 4·7	46 35 32 36	27 26 26 28
Year 1951 .	90,639	4,592	2,479	41,361	65,778	3,391	17.7	8.1	12.9	5.1	37	27
st Quarter 1952. 2nd , , , . 3rd , , , . 4th ,, ,, .	22,892 23,531 22,161 21,838	1,069 1,126 1,126 985	677 598 541 614	12,420 8,156 11,894 8,684	18,394 14,270 12,813 16,033	872 801 663 845	18·0 18·5 17·2 17·0	9·8 6·4 9·3 6·8	14.5 11.2 10.0 12:5	4·7 4·8 5·1 4·5	38 34 30 39	29 25 24 27
Year 1952 .	90,422	4,306	2,430	41,154	61,510	3,181	17.7	8.0	12.0	4.8	35	26
st Quarter 1953. 2nd , , 3rd , , 4th , , ,	22,860 23,791 22,166 22,096	1,030 1,175 1,022 1,004	602 586 561 559	12,085 8,212 12,069 8,536	17,264 14.345 12,722 14,547	776 696 614 714	18·1 18·6 17·2 17·1	9·6 6·4 9·4 6·6	13·7 11·2 9·9 11·3	4·5 4·9 4·6 4·5	34 29 28 32	26 24 25 25
Year 1953 .	90,913	4,231	2,308	40,902	58,878	2,800	17.8	8.0	11.5	4.7	31	25
Ist Quarter 1954. 2nd ,, , , . 3rd ,, ,, . 4th ,, ,, .	23,456 24,097 22,823 21,939	1,049 1,086 1,077 965	612 628 601 560	12,371 8,553 12,489 8,561	18,003 14,638 13,327 15,412	892 728 555 686	18·6 18·9 17·7 17·0	9·8 6·7 9·7 6·6	14·3 11·5 10·3 11·9	4·5 4·5 4·7 4·4	38 30 24 31	25 25 26 25
Year 1954 .	92,315	4,177	2,401	41,974	61,380	2,861	18.0	8.3	12.0	4.5	31	25
Ist Quarter 1955 . 2nd , , , . 3rd , , , . 4th ,, ,, .	23,111 23,942 22,734 22,752	988 1,046 1,037 920	598 566 597 569	12,420 8,662 12,966 9,151	19,078 14,998 12,733 14,836	829 692 588 702	18·3 18·7 17·6 17·6	9 · 8 6 · 8 10 · 0 7 · 1	15·1 11·7 9·8 11·5	4·3 4·4 4·6 4·0	36 29 26 31	25 23 26 24
Year 1955 .	92,539	3,991	2,330	43,199	61,645	2,811	18.0	8.4	12.0	4.3	30	25
Ist Quarter 1956 . 2nd , , 3rd , , 4th , , .	24,594 24,889 22,654 23,176	1,007 1,099 1,068 895	617 613 536 563	11,742 9,843 12,958 9,420	19,156 14,562 13,088 14,986	764 656 602 705	19·2 19·5 17·5 17·9	9·2 7·7 10·0 7·3	15·0 11·4 10·1 11·6	4·1 4·4 4·7 3·9	31 26 27 30	24 24 23 24
Year 1956	95,313	4,069	2,329	43,963	61,792	2,727	18.5	8.5	12.0	4.3	29	24
lst Quarter 1957 . 2nd ,, ,, . 3rd ,, ,, . 4th ,, ,, .	24,759 24,974 24,100 24,144	948 1,049 1,047 973	632 602 569 575	11,277 9,088 12,972 9,324	16,175 14,426 13,537 17,005	782 668 653 699	19·5 19·5 18·6 18·6	8·9 7·1 10·0 7·2	12·7 11·2 10·4 13·1	3·8 4·2 4·3 4·0	32 27 27 29	25 24 23 23
Year 1957	97,977	4,017	2,378	42,661	61,143	2,802	19.0	8.3	11.9	4.1	29	24
lst Quarter 1958. 2nd , , . 3rd , , . 1th , , ,	25,100 25,588 23,535 25,257	1,032 1,093 934 1,013	614 568 530 612	10,879 8,384 12,461 9,462	18,622 15,189 12,667 15,587	794 692 578 694	19·7 19·9 18·1 19·3	8.6 6.5 9.6 7.2	14.6 11.8 9.7 11.9	4·1 4·3 4·0 4·0	32 27 25 27	24 22 22 24
Year 1958 .	99,480	4,072	2,324	41,186	62,065	2,758	19.2	8.0	12.0	4.1	28	23

See Explanatory Notes page 2.

Table III.—Causes of Death in Scotland in Age-Groups—Quarter ended 31st December, 1958

	Not tated	1 1 1	
	+58	1,492 547 945	201
	75-	4,481 2,039 2,442	22
	65-	4,049 2,161 1,888	267
	55-	2,562 1,523 1,039	44 1 0 0 0
Age	45-	1,323 782 541	244 4 4 1
¥	35-	462 243 219	22 22
	25-	208 114 94	822 12 1 1 1 1 1 1 1 1
	15-	141 101 40	2- -
	10-	40 42 18	
	5-	43 29 14	+ -
	1	92 42 50	H-
		694 392 302	
	Fe- males	7,592	50 1
All Ages	Males	7,995	1114 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
¥.	Both	15,587	1824 1 1827 1 1 2 8 2 3 1 1 1 1 1 1 1 1 1 2 1 2 2 2 2 2 2 2
		:::	Total "" and "" "" Total "" "" "" "" "" "" "" "" "" "" "" "" ""
	CAUSES OF DEATH	ALL CAUSES—Both Sexes MALES FEMALES	All Tuberculosis (oor-org) Respiratory system Meninges and central nersystem Intestines, peritoneum an mesenteric glands Bones and joints All other forms Syphilis (020-029) Congenital syphilis Early syphilis Tabes dorsalis General paralysis of insane All other syphilis Tabes dorsalis General paralysis of insane All other syphilis Congenital syphilis Congenital syphilis Congenital syphilis Congenital syphilis Congenital syphilis Concoccal infection Typhoid fever and other monella infections Cholera Brucellosis (undulant fever) Dysentery, all forms Scarlet fever Streptococcal sore throat Erysipelas Septicæma and pyæmia Diphtheria Weningococcal infections Plague Leprosy
		Inter- medi- ate List "A"	12 E 47 00 1122 125 125 125 125 125 125 125 125 12
International	Classification	Detailed List	001-008 010 011 011 012 020 021 024 025 022-023 026-029 031-035 041, 042 043 043 044 045 051 051 055 056 060

1111		1	1 1],]			11	1 1 1		1	1		1
			1 1	120	20 18 20	တက	44-	- m x	000	26	-	2	-
61	1111	1 1	l &	foor 91	31 125 86	98	37	34 40	13	102	14	9	3
	-	1 1	1 1	843	26 141 101	χ Ω	178	27 7 28	96	159	14	18	3
	-			679	23,47	25	211	199	က္ထယ	125	6	21	9
1- 2	1111	1.	-	378	45	122	100	4 co c	9	98	7	14	0
			1	IZI	12	00	32 19	-	11	24	4	9	3
141 -				28			6310	- 5	11	∞	4	ro	10
111 -	1111	1 1		42	67	-	-		4	Ŋ	7	4	1
1-11				7			11		-	4	2	1	3
1-11			1	00		11		-		23	2	_	1
-	-	1 1	1 1	IO			1 1		-	က	s.	prod	1
1 1	-	1 1	1 1	4		11				co		1	_
w 63 w	-		e	1,283	31 184 173	99	89 249	23	15	286	32	37	20
9 4	5 1		-	1,540	241 241 121	82	513	8	23	261	40	41	œ
007 1	01 01		1 4	2,823	85 425 294	148	602 250	00 00 00 00 00 00	38 27	547	72	78	28
Anthrax Acute poliomyelitis Acute infectious encephalitis Late effects of acute poliomyelitis and acute infectious encephalitis	:::	ner ricketts		tive and parasitic (438-442) Malignant Neoplasms (140-205) Total	Buccal cavity and pharynx Esophagus Stomach	a see of the seed	econdary	Cervix uteri Other and unspecified parts of uterus	Skin Bone and connective tissue	All other and unspecified sites	9	and hatica	Benign neoplasms and neoplasms of unspecified nature
27 28 29 30	31 32 33 34	35	37		44 46 74	84.9	51	52	55	57	00 0	n c	09
062 080 . 082 081, 083	084 085 091	094 100-108	110-117 036-039, 049, 054, 059, 063- 074, 086-090, }	093, 095, 096, 120-138	140-148 150 151 152 153	154	170	171	190, 191 196, 197	155-160, 164, 165, 175, 176, 178-181, 192-	195, 198, 199)	200-203, 203	210-239

Note.—Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

TABLE III continued	
FABLE III conti	a
FABLE III conti	20
FABLE III conti	32.2
FABLE III	
FABLE III	20
FABLE III	
TABLE I	
TABLE I	4
LABL	
LABL	
FAI	벌
5	B
	, ~

					10	,,,,,		ę.									
	Not stated		11	1		1	1			1	1	11		1		1	11
	85+	1	5	—	9 4	23	· · ·	11	302	184	41			2		1	653
	75-	-	28	က	<u>x</u> x	16	10		987	544	97		2	10		1	1,797
	65-		51	2	04	18	8	2	710	367	42	7	5	17	16	1	1,512
	55-	1	23	-	0 79	21	_	-	311 18 143	143	7	123	- 2	9	00	1	884
	45-		0.0	-		15	1	- 3	136 18 88	78	7	C1 00 ·	-	67		_	381
Age	35-	1	4	1	-	ro.	1	2	30	9		10	4-	_		-	25
	25-	1	-			∞			~ co co	,	and the same of th	67	ω	1	· · ·	1	18
	15-	1	-	1		4	1		10000	1					4		10/1
	10-		1	1	11	1		-	<i>ω</i> – <i>ε</i>	1]	-	-			1	3
	۲۵	1	11		11			-		1	-	-	ر ا	-		1	
		1		1		2		61	H		-	ر ا	1 1			- Company	1
	1			1	-	2	1	1 1	4 -	1	1	5			rC	1	
	Fe- males	1	92	4	19	50	7	3	1,470	736	103	9 19	6	15	28	2	2,648
All Ages	Males	1	30	4	67	43	10	ro 4	I,023	538	87	8 19	10	23	34		2,702
4	Both	1	122	00	36	93	17	00 10	2,493 61 968	1,274	190	38	19 2	38	62	7	5,350
	CAUSES OF DEATH	Non-toxic goitre Thyrotoxicosis with or without		Avitaminosis and other states Pernicious and other hyp		Allergic disorders; all other endo- crine, metabolic and blood diseases		rsychoneuroses and disorders of personality	Vascular lesions affecting central nervous system (330-334) Total Subarachnoid hæmorrhage		Other vascular leentral nervous		Epilepsy Otitis media and mastoiditis		system and sens	ever	Heart Diseases (410-443) Total Chronic rheumatic heart disease
	Inter- medi- ate List "A"	61	63	654	656	99	62	69	70a	700	70 <i>d</i>	71 72	73	78a 78b		79	80
International Classification	Detailed List	250, 251	260	280-286	291-293	240-245, 253, 254, 270-277, 287-289, 294-	300-309	310-324, 320	330	332	333, 334	340 345	353 391-393	341-344, 351.)	352, 354-390, 394-398	400-402	410-416

	1958—1	rourth Quart	er	25
8 8 304 173 173 24 25 25	26 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	32 6 40	110	0 1 2
691 1 1 550 328 6 6 6 6	160 10 16 16 5 746	8 8 153 173	86	15 15 15
945 22 2 2 2 2 2 173 173 173 6 6 6 94 94	23 18 18 3 105 105	16 16 16 13 13 13 13 13 13 13 13 13 13 13 13 13	126	25 14
656 1 15 1 15 1 15 7 7 7 7 7 7 7 7 7 7 7 7 181	11 13 20 21 11 11 11 11 11 11 11 11 11 11 11 11	32 145 145	93	138 138
282 5 13 2 2 10 10 15	1100 00 22	4 4 64	31 31	40 9 %
0° 2 2 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2	T T O	11 - 00	no eo e	20 24-
4 1 1 1	1 1 1 1 1 2 2	4 2-	- 6- 6	-
1 2 2 -	. - .	-4 1-		
	0	2		
	0	00	1	
	8	17 1 25	-	
	& - & &	94 9 50	=	-
1,095 41 2 649 429 14 101 175 89	168 168 24 23 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	171 171 21 35	101 62	28 14 10 10
	146 36 31 14 14 14	180 180 29 421 28	254 139 2	71 46 31 20 20 20
	314 55 55 22 482 482	81 351 50 679 63	355 201 6 6	ing 74 74 66 66 66
Arteriosclerotic heart disease, including coronary disease Chronic endocarditis not specified as rheumatic Fatty degeneration of heart Myocardial degeneration with arteriosclerosis Other myocardial degeneration Acute non-rheumatic heart disease Chronic non-rheumatic heart disease Hypertensive heart diseases of heart Chronic disease Chronic disea	General arteriosclerosis Chher diseases of arterios Other diseases of circulatory system Acute upper respiratory infections Influenza Preumonia (490-493) Total	Lobar pneumonia Bronchopneumonia Primary atypical, other and unspecified pneumonia Bronchitis (500-502) Total Acute bronchitis	Chronic and unqualified bre chitis with heart dises secondary Chronic and unqualified bre chitis otherwise defined Hypertrophy of tonsils and adeno Empyema and abscess of lung Pleurisy	All other respiratory diseases Diseases of teeth and support structures Ulcer of stomach Gastritis and duodenitis Gastritis and duodenitis
815 816 816 816 828 828 838 838	855 856 887 888	89 90 91 92	93 <i>a</i> 93 <i>b</i> 95 95	97 <i>b</i> 97 <i>b</i> 98 99 100 101
420 422.0 422.1 422.1 422.1 430-432 430, 434 440-443	450 451-456 460-468 470-475 480-483	490 491 492, 493 500	5016, 5026 501a, 502a 510 518, 521 519	523, 524 521, 520 522, 525 530-535 540 541 543

Note.—Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish List only.

	21
	22
	0
	20
	6
	2
a	6
ĸ	6
	44
	69
	6
	0
	63
	9
п	-
и	
в	-
к	-
и	-
	0.0
	0
	ы
	PA.
	ш
	-
	94
ď	-0

	Yot beteted	
	85+	2 2 2 3 5 5 5 5 5 5 5 5 5
	75-	27 1 1 1 1 2 2 2 2 2 2
	65-	66 20 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	55-	16 16 16 17 18 18 19 19 19 19 19 19 19 19 19 19 19 19 19
	45-	
Age	35-	
	25-	00 01 1 1 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	15-	8 1 2 2 1 1 1 2 2 1 1 1 1 1
	10-	
	۳	
	1	401
	7	10 1
	Fe- males	11
All Ages	Males	15 40 40 40 10 10 10 10 10 10 10 10 10 10 10 10 10
A	Both	27 89 89 7 7 7 7 7 7 86 10 10 10 10 10 10 10 10 10 10 10 10 10
	CAUSES OF DEATH	Appendicitis Intestinal obstruction and hernia Gastro-enteritis, ages between 4 weeks and 2 years Gastro-enteritis, ages 2 years and over colitis
	Inter- medi- ate List "A"	102 103 1043 10443 10446 1046 1073 1073 109 109 1113 11144 11144 11144 11173 11173 11173
International Classification	Detailed List	550-553 560, 561, 570 571.1 571.1 572 584, 585 586, 582, 583, 586 586, 582, 583, 586 586, 582, 583, 586 586, 586 600, 602, 604 610, 603, 607, 609, 611-617, 622-637 609, 611-617, 622-637 609, 611-617, 622-637 609, 611-617, 622-637 609, 614-641, 681, 686 682, 684, 686, 684, 670 684, 674, 672 686, 686, 686, 686, 686, 686, 687, 686, 687, 686, 688, 688

	1936—Fourth Quarter	2
	11 11 11 1 1	
1 1	20 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	13	
9	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1	
101 4		
1	0 0 4	
8 1	w w 4	
	0 0 1 1 1 1 1 1 0	
 	0 0	
- - - -	4 4	
1 1 1 1	ω ω	
	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
	573 399 329 323 323 66 113 1104	
- 4 19 1 E1 13 13 14 15 15 15 15 15 15 15	233 177 19 19 19 19 10 10 10 10 10 10 10 10 10 10 10 10 10	
14 10 1 1	31 102 1102 1102 1103 1103 1104 1104 1104 1104 1104 1104	
- 4 610 18 1 05	544 294 58 50 50 163 32 6 6 6 104 1123 699 699	
Abortion with sepsis	Congenital malformations and certain diseases of early infancy (750-776) Spina bifida and meningocele culatory system All other congenital malformations of circulatory system Birth injuries Birth injuries Birth injuries Diarrhoea of newborn Diarrhoea of newborn Other infections of newborn All other defined diseases of early infancy Ill-defined diseases peculiar to early infancy, and immaturity unqualified Senility without mention of psychosis	
119 120 121 122 123 123 124 125 126	127 128 129 130 131 1326 1326 1326 1336 134 135 135	
$ \begin{cases} 651 \\ 645-648, 660, \\ 673-680, 683, \\ 687-689 \\ 690-698 \\ 720-725 \\ 726, 727 \\ 730 \\ 737, 745-749 \\ 736, 738-744 \\ 736, 738-744 \\ \end{cases} $	751 754 755-759 765-759 760, 761 762 763 769, 771, 772 773-776 773-776	

Table III .- continued

	Not			1	111	I	1		1	
	85+	#1	35	1		I	1	1	1	
	75-	125	12 82	-	27 -	2	9	=		
	65-	2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	16 27 - 2	1	14-		15	-	1	
	55-	86 14 10 10	15 2 2	1	10	4	18	I		
	45-	102 29 1	9	1	∞	Ŋ	30	61	1	
Age	35-	211 211 221	9000	-	1 9	∞ ∞	15	က	1	
	25-	84 148	000 N	I	67	ro	6			
	15-	61 35 5	2 -	1	- 67	7	9	_	ı	
	10-	∞ 4 H	2 -	1			-	i	1	
	2	18 10	- %	1	4		1	1		
	1	188	6 1	1	0100	23	1	73	ı	
	7	39		-	33	1	1	2		
	Fe- males	84 41.44	99	7	18	7	34	9	1	
All Causes	Males	425 117 5 27	32 7 2	1	23 23	56	99	9	ı	
All	Both Sexes	709 164 9	76 181 7	61	35	33	66	12		
	CAUSES OF DEATH	Accidents, Poisonings, and Violence (External Cause) (E800-E999) Motor vehicle accidents Other road vehicle accidents Other transport accidents	Accidental poisoning Accidental falls Accident caused by machinery Accident caused by fire and explosion of combuscible material	Accident caused by hot substance, corrosive liquid, steam and radiation	Accident caused by firearm Accidental drowning and submer Accidental mechanical suffocati	All other accidental causes	Suicide and self-inflicted injury	y purpose	Injury resulting from operations of	
	Inter- medi- ate List "A"	138 139a 139b	140 141 142 143	144	145 146 147 <i>a</i>	1476	148	149	150	
International Classification	Detailed List	E810-E835 E840-E845 E800-E802,	E830-E895 E970-E895 E900-E904 E912	E917-E918	E919 E921, E922, E924, E925	E910, E911, E913-E915, [E920, E923, \ E926-E928,	E930-E962 E963, L	E980-E985 \\ E980-E985 \\	E990-E999	

TABLE IV

1958—Fourth Quarter Table IV.—Deaths in the Counties of Cities, Large Burghs an

		TABLE IV.—DEATHS IN THE COUNTIE		120, 22			
INTERNATIONAL	Nos.		AND	leen	leen of Cit	der of	IInde
Detailed List	Abbre-viated List	Causes of Death	SCOTLAND	Aberdeen County	Aberdeen County of City	Remainder County	Marginal Index
	"B"				3		
001-008 010-019	$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$	Tuberculosis of respiratory system Tuberculosis, other forms	182 12	3	_	_	
020-029 045-048	3 6	Syphilis and its sequelæ Dysentery, all forms	10	2	2		
056	9	Whooping cough		******			
057 080	10 12	Meningococcal infections Acute poliomyelitis	8	1	1		
085	14	Measles	2	_			1
030-044, 049-055 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	23	1	_	1	
140-205	18	Malignant neoplasms Total	2,823 637	179 29	109	70 10	I
160-165 200-205		Malignant neoplasms of resp. system Malignant neoplasms of lymphatic and hæmatopoietic tissues	150	6	19	5	I.
140-159, 170-199	_	Other malignant neoplasms	2,036	144	89	55	I.
210-239 260	19 20	Benign and unspecified neoplasms Diabetes mellitus	28 122	15	8	7	I.
290-293	21	Anæmias	61	6	3	3	I,
240-254, 270-289, 294-299	46.0	Other general diseases	106	6	4	2	I
330-334 340	22 23	Vascular lesions affect'g cen. nerv. system Non-meningococcal meningitis	2,493 17	152	72 1	80	I
300-326, 341-398	46.1	Other diseases of nervous system	189	10	4	6	I
400-402 410-416	24 25	Rheumatic fever Chronic rheumatic heart disease	202	8	6	2	2
420-422	26	Arterioscl. and degen. heart disease	4,639	282	152	130	2.
430-434 440-443	27 28	Other diseases of heart	220 289	21	3 14	7	2.
444-447	29	Other hypertensive disease	144 428	5 15	4 8	1 7	2
450-468 480-483	46.2 30	Other circulatory disease Influenza	22	1	1		2
490-493	31 32	Pneumonia (except of newborn) Bronchitis	482 619	35 27	19	16	2
500-502 470-475, 510-527	46.3	Other respiratory diseases	166	4	4		3
540, 541 550-553	33	Ulcer of stomach and duodenum Appendicitis	111 27	7 2	6	1 1	3
560, 561, 570	35	Intestinal obstruction and hernia	89	5	3	2	3.
543 571, 572	36.0 36.1	Gastritis and duodenitis Diarrhoea (except of newborn)	3 64	1 4	1	4	3
581	37	Cirrhosis of liver	55 66	3	1	2	3
580, 582-586 530-539, 542, 544, \	46.4	Other diseases of liver	48	3	1	2	3
545, 573-578, 587	46.5 38	Other digestive diseases Nephritis and nephrosis	95	6	1	5	3
590-594 610	39	Hyperplasia of prostate	103	5	3	2	4
600-609, 611-637	46.6	Other diseases of genito-urinary system Puerperal sepsis including abortion	98	7	4	3	4
640, 641, 651, 681, 681, 682, 684	40.0	with sepsis	2	-	-	-	4
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	6	_	-		4
690-749	46.7	Diseases of skin and organs of locom'n	77	6 8	4 3	2 5	4
750-759 760-762	41 42	Congenital malformations B. injur's, post-natal asph'a & atelectasis	154 213	7	3	4	4
763	43.0	Pneumonia of newborn	32	2	1	1	4
764 765-768	43.1 43.2	Other infections of the newborn	6			_	4
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	133	4	3	1	5
794	45.0	Senility without mention of psychosis	123	7	2	5	5
780-793, 795 E963, E970-E979	45.1 E49	Ill-defined and unknown causes Suicide and self-inflicted injury	69	8	5	3	5
E810-E835	E47	Motor vehicle accidents	164	4	1	3	5
E840-E845 E870-E936 (part)	E48.0		276	18	14	4	5
E961(pt),E962(pt) Rem. of E800-E999	E48.1 E48.2	Accidents in the home Other violence (BE50)	161	10	6	4	5
Item, of Ecou-E999	1,70.2	4.11		-		-	
		All causes	15,587	903	502	401	1

^{*} Including typhoid fever, scarlet fever and streptococcal sore throat, diptheria and acute infectious encephalitis.

Note:—Numbers in brackets after the titles indicate headings in International Abbreviated List which are merged under the respective Scottish headings. Those indicated by numbers (0, 1, 2, 3, etc.) apply to the Scottish List only.

UNT	TIES OF	SCOTLA	ND—Qt	JARTER	ENDED	31st D	ЕСЕМВЕ	er, 1958	3					ć
Numbers	Angus County	Dundee County of City	Arbroath Burgh	Remainder of County	Argyll County	Ayr County	Ayr Burgh	Kilmarnock Burgh	Remainder of County	Banff	Berwick	Bute	Caithness	Clackmannan County
1 2 3 4 5 6 7 8	6 1 - - 2 -	5 1		1	1 - - - -	4 - - 2 2 2	1		3 	2		1	1	
9	1 172 41	1 114 30	11 5	 47 6	45 5	1 192 38	37 10	19 4	1 136 24	32 5	16 —	6 2	1 13 1	18 3
1123145 16 1789 221 22 23 4 25 6 22 8 2 9 3 3 3 3 3 4 5 5 6 5 7 8 3 9 4 1 1 2 1 3 1 4 5 6 7 8 1 9 5 6 1 7 8 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1	10 121 3 6 2 12 126 22 11 13 261 8 7 3 21 3 29 25 9 12 4 3 - 3 2 4 1 4 5 7 - 5 9 3 4 1 - 10 6	7 77 77 3 4 2 10 78 2 13 173 5 5 3 1 15 1 26 20 6 9 4 1 - 3 2 3 1 6 3 7 2 3 1 - 7 3	1 9 1 1 1 1 1 1 3 1 1 3	3 38	3 37 1 2 47 3 1 85 4 5 3 6 3 2 2 2 3 1 1 1 1 1 2 1 1 2 1 2 1 2 1 2	10 144 3 10 5 6 155 1 29 2292 11 12 25 16 27 21 27 9 6 1 1 4 1 3 9 10 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 26	2 13 	7 105 3 9 4 3 121 1 6 7 216 7 7 17 12 23 -13 13 8 4 4 1 2 -5 3 1 1 3 5 8 8 3 1 1 1 1 3 1 1 1 1 1 1 1 1 1 1 1 1	1 26 1	16 1 1 12 - - 18 - - - 1 1 - - - - - - - - - - - - -	-4 -1 -1 -10	2 10 1 1 1 1 1 1 1 2 2 1 1 1 1 1 1 1 1 1	2 13 2 1 14 1 1 1 2 1 1 2 1 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 1 1 2 1
	841	566	52	223	249	976	153	114	709	152	69	44	79	105

INTERNATIONAL	Nos.		es V	S	er of	ton	ndex
Detailed List	Abbreviated List "B"	Causes of Death	Dumfries County	Dumfries Burgh	Remainder County	Dunbarton County	Marginal Index
001-008	1	Tuberculosis of respiratory system	1	_	1	9	
010-019	2	Tuberculosis, other forms					ш
020-029 045-048	3 6	Syphilis and its sequelæ Dysentery, all forms					ı
056	9	Whooping cough				Management	ш
057	10	Meningococcal infections	-	-		_	П
080	12	Acute poliomyelitis	-			-	ш
085	14	Measles					ш
30-044, 049-055 58-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	1	1		_	ı
140-205	18	Malignant neoplasms Total	44	16	28	78	ŀ
160-165		Malignant neoplasms of resp. system	3	2	1	19	ľ
200-205	_	Malignant neoplasms of lymphatic			9	4	ı
140 150 170 100		and hæmatopoietic tissues	37	13	$\frac{3}{24}$	55	ŀ
140-159, 170-199 210-239	19	Other malignant neoplasms Benign and unspecified neoplasms					1
260	20	Diabetes mellitus	1	1	-	5	Н.
290-293	21	Anæmias	1		1	2	١.
40-254, 270-289, }	46.0	Other general diseases	1		1	6	١.
294-299 <i>f</i> 330-334	22	Vascular lesions affect'g cen, nerv, system	56	2 2	34	86	
340	23	Non-meningococcal meningitis	1		1	_	
300-326, 341-398	46.1	Other diseases of nervous system	2		2	4	١.
400-402	24	Rheumatic fever	_	_	_	-	
410-416	25	Chronic rheumatic heart disease	8	1	7	14 138	ш
420-422	26 27	Arterioscl, and degen, heart disease	88	30	58 7	7	
430-434 440-443	28	Other diseases of heart Hypertensive heart disease	2		2	12	
444-447	29	Other hypertensive disease				4	L
450-468	46.2	Other circulatory disease	5		5	5	H
480-483	30	Influenza	17	7	10	17	2 2
490-493	31 32	Preumonia (except of newborn) Bronchitis	17 14	5	9	16	
500-502 470-475, 510-527	46.3	Other respiratory diseases	1		ĺ	2	
540, 541	33	Ulcer of stomach and duodenum	3	1	2	3	
550-553	34	Appendicitis		-		3 6	H
560, 561, 570	35 36.0	Intestinal obstruction and hernia	_			1	F
543 571, 572	36.1	Gastritis and duodenitis Diarrhoea (except of newborn)	1		1	5	П
581	37	Cirrhosis of liver	-		_	1	Ш
580, 582-586	46.4	Other diseases of liver	1		1	4	
30-539, 542, 544,	46.5	Other digestive diseases	2	1	1	6	١.
45, 573-578, 587 ∫	38		2		2	4	
590-594 610	38	Nephritis and nephrosis Hyperplasia of prostate	1		1	3	ı
600-609, 611-637	46.6	Other diseases of genito-urinary system	2		2		
640, 641, 651, 7	40.0	Puerperal sepsis including abortion					
681, 682, 684		with sepsis			-	-	
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	_	-		1	
690-749	46.7	Diseases of skin and organs of locom'n	2	1	1	4	
750-759	41	Congenital malformations	1	1		6	
760-762	42	B. injur's, post-natal asph'a & atelectasis	2	1	1	9	
763 764	43.0	Pneumonia of newborn Diarrhoea of newborn					1
764 765-768	43.1	Other infections of the newborn			_	1	1
769-776	44	Other diseases peculiar to early infancy					1
	1	and immaturity unqualified	4		4	1	
794	45.0	Senility without mention of psychosis	1	-	1	6	
780-793, 795	45.1 E49	Ill-defined and unknown causes Suicide and self-inflicted injury	3	1	2	6	
E963, E970-E979 E810-E835	E49 E47	Motor vehicle accidents	1		ĩ	11	
E840-E845	E48.0		_	_	-	-	1
E870-E936 (part)	E40.1	Accidents in the home	6	. 2	4	7	
E961(pt),E962(pt) Rem. of E800-E99			2	-	2	8	1
		Other violence (BE50)	- 44				
Rem. 01 E800-E99	1540.2	Other violence (BB00)	286	93	193	502	1

^{*} Including typhoid fever, scarlet fever and streptococcal sore throat, diptheria and acute infectious encephalitis.

Note:—Numbers in brackets after the titles indicate headings in International Abbreviated List which are merged under respective Scottish headings. Those indicated by numbers (0, 1, 2, 3, etc.) apply to the Scottish List only.

The second control of the second control o							ABLE J	. V .—co1	itinued						
2	Numbers	Clydebank Burgh	Dumbarton Burgh	Remainder of County	East Lothian County	Fife County	Dunfermline Burgh	Kirkcaldy Burgh	Remainder of County	Inverness	Inverness Burgh	Remainder of County	Kincardine County	Kinross	Kirkcudbr't County
The column The	2 3 4 5 6					2 1 - - -		1							1
1	_	19 8	10 5	49 6	27		19		107 21	34	11	23 3	11 2	4	15
7 - 8 2 11 - 1 10 1 1 - 1 -	23345 6 78 90 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 6 7 8 9 0 1 2 3 4 5 6	1 10 — 2 1 1 2 2 — 4 31 2 2 1 2 1 1 1 1 — 1 1 — 1 1 3 — — — — — — — — —	-5 -2 -1 -1 -1 -3 -15 -2 -16	1 1 4 53	18 5 3 1 35 1 35 1 36 3 4 4 5 5 1 1 1 1 1 2 5 7 2	10 106	15 2 1 23 - 1 27 4 2 4 6 2 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - - - - - - - - - - - - -	2 13 -2 1 -2 1 2 36 1 4 1 4 1 4 -3 3 3 2 	8 78 4 2 4 124 15 5 4 184 123 2 8 8 18 15 5 4 4 3 5 5 1 6 6 4 4 4 3 5 5 1 6 6 6 6 6 6 6 7 7 10 17 10	1 27	-8 -1 -10 -1 -27 -1 -2 -1 -1 -2 -1 -1 -2 -1 -1 -2 -1 -1 -2 -1 -1 -2 -1 -1 -2 -1 -1 -2 -1 -1 -2 -1 -1 -1 -2 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1	1 19	3 6 -2 -1 142 29 1 -1 1612 -11111111111111	8 - 10 3 3 - 1 1 1 - 1 1 1 - 1 1 1 - 1 1 1 - 1 1 1 - 1 1 1 1 - 1	12 1 1 2 15 2 29 1 1 6 6 2 3 1 1 3 - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

		TABLE IV.—consinuea				
International	Nos			Glasgow County of City		Marginal Index Numbers
INTERNATIONAL .	NOS.		Lanark	CC	Airdrie Burgh	Ine
	Abbre-		nu nu	Sgc	dr	al
	viated	Causes of Death	Zo Zo	ity	Ain	gin
Detailed List	List	~ .	10	Om		arg Z
	"B"			ပိ		X
001-008	1	Typeraylegic of require tory system	113	84	1	
010-019	2	Tuberculosis of respiratory system Tuberculosis, other forms	6	4	1	I 2
020-029	3	Syphilis and its sequelæ	2	2		3
045-048	6	Dysentery, all forms				4
056	9	Whooping cough	_			5
057	10	Meningococcal infections	4	. 2		
080	12	Acute poliomyelitis	1	1		7 8
085	14	Measles	_	_	_	8
030-044, 049-055,	17	Other infective and parasitic diseases				
058-074, 081-084,		(B4, 5, 7, 8, 11, 13, 15, 16)*	7	5		9
140-205	18	Malignant neoplasms Total	897	651	22	
160-165		Malignant neoplasms of resp. system	232	180	4	10
200-205		Malignant neoplasms of lymphatic		100	1	
		and hæmatopoietic tissues	39	27	1	II
140-159, 170-199		Other malignant neoplasms	626	444	17	12
210-239	19	Benign and unspecified neoplasms	10	7] 1	13
260	20	Diabetes mellitus	26	17	_	14
290-293	21	Anæmias	10	6		15
240-254, 270-289,	46.0	Other general diseases	32	19		16
330-334	22	Vascular lesions affect. cen. nerv. system	725	498	9	7.77
340	23	Non-meningococcal meningitis	5	3	_	17
300-326, 341-398	46.1	Other diseases of nervous system	63	39	_	19
400-402	24	Rheumatic fever	1	1		20
410-416	25	Chronic rheumatic heart disease	64	49	2	21
420-422	26	Arterioscl. and degen. heart disease	1,368	943	30	22
430-434	27	Other diseases of heart	66	45		23
440-443 444-447	28 29	Hypertensive heart disease	88 47	58 32	2	24
450-468	46.2	Other hypertensive disease Other circulatory disease	129	76	2	25 26
480-483	30	Influenza	8	7		27
490-493	31	Pneumonia (except of newborn)	173	134	4	28
500-502	32	Bronchitis	340	276	5	29
470-475, 510-527	46.3	Other respiratory diseases	71	30		30
540, 541	33	Ulcer of stomach and duodenum	35	25		31
550-553	34	Appendicitis	9	6		32
560, 561, 570 543	35 36.0	Intestinal obstruction and hernia	31	16	1	33
571, 572	36.1	Gastritis and duodenitis Diarrhoea (except of newborn)	22	13		34
581	37	Cirrhosis of liver	23	18		35 36
580, 582-586	46.4	Other diseases of liver	22	17	1	37
530-539, 542, 544, \	46.5		9	5	1	
[5 4 5, 573-578, 587 ∫		Other digestive diseases			1	38
590-594	38	Nephritis and nephrosis	29	20		39
610	39 46.6	Hyperplasia of prostate	22	19	1	40
600-609, 611-637		Other diseases of genito-urinary system	35	18	1	41
681, 682, 684	40.0	Puerperal sepsis including abortion				
642-650, 652-680,	40.1	with sepsis	1	1	-	42
683, 685-689	40.1	Other puerperal causes	2	1		43
690-749	46.7	Diseases of skin and organs of locomn.	23	15		44
750-759	41	Congenital malformations	61	34	4	45
760-762	42 43.0	B. injur's, postnatal asph'a. & atelectasis	97	71	4	46
763 764	43.0	Pneumonia of newborn Diarrhoea of newborn	13	9 2		47
765-768	43.2	Other infections of the newborn	4	2		49
769-776	44	Other diseases peculiar to early infancy	~	-		. 77
		and immaturity unqualified	53	44	1	50
794	45.0	Senility without mention of psychosis	28	20		51
780-793, 795	45.1	Ill-defined and unknown causes	24	14		52
E963, E970-E979	E49	Suicide and self-inflicted injury	34	24	3	53
E810-E835	E47	Motor vehicle accidents	46	29	1	54
E840-E845 E870-E936 (part)	E48.0		5	4		55
E961(pt), E962(pt)	E48.1	Accidents in the home	81	58	1	56
Rem. of E800-E999	E48.2	Other violence (BE50)	54	38		57
11121						
		All causes	5,021	3,502	96	

^{*} Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

5d (TABLE	1 V .—cc	nsinued					
Marginal Index Numbers	Coatbridge Burgh	Hamilton Burgh	Motherwell and Wishaw Burgh	Rutherglen Burgh	Remainder of County	Midlothian County	Edinburgh County of City	Remainder of County	Moray County	Nairn County	Orkney County	Peebles County
I 2	6	1	2 2	2	17	10	10	Perman	2	1	_	
3 4		=			_	3	3	=	_		_	
5 6 7				_			Distance of the Control of the Contr					
7 8		_						_	2		_	_
9	- 93	14	30	16	2	2	2		-		_	_
10	23 7	14 4	32 7	16 7	139 23	343 103	292 88	51 15	22 6	5	8	6
II I2	16	10	25	1 8	10 106	20 220	17 187	33	2 14	4	1 7	5
13 14 15	16 2 1 1	10 - - 3	1		7 3	1 15 7	1 12 7	3	2	1	2	
16	2		1		7	11	10	1	1	_		1
17 18 19	19 5	23	25 1 1	9	142 1 16	285 3 22	237 2 19	48 1 3	24	9	13 - 1	14
20		1			10 254		23 485		- 2	_		1 1 1 19 1
22 23	32 1 5	31	61	17	13	23 587 17 29 10	485	102	40	8	13	
24 25 26	$\frac{5}{2}$	23 	61 4 3 2 4	9	16 13 36	10 49	14 25 10 46	4 -3	6	8 1 1 1 1	1 1 1 1	1 1 1 1 - 1
27 28	2 - 5 4 3	4		3	1 20	49 3 50	46 2 38	3 1 12 8 3 2	3	-	4	
29 30 31	3	5	3 12 4 2	2 - 1	1 20 37 29 6 3 10	43 17 13	35 14 11 2 7	3 2	5	1	1 1	1
32	1			1	3 10	2 8	2 7	1	_			_
34 35 36	1 1 -		2	1	6 3 1	7 9	5 8	2 1 2	1			
37	1	2	1	_	1 2	8 7	6	2	1	1	_	1
38		$\frac{1}{1}$	1 3 3		7	7 11	3	4 2	3 1		2 3 1	-
40 4I		1	3	2	9	14	9	4	-	1	1	
42 43		_		_	<u>-</u>	1 1	1 1		=	_	_	_
44	2 5	3	4		6 11	9 24	9		1	_	1	_
46 47 48	2	1	4 4 1	1	14 2	23	18	5 5 2	1 1		_	_
49	_	_	_	_	2			-	-	_		
50 51	=	1	3 3	2	2 5	14	7 6	7	1	1 _	2	
52 53 54	1	2	1 2 2	_	9 2 14	19 21	17	2 4		1	1	1
55 56	2		4	_	1 16	37	34	3	4	_	3	1
57	1		4	2	9	10	8	2	3	_	1	
	128	113	199	67	916	1,784	1,492	292	138	34	61	52

		TABLE IV.—continued					
International	Nos.		ty.	h h	er of ty	ew	Index
Detailed List	Abbreviated List "B"	Causes of Death	Perth County	Perth Burgh	Remainder County	Renfrew County	Marginal Index
001-008	1	Tuberculosis of respiratory system	1		1	12	I
010-019 020-029	2 3	Tuberculosis, other forms Syphilis and its sequalæ	_		maine.	2	3
045-048	6	Dysentery, all forms	_				4
056 057	9	Whooping cough Meningococcal infections					5
080	12	Acute poliomyelitis	1		1	1	7 8
085	14	Measles			_		8
030-044, 049-055 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	_	Services		2	9
140-205	18	Malignant neoplasms Total	64	23	41	183 49	-
160-165 200-205	_	Malignant neoplasms of resp. system Malignant neoplasms of lymphatic and hæmatopoietic tissues	12	_	2	7	IO II
140-159, 170-199	_	Other malignant neoplasms	50	20	30	127	12
210-239 260	19 20	Benign and unspecified neoplasms Diabetes mellitus	2 2	1	1	4	13 14
290-293	21	Anæmias	1	_	1	4	15
240-254, 2 7 0-289, }	46.0	Other general diseases	2	-	2	3	16
330-334	22	Vascular lesions affect. cen. nerv. system	60	17	43	143	17
340 300-326, 341-398	23 46.1	Non-meningococcal meningitis Other diseases of nervous system	3		3	13	18 19
400-402	24	Rheumatic fever			_		20
410-416	25	Chronic rheumatic heart disease	133	34	99	18 327	2I 22
420-422 430-434	26 27	Arterioscl. and degen. heart disease Other diseases of heart	1	-	1	15	23
440-443	28	Hypertensive heart disease	3	3		22 11	24
444-447 450-468	29 46.2	Other hypertensive disease Other circulatory disease	1 11	4	7	41	25
480-483	30	Influenza	1	1			27
490-493 500-502	31 32	Pneumonia (except of newborn) Bronchitis	13	7 4	6	28 38	28 29
470-475, 510-527	46.3	Other respiratory diseases	3	3	-	7	30
540, 541	33	Ulcer of stomach and duodenum	2 2	2	1	2 2	31
550-553 560, 561, 570	34 35	Appendicitis Intestinal obstruction and hernia	3	î	2	6	32 33
543	36.0	Gastritis and duodenitis					34
571, 572 581	36.1 37	Diarrhoea (except of newborn) Cirrhosis of liver		1	1	1	35 36
580, 582-586	46.4	Other diseases of liver	2		2	2	37
530-539, 542, 544, \	46.5	Other digestive diseases	1		1	2	38
545, 573-578, 587 <i>§</i> 590-594	38	Nephritis and nephrosis	2	1	1	2	39
610	39 46.6	Hyperplasia of prostate Other diseases of genito-urinary system	7	2	. 5 5	5 2	40
600-609, 611-637 640, 641, 651, \				•			4I
681, 682, 684	40.0	with sepsis	_			_	42
642-650, 652-680, \ 683, 685-689	40.1	Other puerperal causes	1		1		43
690-749	46.7	Diseases of skin and organs of locomn.	4	3	1	3 8	44
750-759 760-762	41 42	Congenital malformations B. injur's, postnatal asph'a. & atelectasis	1 2	2	1	10	45 46
763	43.0	Pneumonia of newborn	1	1	_	2	47 48
764 765-768	43.1	Diarrhoea of newborn Other infections of the newborn				1	49
769-776	44	Other diseases peculiar to early infancy					
794	45.0	and immaturity unqualified Senility without mention of psychosis	5 2	1	4 2	6 3	50 51
780-793, 795	45.1	Ill-defined and unknown causes	1	-	1	8	52
E963, E970-E979	E49	Suicide and self-inflicted injury Motor vehicle accidents	1 6		1 6	11	53
E810-E835 E840-E845	E47 E48.0		_	_	_	2	55
E870-E936 (part) \	F48 1	Accidents in the home	7	4	3	22	56
E961(pt),E962(pt) Rem. of E800-E999		(4	1	- 3	14	57
		All causes	375	122	253	996	

^{*} Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

	Table IV.—continued														
Marginal Index Numbers	Greenock Burgh	Paisley Burgh	Port Glasgow Burgh	Remainder of County	Ross and Cromarty Co.	Roxburgh	Selkirk County	Stirling County	Falkirk Burgh	Stirling Burgh	Remainder of County	Sutherland	West Lothian County	Wigtown	Zetland County
1 2 3 4 4 5 5 6 7 7 8 8 9 — 10 11 12 13 14 15 5 16 17 18 19 20 21 22 23 24 25 5 26 27 28 29 30 31 32 33 34 35 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 55	3 — — — — — — — — — — — — — — — — — — —	5 		4 1 1 	1	22 2 2 2 2 2 2 2 2 2 2 2 2 2 3 3 6 4 2 2 11 5 5 5 2 2 11 2 2 2 1 1 2 2 1 1 1 2 2 1 1 1 1	1	3 		2	1		3 	1 1 23 3 3 1 19 — 1 20 — 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
56 57	5 4	5	2	12 7	1 3	1 _	-	9	1	1 2	5	1	3	5	4
	233	268	59	436	198	145	84	558	126	77	355	39	233	105	60

TABLE V.—AGES AT DEATH IN THE COUNTIES OF CITIES, LARGE BURGHS AND COUNTIES OF SCOTLAND—QUARTER ENDED 31ST DECEMBER, 1958.

	Not	Townson or the	III	111	1	1111	P	T	-	1	180	111	1111	IIII	FIF
	85 and over	1,492	118 53 65	97 88 81 81	30	8 6 0 0 0 0	18	6	70	10	00	36 16 20	38 6	87 10 88 89 89	38
	75-84	4,481	277 144 133	254 170 12 72	84	276 411 36 199	43	21	11	21	40	569 69 69	129 27 14 88 88	264 34 189	86 27 59
1	65-74	4,049	216 123 93	217 140 14 63	19	265 39 21 205	49	21	16	21	26	225	24 35 24 83 46	248 30 38 180	282
	55-64	2,562	154 100 54	146 109 12 25	30	158 28 17 113	24	7	9	6	12	74.88 81.88	282	127 19 17 91	203
AT DEATH	45-54	1,323	71 50 21	411	20	83 21 53 53	10	7	4	10	10	13	2 2 2 2 2	13 5 5 6 4 9 9	188
AT D	35-44	462	170	22 18 4	2	20 23 38	69	111	1	1	2	₩ H	75 86.91	2322	•00+
AGES	25-34	208	6 10 4	00 10	69	2222	1	L	1	. 2	1	-1-	F 00 4 H	14	-1-
	15-24	141	000100	ulla	2	1 10	3	1	1	1	1	10	wa - 4	2-10	4-6
	10-14	40	4-0	4411	1	4114	1	1	1	1	-	-1-	4-1-	1111	111
	5-9	43	10 m	100 In	1	901-10	1	-	1	The same	1	-1-		-1-1	111
	I	92	400	P.9 -	2	6-10	1	1	1	NIW :	1		wa - =	401	-1-
	Under	694	2==	14 14	9	52 6 11 35	10	-	1	9	6	Ø 63 60	2 12 e 2 8	90 20 20 08	P 61 10
	All	15,587	903 502 401	841 566 52 223	249	976 153 114 709	152	69	44	42	105	286 93 193	502 129 71 302	876 116 119 641	240 76 164
1./		:	111	1111	:	1111	:	:		:	:	9:1			:::
			111	::::			:	:	:	1	:	411		1:::	::::
		:	:::	1111		1111	:	:		-:		:::	:::::::::::::::::::::::::::::::::::::::	::::	:::
		1	:::	::::		::::	:	:		:	:	111	11111	1111	:::
	Name of the Party	SCOTLAND	Aberdeen County Aberdeen County of City Remainder of County	Angus County Dundee County of City Arbroath Burgh Remainder of County	Argyll County	Ayr County Kilmarnock Burgh Remainder of County	Banff County	Berwick County	Bute County	Caithness County	Clackmannan County	Dumfries County Dumfries Burgh Remainder of County	Clydebank Burgh Clydebank Burgh Pumbarton Burgh Remainder of County East Lothian County	Fife County Dunfermline Burgh Kirkcaldy Burgh Remainder of County	Inverness County Inverness Burgh Remainder of County

				160 30						1								
1	1	1	11111111	111	1	1	1	1	111	11111	1	1	1	1111	1	1	1	1
20	1	16	363 265 7 9 9 15 15	170 152 18	111	3	9	90	24.84	77 19 21 36	33	24	15	52 13 7 32	9	23	6	6
24	14	29	1,324 885 24 286 29 205 275 275	519 438 81	35	00	28	20	112 82 82	286 60 64 17 145	65	53	30	157 29 23 105	17	65	29	19
17	6	26	1.291 919 22 27 27 26 49 13 235 235	470 398 72	42	10	14	11	106 37 69	243 58 79 20 86	49	35	23	141 37 15 89	7	65	26	6
13	9	14	891 16 16 18 13 37 10 154	297 248 49	18	4	9	7	40 16 24	193 46 55 9 83	20	22	9	108 24 19 65	7	39	17	9
2	3	10	489 332 11 13 16 17 9	142 109 33	14	10	69	4	26 10 16	88 23 40 40 40	16	9	4	28 2 2 2 3	4	23	13	7
ī	1	4	167 115 8 5 5 8 1 0 8 9 0 0 8 9 0 0 8 9 0 0 8 9 0 0 8 9 0 0 8 9 0 0 8 9 0 0 8 9 0 0 8 9 0 0 0 8 9 0 0 0 0	59 8 8	r0	1	1	1	55 5	27 6 11 11	7	63	7	20 4 2	2	4	4	4
-	1		622 64 - 8 - 19 19 19 19 19 19 19 19 19 19 19 19 19	27.2	4	1	1	1	m 01-	∞ m m	-	1	2	6	1	63	7	4
1	I	1	421128 101	113	3	1	-	7	60 l co	<u> </u>	9	1	1	1001 100	1	69	-	1
1	1	1	5.	1000	I	1	1	1	1	9-1-4	1	1	1	1111	1	1	I	1
1	1	1	50 4	600	1	-	1	1	111	4-110	1	1	1	41	1	1	1	1
-	1	-	₩2 word 4	970	-	-	1	1	441	0401-0	7	1	1	41	1	1	1	1
7	1	2	306 218 112 88 89 40	22 21	10	-	1	1	10	24 21 1 2 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2	4	1	-	17 3 13 13	1	00	4	2
81	32	105	5,021 3,502 3,502 128 113 199 67 916	1,784	138	34	19	52	375 122 253	996 233 268 59 436	198	145	84	558 126 77 355	39	233	105	09
:			11111111	111		:	-	:	:::	:::::	:	. :		1111		:	:	:
	:			:::	:	:	:	:	:::	:::::	:		:	::::		:		:
:	:	***		111	:	:	:	:	111	111111	:		***	1111	:	:	:	1
:	:	:	Burgh	:::		:	:			11111	A		:	1111	:	-	:	:
:	:	K	City ishaw ishaw nty	Iothian County Edinburgh County of City Remainder of County	:	:	:	:	aty	gh :::	Ross and Cromarty County	:		nty		1		;
ıty	:	ount	urgh rgh nd Wiurgh Cour	ounty Cour	:	:	:	:	f Cour	rgh h Burg f Cour	arty	ty		f Cou	nty	ounty	A	:
Com	unty	ght C	unty v Cour Burgl dge B on Bu well a glen B	rgh Cou	unty	aty	unty	unty	aurgh der o	ck Burg Burg lasgow	Crom	Cour	unty	Burg Burg der o	I Con	lan C	Count	ounty
rdine	ss Co	udbri	diasgow County of City Airdine Burgh Coathridge Burgh Mamilton Burgh Mosterweal and Wishaw Rutherglen Burgh Remainder of County	iothian County Edinburgh County of Remainder of County	y Cou	Con	ey Co	Peebles County	Perth County Perth Burgh Remainder of County	Renfrew County Greenock Burgh Paisley Burgh Port Glasgow Burgh Remainder of County	and (Roxburgh County	Selkirk County	ng Calkirk tirling temair	Sutherland County	West Lothian County	Wigtown County	Zetland County
Kincardine County	Kinross County	Kirkcudbright County	Lanark County Glasgow County Airdrie Burgh Airdrie Burgh Hamilton Burgh Motherwell and Ruthergelen Burgh Ruthergelen Burgh	Midiothian County Edinburgh Coun Remainder of Co	Moray County	Nairn County	Orkney County	Peebl	Perth P	Renfr G G P P	Ross	Roxb	Selki	Stirling County Falkirk Burgh Stirling Burgh Remainder of County	Suthe	West	Wigt	Zetla

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at Eleven of the Principal Towns during the Quarter ended 31st December, 1958

1	11 100		19.9	AII	R TEM	HYGROMETI (9b. G.M.T.								N and	BRIGHT		
	0.00	Mea	n of	1000	ш	A	bsolute M and Min			M	lean o	f	CI	PITAT	TION	Hours per day	
	TOWNS	Maximum (A) (B)		Mean Temp.	Difference from Average	Maximum	Day of Month	Minimum	Day of Month	Dry Bulb	Vapour Pressure	Humidity	Number of Days	Total Fall	Difference from Average	Daily Mean	Difference from
	0 8 8	°F.	°F.	°F.	°F.	°F.	35 3	°F.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	°F.	mb.	%	100	Inch	Inch	4 5	1
1	GLASGOW	56-1	45.9	51.0	+2.6	61	1	30	18	50.7	11.0	87	18	3.31	-1.39	2.42	+0.0
_	Edinburgh Aberdeen	55·6 56·1	46·4 43·6	51·0 49·9	+2·6 +2·9	61 65	8 23	38 35	18 31	50·5 50·0	10.1	81 82	14 16	0.93	-1·90 -1·98	3·49 4·29	+1.0
1958	DUNDER	57-1	44.3	50.7	+28	62	8, 21	35	31	50.7	11.0	87	11	1.93	-1.33	4.23	+1.1
OCTOBER,	PAISLEY GREENOCK KIRKCALDY	55·8 55·1 56·1	46·4 47·5 44·5	51·1 51·3 50·3	+2·0 +2·1 +1·6	61 60 61	22 1 8, 20	35 39 35	18 18 18, 31	51·5 51·0 51·7	11·3 11·4 11·3	87 89 87	18 19 14	3·89 6·37 1·68	-1·23 -1·04 -1·26	2·68 2·15 3·79	+0.5
OCTO	KILMARNOCK PRESTWICK	55.7	45.2	50.5	+1.7	59	100	34	18	51.6	11.3	87	19	3.84	1	2.06	-0.
	Inverness	56.2	45.1	50-7	-	63	1	38	7, 9, 18	51.5	11.1	85	13	2.41	-	3.22	
1	PERTH	56.7	43-1	49.9	+2.0	63	21	30	18	49.8	10.4	86	12	2.05	-1.25		+1.
-	Means	56.1	45.2	50-6	+2.3		-			50.9	10.9	86	15	2.80	100	3.23	+0.4
NOVEMBER, 1958	GLASGOW EDINBURGH ABERDEEN DUNDEE PAISLEY GREENOCK KIRKCALDY KILMARNOCK PRESTWICK INVERNESS	48·8 48·5 48·3 48·2 48·9 49·3 48·4 	39·4 39·6 37·2 37·3 40·3 41·9 37·0 39·0 40·6 37·9	44·1 44·1 42·7 42·7 44·6 45·6 42·7 — 45·2 44·1	+2·1 +1·3 +1·3 +1·0 +1·5 +2·1 +0·6	56 55 56 57 56 56 56 56 55 55	15 1, 2, 15 2, 17 15 3, 5, 15 2, 15 15 15 1, 2, 16 2, 3	28 32 28 27 31 35 27 31 31 30	13 11, 30 11, 14 11 13 13 11 10 30 13	43·3 43·8 42·6 41·4 44·2 44·9 42·6 44·2 45·2 44·1	8.9 8.6 8.1 8.3 9.1 9.4 8.6 8.8 9.3 8.2	92 89 88 94 93 94 93 89 91 84	11 8 14 13 15 16 8 10 9	1·69 1·08 0·75 1·00 1·66 2·53 1·39 1·48 1·53 0·65	-2·43 -1·34 -2·78 -1·86 -2·80 -4·05 -1·45 -1·09	1·53 1·84 1·55 0·95 0·69	-0.5
Z	PERTH	47.7	34.5	41.1	0.1	55	2, 3, 15	23	11	39.8	7.8	93	12	1.10	-1.70	1.49	-0.3
	Means	48.8	38-6	43.7	+1.2	-	1 7		-	43.3	8.6	91	11	1.35	2-17	1.29	1-0:
1	GLASGOW EDINBURGH	42·4 43·5	34·3 35·4	38·3 39·5	-1·3 -0·6	51 51	20 27	20 30	6 7, 25	38·5 39·0	7·1 6·8	88 84	22 19	4·62 3·99	+0·43 +1·88		+0.0
ER, 1958	ABERDEEN DUNDEE PAISLEY GREENOCK	42·0 42·5 43·7 44·1	34·2 34·0 34·3 35·7	38·1 38·3 39·0 39·9	-0·5 -0·7 -1·5 -1·2	48 48 51 51	20 4, 20 4 28	27 28 25 31	7, 14, 25 1, 6,7,14 6, 7 2, 6, 10	37·9 38·0 38·6 39·5	6·8 6·8 7·1 7·3	88 89 89 89	19 23 23 24	5·08 4·43 5·37 7·58	+1.92 +2.01 +0.75 +0.59	0.65	+0.
DECEMBER,	KIRKCALDY KILMARNOCK	42·6 44·8	33·5 33·8	38·1 39·3	-1·3 -0·3	48 52	4, 20, 28	27 25	11, 14 1, 7 6, 7	38·1 39·2	6.7	86 88	17 20	5·45 4·54	+3.19	1·11 0·66	-0.8
DEC	PRESTWICK INVERNESS PERTH	45.0 43.6 42.4	34·6 32·3 31·1	39·8 37·9 36·7		52 51 49	27 20 20	25 22 22	6, 14 15 1, 6, 14	39·6 39·0 36.2	7·8 6·9 6·6	94 85 91	22 15 20	3·67 2·37 6·06	+0.15	0.94	-0.0
	Means	43.3	33.9	38.6	-1.0	_	-		_	38.5	7.0	88	20	4.83	+1.58	0.99	-0.0

POSITION AND ELEVATION OF STATIONS

	North Lat.	West Long.	Elev. (Feet)		North Lat.	Elev. (Feet)		North Lat.	West Long.	Elev (Fee
Glasgow (Renfrew) Edinburgh	55° 52′ 55° 55′		3 6	Paisley Greenock	55° 51′ 55° 56′	2 8	Prestwick	55° 30′ 57° 29′	4° 13′	103
Dundee Aberdeen (Craibstone)	56° 28′ 57° 11′		3 3	Kirkcaldy Kilmarnock	56° 08′ 55° 36′	2 60	Perth	56° 24′	3° 27′	76

Printed in Great Britain under the authority of Her Majesty's Stationery Office by The Herald Printing Works, Yor Wt. 70992 K4 3/59 Gp. 180. (51229).